TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. Appl CONCERNING A FILING UNDER 35 U.S.C. 371 International Application. No. | International Filing Date Priority Date Claimed PCT/IB99/00740 April 16, 1999 April 16, 1998

Title of Invention:

A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA

## Applicant(s) For DO/EO/US:

Stewart COLE, Roland BUCHRIESER-BROSCH, Stephen GORDON and Alain BILLAULT

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information

		The state of the s
1.	[X]	This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
2.	[]	This is a SECOND or SUBSEQUENT submission of items concerning a filing under
		35 U.S.C. 3/1.
3.	[]	This express request to begin national examination procedures (35 U.S.C. 371(f))
		at any time father than delay examination until the expiration of the applicable
4.	[X]	time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 20(1)
4.		A proper Demand for International Preliminary Examination was made by the 10th
5.4		month from the earliest claimed priority date.
n		A copy of the International Application as filed (35 U.S.C. 371(c)(2))
6.		a. [X] is transmitted herewith (required only if not transmitted by the International Bureau).
7 H X		b. [X] has been transmitted by the International Bureau
100		C. [] is not required, as the application was filed in the United States
1		RECEIVING UTICE (RO/NS)
0.07	[ ]	A translation of the International Application into English (35 U.S.C. 371(c)(2)).
6. 7.	[X]	(35 U.S.C. 371(c)(3)).
lands Justi		a. [] are transmitted herewith (required only if not transmitted by the
ļ.		international Bureau).
C		b. [] have been transmitted by the International Bureau.
O		c. [] have not been made; however, the time limit for making such
C		amendments has NOT expired.
8.	[]	
		A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9.	[ ]	An oath or declaration of the inventor(s) (35 U.S.C. 271(c) (4))
10.	[X]	Annexes to the International Preliminary Examination Report under PCT Article 36
		(35 U.S.C. 371(c)(5)).
Ttomo	. 11	he 16 halos seeman
T COME	· 11.	to 16. below concern other document(s) or information included:
11.	[ ]	An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12.	[]	An assignment document for recording. A separate cover sheet in compliance with
		37 CFR 3.28 and 3.31 is included.

# Ιt

- 11 12

- 13. [ ] A FIRST preliminary amendment.
  - A SECOND or SUBSEQUENT preliminary amendment.
- 14. [ ] A substitute specification.
- 15. [] A change of power of attorney and/or address letter.
- 16. [X] Other items or information:
  - a. [] Verified Small Entity Statement.
  - b. [] Copy of Notification of Missing Requirements.
  - [X] Copy of Cover Page of WIPO Publication (1 sheet). c.
  - [X] Sequence Listing (11 pages). d.

j.s. `Application no.	INTERNATIONAL APPLICAT 528 B	ec' <del>dePGTAPTO</del> cale <mark>6 OGE</mark> Er200
<del>09/673476</del>	PCT/IB99/00740	05394.0011
977 07 747 0		

17. [X] The following fees are submit Basic National Fee (37 CFR 1. Search Report has been prepared by International preliminary examinati USPTO (37 CFR 1.482)	CAI	CULATIONS					
of PCT Article 33(1)-(4)							
	PPROPRIATE BASIC FEE AMO		\$	860.00			
Surcharge of \$130.00 for furnishing the [ ] 20 [ ] 30 months from the earlies		r than					
(37 CFR 1.492(e)).	c craimed priority date		İs	1			
Claims Number Filed	Number Extra	Rate	10-				
Total Claims 55 -20=	35		- c	630.00			
Independent Claims 4 - 3=	1		Ś	80.00			
Multiple dependent claim(s) (if applicab				270.00			
	OTAL OF ABOVE CALCULATION			840.00			
Reduction by 1/2 for filing by small ent	ity, if applicable. Ver	ified					
Small Entity statement must also be file			s	ì			
		840.00					
Processing fee of \$130.00 for furnishing	later	П					
than [] 20 [] 30 months from the	\$	i					
(37 CFR 1.492(f)).	<u>i</u>	i					
- M	TOTAL NATIONAL F	EE =	\$1,	840.00			
Fee for recording the enclosed assignmen	ļ	1					
assignment must be accompanied by an app	rty +		1				
(3 <sup>†**</sup> CFR 3.28, 3.31).	\$						
	TOTAL FEES ENCLO			840.00			
	Amo	unt to be					
	\$						
		charged					
	[X] A check in the amount of \$1,840.00 to cover the above fees is enclosed.						
b. [] Please charge my Deposit Account No in the amount of							
\$ to cover the above fees. A duplicate copy of this							
c. [X] The Commissioner is hereby	authorized to shares		1 6-				
which may be required, or c							
No. 06-0916. A duplicate c							

The Commissioner is hereby authorized to charge any other fees due under 37 C.F.R. §1.16 or §1.17 during the pendency of this application to our Deposit Account No. 06-0916.

SEND ALL CORRESPONDENCE TO: Finnegan, Henderson, Farabow Garrett & Dunner, L.L.F. 1300 I Street, N.W. Washington, D.C. 20005-3315 EFC/FPD/rgm

Ernest F. Chapman / Reg. No. 25,961

Submitted: October 16, 2000

10

15

20

25

9/PRTS

A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BACBASED DNA LIBRARY, APPLICATION TO THE DETECTION OF MYCOBACTERIA.

1

# I. Background of the invention

The present invention pertains to a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobacterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC). The invention concerns also polynucleotides identified by the above method, as well as detection methods for mycobacteria, particularly Mycobacterium tuberculosis, and kits using said polynucleotides as primers or probes. Finally, the invention deals with BAC-based mycobacterium DNA libraries used in the method according to the invention and particularly BAC-based Mycobacterium tuberculosis and Mycobacterium bovis BCG DNA libraries.

Radical measures are required to prevent the grim predictions of the World Health Organisation for the evolution of the global tuberculosis epidemic in the next century becoming a tragic reality. The powerful combination of genomics and bioinformatics is providing a wealth of information about the etiologic agent, *Mycobacterium tuberculosis*, that will facilitate the conception and development of new therapies. The start point for genome sequencing was the integrated map of the 4.4 Mb circular chromosome of the widely-used, virulent reference strain, *M. tuberculosis* H37Rv and appropriate cosmids were subjected to systematic shotgun sequence analysis at the Sanger Centre.

Cosmid clones (Balasubramanian et al., 1996; Pavelka et al., 1996) have played a crucial role in the *M. tuberculosis* H37Rv genome sequencing project. However, problems such as under-representation of certain regions of the chromosome, unstable inserts and the relatively small insert size complicated the production of a comprehensive set of canonical cosmids representing the entire genome.

30

15

20

25

30

### II. Summary of the invention

In order to avoid the numerous technical constraints encountered in the state of the art, as decribed hereabove, when using genomic mycobacterial DNA libraries constructed in cosmid clones, the inventors have attempted to realize genomic mycobacterial DNA libraries in an alternative type of vectors, namely Bacterial Artificial Chromosome (BAC) vectors.

The success of this approach depended on whether the resulting BAC clones could maintain large mycobacterial DNA inserts. There are various reports describing the successful construction of a BAC library for eucaryotic organisms (Cai et al., 1995; Kim et al., 1996; Misumi et al., 1997; Woo et al., 1994; Zimmer et al., 1997) where inserts up to 725 kb (Zimmer et al., 1997) were cloned and stably maintained in the *E. coli* host strain.

Here, it is shown that, surprisingly, the BAC system can also be used for mycobacterial DNA, as 70% of the clones contained inserts in the size of 25 to 104 kb.

This is the first time that bacterial, and specifically mycobacterial, DNA is cloned in such BAC vectors.

In an attempt to obtain complete coverage of the genome with a minimal overlapping set of clones, a Bacterial Artificial Chromosome (BAC) library of M. tuberculosis was constructed, using the vector pBeloBAC11 (Kim et al., 1996) which combines a simple phenotypic screen for recombinant clones with the stable propagation of large inserts (Shizuya et al., 1992). The BAC cloning system is based on the E. coli F-factor, whose replication is strictly controlled and thus ensures stable maintenance of large constructs (Willets et al., 1987). BACs have been widely used for cloning of DNA from various eucaryotic species (Cai et al., 1995; Kim et al., 1996; Misumi et al., 1997; Woo et al., 1994; Zimmer et al., 1997). In contrast, to our knowledge this report describes the first attempt to use the BAC system for cloning bacterial DNA.

A central advantage of the BAC cloning system over cosmid vectors used in prior art is that the F-plasmid is present in only one or a maximum of two copies per cell, reducing the potential for recombination between DNA fragments and, more importantly, avoiding the lethal overexpression of cloned bacterial genes. However, the presence of the BAC as just a single copy means that plasmid DNA has to be extracted from a large volume of culture to obtain

15

20

25

30

35

sufficient DNA for sequencing and it is described here in the examples a simplified protocol to achieve this.

Further, the stability and fidelity of maintenance of the clones in the BAC library represent ideal characteristics for the identification of genomic differences possibly responsible for phenotypic variations in different mycobacterial species.

As it will be shown herein, BACs can be allied with conventional hybridization techniques for refined analyses of genomes and transcriptional activity from different mycobacterial species.

Having established a reliable procedure to screen for genomic polymorphisms, it is now possible to conduct these comparisons on a more systematic basis than in prior art using representative BACs throughout the chromosome and genomic DNA from a variety of mycobacterial species.

As another approach to display genomic polymorphisms, the inventors have also started to use selected H37Rv BACs for "molecular combing" experiments in combination with fluorescent *in situ* hybridization (Bensimon et al., 1994; Michalet et al., 1997). With such techniques the one skilled in the art is enabled to explore the genome of mycobacteria in general and of *M. tuberculosis* in particular for further polymorphic regions.

The availability of BAC-based genomic mycobacterial DNA libraries constructed by the inventors have allowed them to design methods and means both useful to identify genomic regions of interest of pathogenic mycobacteria, such as *Mycobacterium tuberculosis*, that have no counterpart in the corresponding non-pathogenic strains, such as *Mycobacterium bovis* BCG, and useful to detect the presence of polynucleotides belonging to a specific mycobacterium strain in a biological sample.

By a biological sample according to the present invention, it is notably intended a biological fluid, such as plasma, blood, urine or saliva, or a tissue, such as a biopsy.

Thus, a first object of the invention consists of a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobacterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC).

10

15

30

35

The invention is also directed to a polynucleotide of interest that has been isolated according to the above method and in partoular a polynucleotide containing one or several Open Reading Frames (ORFs), for example ORFs encoding either a polypeptide involved in the pathogenicity of a mycobacterium strain or ORFs encoding Polymorphic Glycine Rich Sequences (PGRS).

Such polynucleotides of interest may serve as probes or primers in order to detect the presence of a specific myobacterium strain in a biological sample or to detect the expression of specific genes in a particular mycobacterial strain of interest.

The BAC-based genomic mycobacterial DNA libraries generated by the present inventors are also part of the invention, as well as each of the recombinant BAC clones and the DNA insert contained in each of said recombinant BAC clones.

The invention also pertains to methods and kits for detecting a specific mycobacterium in a biological sample using either at least one recombinant BAC clone or at least one polynucleotide according to the invention, as well as to methods and kits to detect the expression of one or several specific genes of a given mycobacterial strain present in a biological sample.

# 20 III. Brief description of the Figures.

In order to better understand the present invention, reference will be made to the appended figures which depicted specific embodiments to which the present invention is in no case limited in scope with.

- 25 Figures 1A and 1B: PCR-screening for unique BAC clones with specific primers for 2 selected genomic regions of the H37Rv chromosome, using 21 pools representating 2016 BACs (Figure 1A) and sets of 20 subpools from selected positive pools (Figure 1B).
  - Figure 2: Pulsed-field gel electrophoresis gel of *DraI* cleaved BAC clones used for estimating the insert sizes of BACs.
    - Figure 3: Minimal overlapping BAC map of M. tuberculosis H37Rv superimposed on the integrated physical and genetic map established by Philipp et al. (18). Y- and I- numbers show pYUB328 (2) and pYUB412 (16) cosmids which were shotgun sequenced during the H37Rv genome sequencing project. Y-cosmids marked with \* were shown in the integrated physical and genetic map

- (18). Rv numbers show the position of representative BAC clones relative to sequenced Y- and I- clones. Squared Rv numbers show BACs which were shotgun sequenced at the Sanger Centre.
- Figures 4A and 4B: Ethidium bromide stained gel (Figure 4A) and 5 corresponding Southern blot (Figure 4B) of EcoRI and PvuII digested Rv58 DNA hybridized with <sup>32</sup>P labeled genomic DNA preparations from M. tuberculosis H37Rv, M. bovis ATCC 19210 and M. bovis BCG Pasteur.
  - Figure 5: Organisation of the ORFs in the 12.7 kb genomic region present in *M. tuberculosis* H37Rv but not present in *M. bovis* ATCC 19210 and *M. bovis* BCG Pasteur. Arrows show the direction of transcription of the putative genes. Positions of *Eco*RI and *PvuII* restriction sites are shown. Vertical dashes represent stop codons. The 11 ORFs correspond to the ORFs MTCY277.28 to MTCY277.38 / accession number Z79701 -EMBL Nucleotide Sequence Data
- Library. The junction sequences flanking the polymorphic region are shown.

  15 Figure 6: Variation in the C-terminal part of a PE-PGRS open reading frame in 
  M. tuberculosis strain H37Rv relative to M. bovis BCG strain Pasteur.

  The numbers on the right side of the Figure denote the position of the end

nucleotides, taking as the reference the *M. tuberculosis* genome.

- Figure 7: Polynucleotide sequence next to the HindIII cloning site in the BAC vector pBeloBAC11 (Kim et al., 1996) used to clone the inserts of the BAC-based myobacterial genomic DNA library according to the invention.
  - NotI: location of the NotI restriction sites.
  - Primer T7-BAC1 : nucleotide region recognized by the T7-BAC1 primer shown in Table 1.
- 25 T7 promoter: location of the T7 promoter region on the pBeloBac11 vector. Primer T7-Belo2: nucleotide region recognized by the T7-Belo2 pimer shown in Table 1.
  - Hind III : the HindIII cloning site used to clone the genomic inserts in the pBeloBAC11 vector.
- 30 SP6-Mid primer: nucleotide region recognized by the SP6 Mid primer shown in Table 1.
  - SP6-BAC1 primer: nucleotide region recognized by the SP6 BAC1 primer shown in Table I.
  - SP6 promoter: location of the SP6 promoter region on the pBeloBac11 vector.

15

20

2.5

30

35

#### IV. Detailed description of the preferred embodiments.

As already mentioned hereinbefore, the present invention is directed to a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobaterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC) type vector.

For this purpose, the inventors have constructed several BAC-based mycobacterial genomic DNA libraries that may be used in order to perform the above described method

Because it is the first time that mycobacterial genomic DNA has been successfully cloned in BAC type vectors, and because these DNA libraries are then novel and nonobvious, an object of the present invention consists in a myobacterial genomic DNA library cloned in such a BAC type vector.

As an illustrative example, a BAC-based DNA library of Mycobacterium tuberculosis has been realized. Forty-seven cosmids chosen from the integrated map of the 4.4 Mb circular chromosome (Philipp et al., 1996a) were shotgunsequenced during the initial phase of the H37Rv genome sequence project. The sequences of these clones were used as landmarks in the construction of a minimally overlapping BAC map. Comparison of the sequence data from the termini of 420 BAC clones allowed us to establish a minimal overlapping BAC map and to fill in the existing gaps between the sequence of cosmids. As well as using the BAC library for genomic mapping and sequencing, we also tested the system in comparative genomic experiments in order to uncover differences between two closely related mycobacterial species. As shown in a previous study (Philipp et al., 1996b), M. tuberculosis, M. bovis and M. bovis BCG, specifically BCG Pasteur strain, exhibit a high level of global genomic conservation, but certain polymorphic regions were also detected. Therefore, it was of great interest to find a reliable, easy and rapid way to exactly localize polymorphic regions in mycobacterial genomes using selected BAC clones. This approach was validated by determining the exact size and location of the polymorphisms in the genomic region of DraI fragment Z4 (Philipp et al., 1996b), taking advantage of the availability of an appropriate BAC clone covering the polymorphic region and

15

20

25

30

35

the H37Rv genome sequence data. This region is located approximately 1.7 Mb from the origin of replication.

The Bacterial Artificial Chromosome (BAC) cloning system is capable of stably propagating large, complex DNA inserts in Escherichia coli. As part of the Mycobacterium tuberculosis H37Rv genome sequencing project, a BAC library was constructed in the pBeloBAC11 vector and used for genome mapping, confirmation of sequence assembly, and sequencing. The library contains about 5000 BAC clones, with inserts ranging in size from 25 to 104 kb, representing theoretically a 70 fold coverage of the M. tuberculosis genome (4.4 Mb). A total of 840 sequences from the T7 and SP6 termini of 420 BACs were determined and compared to those of a partial genomic database. These sequences showed excellent correlation between the estimated sizes and positions of the BAC clones and the sizes and positions of previously sequenced cosmids and the resulting contigs. Many BAC clones represent linking clones between sequenced cosmids, allowing full coverage of the H37Rv chromosome, and they are now being shotgun-sequenced in the framework of the H37Rv sequencing project. Also, no chimeric, deleted or rearranged BAC clones were detected, which was of major importance for the correct mapping and assembly of the H37Rv sequence. The minimal overlapping set contains 68 unique BAC clones and spans the whole H37Rv chromosome with the exception of a single gap of ~ 150 kb. As a postgenomic application, the canonical BAC set was used in a comparative study to reveal chromosomal polymorphisms between M. tuberculosis, M. bovis and M. bovis BCG Pasteur, and a novel 12.7 kb segment present in M. tuberculosis but absent from M. bovis and M. bovis BCG was characterized. This region contains a set of genes whose products show low similarity to proteins involved in polysaccharide biosynthesis. The H37Rv BAC library therefore provides the one skilled in the art with a powerful tool both for the generation and confirmation of sequence data as well as for comparative genomics and a plurality of postgenomic applications.

The above described BAC-based Mycobacterium tuberculosis genomic DNA library is part of the present invention and has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on November 19, 1997 under the accession number 1-1945.

Another BAC-based DNA library has been constructed with the genomic DNA of Mycobacterium bovis BCG, Pasteur strain, and said DNA library has

10

15

20

25

been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on June 30, 1998 under the accession number I-2049.

Thus, as a specific embodiment of the above described method for isolating a polynucleotide of interest said method makes use of at least one BAC-based DNA library that has been constructed from the genomic DNA of Mycobacterium tuberculosis, more specifically of the H37Rv strain and particularly of the DNA library deposited in the accession number I-1945.

In another specific embodiment of the above described method for isolating a polynucleotide of interest said method makes use of at least one BAC-based DNA library has been constructed from the genomic DNA of Mycobacterium bovis BCG, more specifically of the Pasteur strain and particularly of the DNA library deposited in the accession number I-2049.

In more details, the method according to the invention for isolating a polynucleotide of interest may comprise the following steps:

- a) isolating at least one polynucleotide contained in a clone of a BAC-based DNA library of mycobacterial origin;
- b) isolating:
- at least one genomic or cDNA polynucleotide from a mycobacterium, said mycobacterium belonging to a strain different from the strain used to construct the BAC-based DNA library of step a); or alternatively
- at least one polynucleotide contained in a clone of a BAC-based DNA library prepared from the genome of a mycobacterium that is different from the mycobacterium used to construct the BAC-based DNA library of step a);
- c) hybridizing the at least one polynucleotide of step a) to the at least one polynucleotide of step b);
- d) selecting the at least one polynucleotide of step a) that has not formed a hybrid complex with the at least one polynucleotide of step b);
- e) characterizing the selected polynucleotide.

Following the above procedure, the at least one polynucleotide of step a)

30 may be prepared as follows:

- digesting at least one recombinant BAC clone by an appropriate resctriction endonuclease in order to isolate the polynucleotide insert of interest from the vector genetic material;
- 2) optionally amplifying the resulting polynucleotide insert;

10

15

20

25

30

35

9

3) optionally digesting the polynucleotide insert of step 1) or step 2) with at least one restriction endonuclease.

The above method of the invention allows the one skilled in the art to perform comparative genomics between different strains or species of mycobacteria cells, for example between pathogenic strains or species and their non pathogenic strains or species counterparts, as it is the illustrative case for the genomic comparison between Mycobacterium tuberculosis and Mycobacterium bovis BCG that is described herein in the examples.

Restriction digests of a given clone of a BAC library according to the invention may be blotted to membranes, and then probed with radiolabeled DNA form another strain or another species of mycobacteria, allowing the one skilled in the art to identify, characterize and isolate a polynucleotide of interest that may be involved in important metabolical and/or physiological pathways of the mycobacterium under testing, such as a polynucleotide functionally involved in the pathogenicity of said given mycobacteria for its host organism.

More specifically, the inventors have shown in Example 6 that when restriction digests of a given clone of the BAC library identified by the CNCM accession number I-1945 are blotted to membranes and then probed with radiolabeled total genomic DNA from, for example, Mycobacterium bovis BCG Pasteur, it is observed that restriction fragments that fail to hybridize with the M. bovis BCG Pasteur DNA are absent from its genome, hence identifying polymorphic regions between M. bovis BCG Pasteur and M. tuberculosis H37Rv.

Thus, a further object of the present invention consists in a polynucleotide of interest that has been isolated according to the method described herein before.

In Example 6, a polynucleotide of approximately 12.7 kilobases has been isolated that is present in the genome of *M. tuberculosis* but is absent of the genome of *M. bovis* BCG. This polynucleotide of interest contains 11 ORFs that may be involved in polysaccharide biosynthesis. In particular, two of said ORFs are of particular interest, namely ORF6 (MTCY277.33; Rv1511) that encodes a protein that shares significant homology with bacterial GDP-D-mannose dehydratases, whereas the protein encoded by ORF7 (MTCY277.34; Rv1512) shares significant homology with a nucleotide sugar epimerase. As polysaccharide is a major constituent of the mycobacterial cell wall, these deleted genes may cause the cell wall of *M. bovis* BCG to differ from that of *M. tuberculosis*, a fact that may have important consequences for both the immune

10

15

20

25

30

35

10

response to M. bovis BCG and virulence. Detection of such a polysaccharide is of diagnostic interest and possibly useful in the design of tuberculosis vaccines.

Consequently, the polynucleotide of interest obtained following the method according to the invention may contain at least one ORF, said ORF preferably encoding all or part of a polypeptide involved in an important metabolical and/or physiological pathway of the mycobacteria under testing, and more specifically all or part of a polypeptide that is involved in the pathogenicity of the mycobacteria under testing, such as for example Mycobacterium tuberculosis, and more generally mycobacteria belonging to the Mycobacterium tuberculosis complex.

The Mycobacterium tuberculosis complex has its usual meaning, i.e. the complex of mycobacteria causing tuberculosis which are Mycobacterium tuberculosis, Mycobacterium bovis, Mycobacterium africanum, Mycobacterium mucrott and the vaccine strain Mycobacterium bovis BCG.

An illustrative polynucleotide of interest according to the present invention comprises all or part of the polynucleotide of approximately 12.7 kilobases that is present in the genome of *M. tuberculosis* but is absent from the genome of *M. bovis* BCG disclosed hereinbefore. This polynucleotide is contained in clone Rv58 of the BAC DNA library I-1945.

Generally, the invention also pertains to a purified polynucleotide comprising the DNA insert contained in a recombinant BAC vector belonging to a BAC-based mycobacterial genomic DNA library, such as for example the I-1945 BAC DNA library.

Advantageously, such a polynucleotide has been identified according to the method of the invention.

Such a polynucleotide of interest may be used as a probe or a primer useful for specifically detecting a given mycobacterium of interest, such as Mycobacterium tuberculosis or Mycobacterium bovis BCG.

More specifically, the invention then deals with a purified polynucleotide useful as probe or a primer comprising all or part of the nucleotide sequence SEQ ID N°1.

The location, on the *Mycobacterium tuberculosis* chromosome, of the above polynucleotide of sequence SEQ ID N°1 has now been ascribed to begin, at its 5'end at nucleotide at position nt 1696015 and to end, at its 3'end, at nucleotide at position nt 1708746.

10

15

20

25

30

- The Line of A Section A Section Section Section B. A Section A Section After Control of Section Se

For diagnostic purposes, this 12.7 kb deletion should allow a rapid PCR screening of tubercle isolates to identify whether they are bovine or human strains. The primers listed in Table 1 are flanking the deleted region and give a 722 bp amplicon in *M. bovis* or *M. bovis* BCG strains, but a fragment of 13,453 bp in *M. tuberculosis* that is practically impossible to amplify under the same PCR conditions. More importantly, assuming that some of the gene products from this region represent proteins with antigenic properties, it could be possible to develop a test that can reliably distinguish between the immune response induced by vaccination with *M. bovis* BCG vaccine strains and infection with *M. tuberculosis* or that the products (e.g. polysaccharides) are specific immunogens.

The invention also provides for a purified polynucleotide useful as a probe or as a primer, said polynucleotide being chosen in the following group of polynucleotides:

- a) a polynucleotide comprising at least 8 consecutive nucleotides of the sequence SEQ ID N°1;
- b) a polynucleotide whose sequence is fully complementary to the sequence of the polynucleotide defined in a);
- c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).

For the purpose of defining a polynucleotide or oligonucleotide hybridizing under stringent hybridization conditions, such as above, it is intended a polynucleotide that hybridizes with a reference polynucleotide under the following hybridization conditions.

The hybridization step is realized at 65°C in the presence of 6 x SSC buffer, 5 x Denhardt's solution, 0,5% SDS and 100µg/ml of salmon sperm DNA.

For technical information, 1 x SSC corresponds to 0.15 M NaCl and 0.05M sodium citrate; 1 x Denhardt's solution corresponds to 0.02% Ficoll, 0.02% polyvinylpyrrolidone and 0.02% bovine serum albumin.

The hybridization step is followed by four washing steps:

- two washings during 5 min, preferably at 65°C in a 2 x SSC and 0.1%SDS buffer,
- one washing during 30 min, preferably at  $65^{\circ}\text{C}$  in a 2 x SSC and 0.1% SDS buffer.
- one washing during 10 min, preferably at  $65^{\circ}$ C in a 0.1 x SSC and 0.1%SDS buffer.

15

20

25

30

35

A first illustrative useful polynucleotide that is included in the polynucleotide of sequence SEQ ID N°1 is the polynucleotide of sequence SEQ ID N°2 that corresponds to the Sp6 end-sequence of SEQ ID N°1.

A second illustrative useful polynucleotide that is included in the polynucleotide of sequence SEQ ID N°1 is the polynucleotide of sequence SEQ ID N°3 that corresponds to the T7 end-sequence of SEQ ID N°1, located on the opposite strand.

The polynucleotide of sequence SEQ ID N°1 contains 11 ORFs, the respective locations of which, taking into account the orientation of each ORF on the chromosome, on the sequence of the *Mycobacterium tunerculosis* chromosome, is given hereafter:

- The location of ORF1 is comprised between nucleotide at position nt 1695944 and nucleotide at position nt1696441.
- The location of ORF2 is comprised between nucleotide at position nt 1696728 and nucleotide at position nt1697420.
  - The location of ORF3 is comprised between nucleotide at position nt 1698096 and nucleotide at position nt1698982. ORF3 probably encodes a protein having the characteristics of a membrane protein.
- The location of ORF4 is comprised between nucleotide at position nt 1700210 and nucleotide at position nt1701088.
- The location of ORF5 is comprised between nucleotide at position nt 1701293 and nucleotide at position nt1702588. ORF5 encodes a protein having the characteristics of a membrane protein.
- The location of ORF6 is comprised between nucleotide at position nt 1703072 and nucleotide at position nt1704091. ORF6 encodes a protein having the characteristics of a GDP-D-mannose dehydratase.
  - The location of ORF7 is comprised between nucleotide at position nt 1704091 and nucleotide at position nt1705056. ORF7 encodes a protein having the characteristics of a nucleotide sugar epimerase involved in colanic acid biosynthesis.
  - The location of ORF8 is comprised between nucleotide at position nt 1705056 and nucleotide at position nt1705784.
  - The location of ORF9 is comprised between nucleotide at position nt 1705808 and nucleotide at position nt1706593. ORF9 encodes a protein having the characteristics of colanic acid biosynthesis glycosyl transferase.

15

20

25

30

35

And the control of th

- The location of ORF10 is comprised between nucleotide at position nt 1706631 and nucleotide at position nt1707524.

- The location of ORF11 is comprised between nucleotide at position nt 1707530 and nucleotide at position nt1708648. ORF11 encodes a protein similar to a spore coat polysaccharide biosynthesis.

A polynucleotide of interest obtained by the above-disclosed method according to the invention may also contain at least one ORF that encodes all or part of acidic, glycine-rich proteins, belonging to the PE and PPE families, whose genes are often clustered and based on multiple copies of the polymorphic repetitive sequences. The names PE and PPE derive from the fact that the motifs ProGlu (PE, positions 8, 9) and ProProGlu (PPE, positions 7 to 9) are found near the N-terminus in almost all cases. The PE protein family all have a highly conserved N-terminal domain of ~110 amino acid residues, that is predicted to have a globular structure, followed by a C-terminal segment which varies in size, sequence and repeat copy number. Phylogenetic analysis separated the PE family into several groups, the larger of which is the highly repetitive PGRS class containing 55 members whereas the other groups share very limited sequence similarity in their C-terminal domains. The predicted molecular weights of the PE proteins vary considerably as a few members only contain the ~110 amino acid N-terminal domain while the majority have C-terminal extensions ranging in size from 100 up to >1400 residues. A striking feature of the PGRS proteins is their exceptional glycine content (up to 50%) due to the presence of multiple tandem repetitions of GlyGlyAla or GlyGlyAsn motifs or variations thereof.

Like the PE family, the PPE protein family also has a conserved N-terminal domain that comprises ~180 amino acid residues followed by C-terminal segments that vary considerably in sequence and length. These proteins fall into at least three groups, one of which constitutes the MPTR class characterised by the presence of multiple, tandem copies of the motif AsnXGlyXGlyAsnXGly. The second subgroup contains a characteristic, well-conserved motif around position 350 (GlyXXSerValProXXTrp), whereas the other group contains proteins that are unrelated except for the presence of the common 180-residue PPE domain. C-terminal extensions may range in size from 00 up to 3500 residues.

One member of the PGRS sub-family, the WHO antigen 22T (Abou-Zeid et al., 1991), a 55kD protein capable of binding fibronectin, is produced during

15

20

30



disease and elicits a variable antibody response suggesting either that individuals mount different immune responses or that this PGRS-protein may not be produced in this form by all strains of *M. tuberculosis*. In other words, at least some PE\_PGRS coding sequences encode for proteins that are involved in the recognition of *M. tuberculosis* by the immune system of the infected host. Therefore, differences in the PGRS sequences could represent the principal source of antigenic variation in the otherwise genetically and antigenically homogeneous bacterium.

By performing the method of the invention using the *M. tuberculosis* BAC based DNA library 1-1945, the inventors have discovered the occurence of sequence differences between a given PGRS encoding ORF (ORF reference on the genomic sequence of *M. tuberculosis* Rv0746) of *M. tuberculosis* and its counterpart sequence in the genome of *M. bovis* BCG.

More precisely, the inventors have determined that one ORF contained in BAC vector N° Rv418 of the *M. tuberculosis* BCG I-1945 DNA library carries both base additions and base deletions when compared with the corresponding ORF in the genome of *M. bovis* BCG that is contained in the BAC vector N° X0175 of the *M. bovis* BCG I-2049 DNA library. The variations observed in the base sequences correspond to variations in the C-terminal part of the aminoacid sequence of the PGRS ORF translation product.

As shown in Figure 6, an amino acid stretch of 9 residues in length is present in this *M. tuberculosis* PGRS (ORf reference Rv0746) and is absent from the ORF counterpart of *M. bovis* BCG, namely the following amino acid sequence:

25 NH2-GGAGGAGGSSAGGGGGGGGGGGGGGGGWLLGD-COOH.

Furthermore, Figure 6 shows also that an amino acid stretch of 45 residues in length is absent from this *M. tuberculosis* PGRS and is present in the ORF counterpart of *M. bovis* BCG, namely following amino acid sequence:

 $\hbox{NH}_2\hbox{-}GAGGIGGIANGGAGGNGGTGGQLWGSGGAGVEGGAAL$ 

SVGDT-COOH.

Similar observations were made with PPE ORF Rv0442, which showed a 5 codon deletion relative to a M. bovis amino acid sequence.

Given that the polymorphism associated with the PE-PGRS or PEE ORFS resulted in extensive antigenic variability or reduced antigen presentation, this would be of immense significance for vaccine design, for understanding

10

15

20

25

30

35



protective immunity in tuberculosis and, possibly, explain the varied responses seen in different BCG vaccination programmes.

There are several striking parallels between the PGRS proteins and the Epstein-Barr virus-encoded nuclear antigens (EBNA). Both polypeptide families are glycine-rich, contain Gly-Ala repeats that represent more than one third of the molecule, and display variation in the length of the repeat region between different isolates. The Gly-Ala repeat region of EBNA1 has been shown to function as a cis-acting inhibitor of antigen processing and MHC class I-restricted antigen presentation (Levitskaya et al., 1995). The fact that MHC class I knock-out mice are extremely suscepible to M. tuberculosis underlines the importance of MHC class I antigen presentation in protection against tuberculosis. Therefore, it is possible that the PE/PPE protein family also play some role in inhibiting antigen presentation, allowing the bacillus to hide from the host's immune system.

As such the novel and nonobvious PGRS polynucleotide from *M. bovis* which is homolog to the *M. tuberculosis* ORF Rv0746, and which is contained in the BAC clone N° X0175 (See Table 4 for SP6 and T7 end-sequences of clone n° X0175) of the I-2049 *M. bovis* BCG BAC DNA library is part of the present invention, as it represents a starting material in order to define specific probes or primers useful for detection of antigenic variability in mycobacterial strains, possible inhibition of antigen processing as well as to differentiate *M. tuberculosis* from *M. bovis* BCG.

Thus, a further object of the invention consists in a polynucleotide comprising the sequence SEQ ID  $N^{\circ}4$ .

Polynucleotides of interest have been defined by the inventors as useful detection tools in order to differentiate *M. tuberculosis* from *M. bovis* BCG. Such polynucleotides are contained in the 45 aminoacid length coding sequence that is present in *M. bovis* BCG but absent from *M. tuberculosis*. This polynucleotide has a sequence beginning (5'end) at the nucleotide at position nt 729 of the sequence SEQ ID N°4 and ending (3'end) at the nucleotide in position nt 863 of the sequence SEQ ID N°4.

Thus, part of the present invention is also a polynucleotide which is chosen among the following group of polynucleotides:

a) a polynucleotide comprising at least 8 consecutive nucleotides of the nucleotide sequence SEQ ID  $N^{\circ}5$  ;

10

15

20

25

30

35

b) a polynucleotide which sequence is fully complementary to the sequence of the polynucleotide defined in a);

c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).

The stringent hybridization conditions for the purpose of defining the above disclosed polynucleotide are defined herein before in the specification.

The invention also provides for a BAC-based *Mycobacterium tuberculosis* strain H37Rv genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes on November 19, 1997 under the accession number I-1945.

A further object of the invention consists in a recombinant BAC vector which is chosen among the group consisting of the recombinant BAC vectors belonging to the BAC-based DNA library I-1945.

Generally, a recombinant BAC vector of interest may be chosen among the following set or group of BAC vectors contained in the BAC-based DNA library I-1945:

Rv101; Rv102; Rv103; Rv104; Rv105; Rv106; Rv107; Rv108; Rv109; Rv10; Rv110; Rv111; Rv112; Rv113; Rv114; Rv115; Rv116; Rv117; Rv118; Rv119; Rv11; Rv120; Rv121; Rv122; Rv123; Rv124; Rv126; Rv127; Rv128; Rv129; Rv130: Rv132: Rv134: Rv135; Rv136; Rv137; Rv138; Rv139; Rv13; Rv140; Rv141; Rv142; Rv143; Rv144; Rv145; Rv146; Rv147; Rv148; Rv149; Rv14; Rv150; Rv151; Rv152; Rv153; Rv154; Rv155; Rv156; Rv157; Rv159; Rv15; Rv160; Rv161; Rv162; Rv163; Rv164; Rv165; Rv166; Rv167; Rv169; Rv16; Rv170; Rv171; Rv172; Rv173; Rv174; Rv175; Rv176; Rv177; Rv178; Rv179; Rv17; Rv180; Rv181; Rv182; Rv183; Rv184; Rv185; Rv186; Rv187; Rv188; Rv18: Rv190: Rv191: Rv192: Rv193; Rv194; Rv195; Rv196; Rv19; Rv1; Rv201; Rv204: Rv205: Rv207; Rv209; Rv20; Rv214; Rv215; Rv217; Rv218; Rv219; Rv21; Rv220; Rv221; Rv222; Rv223; Rv224; Rv225; Rv226; Rv227; Rv228; Rv229; Rv23; Rv230; Rv231; Rv232; Rv233; Rv234; Rv235; Rv237; Rv240; Rv241; Rv243; Rv244; Rv245; Rv246; Rv247; Rv249; Rv24; Rv251; Rv252; Rv253: Rv254: Rv255: Rv257: Rv258: Rv259: Rv25; Rv260; Rv261; Rv262; Rv263; Rv264; Rv265; Rv266; Rv267; Rv268; Rv269; Rv26; Rv270; Rv271; Rv272; Rv273; Rv274; Rv275; Rv276; Rv277; Rv278; Rv279; Rv27; Rv280;

Rv281; Rv282; Rv283; Rv284; Rv285; Rv286; Rv287; Rv288; Rv289; Rv28; Rv290; Rv291; Rv292; Rv293; Rv294; Rv295; Rv296; Rv29; Rv29; Rv301;

15

20

25

30

35

Rv302: Rv303; Rv304; Rv306; Rv307; Rv308; Rv309; Rv30; Rv310; Rv311; Rv312: Rv313: Rv314: Rv315; Rv316; Rv317; Rv318; Rv319; Rv31; Rv32; Rv322: Rv327: Rv328: Rv329: Rv32; Rv330; Rv331; Rv333; Rv334; Rv335; Rv336; Rv337; Rv338; Rv339; Rv33; Rv340; Rv341; Rv343; Rv344; Rv346; Rv347; Rv348; Rv349; Rv34; Rv350; Rv351; Rv352; Rv353; Rv354; Rv355; Rv356; Rv357; Rv358; Rv359; Rv35; Rv360; Rv361; Rv363; Rv364; Rv365; Rv366; Rv367; Rv368; Rv369; Rv36; Rv370; Rv371; Rv373; Rv374; Rv375; Rv376: Rv377: Rv378: Rv379: Rv37: Rv381: Rv382: Rv383: Rv384: Rv385: Rv386; Rv387; Rv388; Rv389; Rv38; Rv390; Rv391; Rv392; Rv393; Rv396; Rv39; Rv3; Rv40; Rv412; Rv413; Rv414; Rv415; Rv416; Rv417; Rv418; Rv419; Rv41; Rv42; Rv43; Rv44; Rv45; Rv46; Rv47; Rv48; Rv49; Rv4; Rv50; Rv51; Rv52: Rv53: Rv54: Rv55: Rv56: Rv57: Rv58: Rv59: Rv50: Rv60: Rv61: Rv62: Rv63: Rv64: Rv65: Rv66: Rv67: Rv68: Rv69: Rv6: Rv70: Rv71: Rv72: Rv73: Rv74: Rv75; Rv76; Rv77; Rv78; Rv79; Rv7; Rv80; Rv81; Rv82; Rv83; Rv84; Rv85; Rv86; Rv87; Rv88; Rv89; Rv8; Rv90; Rv91; Rv92; Rv94; Rv95; Rv96; Rv9

The end sequences of the polynucleotide inserts of each of the above clones corresponding respectively to the sequences adjacent to the T7 promoter and to the Sp6 promoter on the BAC vector are shown in Table 3.

It has been shown by the inventors that the minimal overlapping set of BAC vectors of the BAC-based DNA library I-1945 contains 68 unique BAC clones and practically spans almost the whole H37Rv chromosome with the exception of a single gap of approximately 150 kb.

More specifically, a recombinant BAC vector of interest is choosen among the following set or group of BAC vectors from the BAC-based DNA library I-1945, the location of which vector DNA inserts on the chromosome of M. tuberculosis is shown in Figure 3:

Rv234; Rv351; Rv166; Rv35; Rv415; Rv404; Rv209; Rv272; Rv30; Rv228; Rv233; Rb38; Rv280; Rv177; Rv48; Rv374; Rv151; Rv238; Rv156; Rv92; Rv3; Rv403; Rv322; Rv243; Rv330; Rv285; Rv233; Rv219; Rv416; Rv67; Rv222; Rv149; Rv279; Rv87; Rv273; Rv266; Rv25; Rv136; Rv414; Rv13; Rv289; Rv60; Rv104; Rv5; Rv165; Rv215; Rv329; Rv240; Rv19; Rv74; Rv411; Rv167; Rv56; Rv80; Rv164; Rv59; Rv313; Rv265; Rv308; Rv220; Rv258; Rv339; Rv121; Rv419; Rv418; Rv45; Rv217; Rv134; Rv17; Rv103; Rv21; Rv22; Rv270; Rv267; Rv174; Rv257; Rv44; Rv71; Rv7; Rv27; Rv191; Rv230; Rv128; Rv407;

15

20

25

30

35



Rv106; Rv39; Rv255; Rv74; Rv355; Rv268; Rv58; Rv173; Rv264; Rv417; Rv401; Rv144; Rv302; Rv81; Rv163; Rv281; Rv221; Rv420; Rv175; Rv86; Rv412; Rv73; Rv269; Rv214; Rv287; Rv42; Rv143.

The polynucleotides disclosed in Table 3 may be used as probes in order to select a given clone of the BAC DNA library I-1945 for further use.

The invention also provides for a BAC-based *Mycobacterium bovis* strain Pasteur genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes on June 30, 1998 under the accession number I-2049.

A further object of the invention consists in a recombinant BAC vector which is chosen among the group consisting of the recombinant BAC vectors belonging to the BAC-based DNA library I-2049. This DNA library contains approximately 1600 clones. The average insert size is estimated to be ~80 kb.

Generally, a recombinant BAC vector of interest may be chosen among the following set or group of BAC vectors contained in the BAC-based DNA library I-2049:

X0001; X0002; X0003; X0004; X0006; X0007; X0008; X0009; X0010; X0012; X0013; X0014; X0015; X0016; X0017; X0018; X0019; X0020; X0021; X0175.

The end sequences of the polynucleotide inserts of each of the above clones corresponding respectively to the sequences adjacent to the T7 promoter and to the Sp6 promoter on the BAC vector are shown in Table 4.

The polynucleotides disclosed in Table 4 may be used as probes in order to select a given clone of the BAC DNA library I-2049 for further use.

Are also part of the invention the polynucleotide inserts that are contained in the above described BAC vectors, that are useful as primers or probes.

These polynucleotides and nucleic acid fragments may be used as primers for use in amplification reactions, or as nucleic probes.

PCR is described in the US patent N° 4,683,202. The amplified fragments may be identified by an agarose or a polyacrylamide gel electrophoresis, or by a capillary electrophoresis or alternatively by a chromatography technique (gel filtration, hydrophobic chromatography or ion exchange chromatography). The specificity of the amplification may be ensured by a molecular hybridization using, for example, one of the initial primers as nucleic probes.

Amplified nucleotide fragments are used as probes in hybridization reactions in order to detect the presence of one polynucleotide according to the

10

15

20

25

30

present invention or in order to detect mutations in the genome of the given mycobacterium of interest, specifically a mycobacterium belonging to the Mycobacterium tuberculosis complex and more specifically Mycobacterium tuberculosis and Mycobacterium bovis BCG.

Are also part of the present invention the amplified nucleic fragments (« amplicons ») defined herein above.

These probes and amplicons may be radioactively or non-radioactively labeled, using for example enzymes or fluorescent compounds.

Other techniques related to nucleic acid amplification may also be used and are generally preferred to the PCR technique.

The Strand Displacement Amplification (SDA) technique (Walker et al., 1992) is an isothermal amplification technique based on the ability of a restriction enzyme to cleave one of the strands at his recognition site (which is under a hemiphosphorothioate form) and on the property of a DNA polymerase to initiate the synthesis of a new strand from the 3'OH end generated by the restriction enzyme and on the property of this DNA polymerase to displace the previously synthesized strand being localized downstream. The SDA method comprises two main steps:

- a) The synthesis, in the presence of dCTP-alpha-S, of DNA molecules that are flanked by the restriction sites that may be cleaved by an appropriate enzyme.
- b) The exponential amplification of these DNA molecules modified as such, by ezyme cleavage, strand displacement and copying of the displaced strands. The steps of cleavage, strand displacement and copy are repeated a sufficient number of times in order to obtain an accurate sensitivity of the assay.

The SDA technique was initially realized using the restriction endonuclease HincII but is now generally practised with an endonuclease from *Bacillus stearothermophilus* (BSOBI) and a fragment of a DNA polymerase which is devoid of any 5'→3'exonuclease activity isolated from *Bacilllus cladotenax* (exo- Bca) [=exo-minus-Bca]. Both enzymes are able to operate at 60°C and the system is now optimized in order to allow the use of dUTP and the decontamination by UDG. When unsing this technique, as described by Spargo et al. in 1996, the doubling time of the target DNA is of 26 seconds and the amplification rate is of 10<sup>10</sup> after an incubation time of 15 min at 60°C.

10

15

The SDA amplification technique is more easy to perform than PCR (a single thermostated waterbath device is necessary) and is faster thant the other amplification methods.

Thus, another object of the present invention consists in using the nucleic acid fragments according to the invention (primers) in a method of DNA or RNA amplification according to the SDA technique. For performing SDA, two pairs of primers are used: a pair of external primers (B1, B2) consisting of a sequence specific for the target polynucleotide of interest and a pair of internal primers (S1, S2) consisting of a fusion oligonucleotide carrying a site that is recognized by a restriction endonuclease, for exemple the enzyme BSOBI.

The operating conditions to perform SDA with such primers are described in Spargo et al, 1996.

The polynucleotides of the invention and their above described fragments, especially the primers according to the invention, are useful as technical means for performing different target nucleic acid amplification methods such as:

- TAS (Transcription-based Amplification System), described by Kwoh et al. in 1989.
- SR (Self-Sustained Sequence Replication), described by Guatelli et al.in 1990.
- NASBA (Nucleic acid Sequence Based Amplification), described by Kievitis et
   al. in 1991.
  - TMA (Transcription Mediated Amplification).

The polynucleotides according to the invention are also useful as technical means for performing methods for amplification or modification of a nucleic acid used as a probe, such as:

- 25 LCR (Ligase Chain Reaction), described by Landegren et al. in 1988 and improved by Barany et al. in 1991 who employ a thermostable ligase.
  - RCR (Repair Chain Reaction) described by Segev et al. in 1992.
  - CPR (Cycling Probe Reaction), described by Duck et al. in 1990.
- Q-beta replicase reaction, described by Miele et al. in 1983 and improved by
   Chu et al. in 1986, Lizardi et al. in 1988 and by Burg et al. and Stone et al. in 1996.

When the target polynucleotide to be detected is a RNA, for example a mRNA, a reverse transcriptase enzyme will be used before the amplification reaction in order to obtain a cDNA from the RNA contained in the biological sample. The generated cDNA is subsequently used as the nucleic acid target for

10

15

20

2.5

30

35

the primers or the probes used in an amplification process or a detection process according to the present invention.

The non-labeled polynucleotides or oligonucleotides of the invention may be directly used as probes. Nevertheless, the polynucleotides or oligonucleotides are generally labeled with a radioactive element ( $^{32}$ P,  $^{35}$ S,  $^{3}$ H,  $^{125}$ I) or by a non-isotopic molecule (for example, biotin, acetylaminofluorene, digoxigenin, 5-bromodesoxyuridin, fluorescein) in order to generate probes that are useful for numerous applications.

Examples of non-radioactive labeling of nucleic acid fragments are described in the french patent N° FR-7810975 or by Urdea et al. or Sanchez-Pescador et al., 1988.

In the latter case, other labeling techniques may be also used such as those described in the french patents FR-2 422 956 and 2 518 755. The hybridization step may be performed in different ways (Matthews et al., 1988). The more general method consists of immobilizing the nucleic acid that has been extracted from the biological sample onto a substrate (nitrocellulose, nylon, polystyrene) and then to incubate, in defined conditions, the target nucleic acid with the probe. Subsequently to the hybridization step, the excess amount of the specific probe is discarded and the hybrid molecules formed are detected by an appropriate method (radioactivity, fluorescence or enzyme activity measurement).

Advantageously, the probes according to the present invention may have structural characteristics such that they allow the signal amplification, such structural characteristics being, for example, branched DNA probes as those described by Urdea et al. in 1991 or in the European patent N° EP-0 225 807 (Chiron).

In another advantageous embodiment of the probes according to the present invention, the latters may be used as « capture probes », and are for this purpose immobilized on a substrate in order to capture the target nucleic acid contained in a biological sample. The captured target nucleic acid is subsequently detected with a second probe which recognizes a sequence of the target nucleic acid which is different from the sequence recognized by the capture probe.

The oligonucleotide probes according to the present invention may also be used in a detection device comprising a matrix library of probes immobilized on a substrate, the sequence of each probe of a given length being localized in a shift of one or several bases, one from the other, each probe of the matrix library thus

10

15

20

2.5

30

35

being complementary to a distinct sequence of the target nucleic acid. Optionally, the substrate of the matrix may be a material able to act as an electron donor, the detection of the matrix poisitons in which an hybridization has occurred being subsequently determined by an electronic device. Such matrix libraries of probes and methods of specific detection of a targer nucleic acid is described in the European patent application N° EP-0 713 016 (Affymax technologies) and also in the US patent N° US-5,202,231 (Drmanac).

Since almost the whole length of a mycobacterial chromososme is covered by a BAC-based genomic DNA libraries according to the present invention (i.e. 97% of the *M. tuberculosis* chromosome is covered by the BAC library I-1945), these DNA libraries will play an important role in a plurality of post-genomic applications, such as in mycobacterial gene expression studies where the canonical set of BACs could be used as a matrix for hybridization studies. Probing such matrices with cDNA probes prepared from total mRNA will uncover genetic loci induced or repressed under different physiological conditions (Chuang et al., 1993; Trieselmann et al., 1992). As such, the H37Rv BAC library represents a fundamental resource for present and future genomics investigations.

The BAC vectors or the polynucleotide inserts contained therein may be directly used as probes, for example when immobilized on a substrate such as described herein before.

The BAC vectors or their polynucleotide inserts may be directly asdorbed on a nitrocellulose membrane, at predetermined locations on which one or several polynucleotides to be tested are then put to hybridize therewith.

Preferably, a collection of BAC vectors that spans the whole genome of the mycobacterium under testing will be immobilized, such as, for example, the set of 68 BAC vectors of the I-1945 DNA library that is described elsewhere in the specification and shown in Figure 3.

The immobilization and hybridization steps may be performed as described in the present Materials and Methods Section.

As another illustrative embodiment of the use of the BAC vectors of the invention as polynucleotide probes, these vectors may be useful to perform a transcriptional activity analysis of mycobacteria growing in different environmental conditions, for example under conditions in which a stress response is expected, as it is the case at an elevated temperature, for example  $40^{\circ}\text{C}$ .

10

15

20

25

30

35

In this specific embodiment of the invention, Genescreen membranes may be used to immobilize the restriction endonuclease digests (*Hind*III digests for the BAC DNA library I-1945) of the BAC vectors by transfer from a gel (Trieselmann et al., 1992).

Alternatively, the BAC vectors may be immobilized for dot blot experiments as follows. First, the DNA concentration of each BAC clone is determined by hybridization of blots of clone DNAs and of a BAC vector concentration standard with a BAC vector specific DNA probe. Hybridization is quantified by the Betascope 603 blot analyzer (Betagen Corp.), which colects beta particles directly from the blot with high efficiency. Then, 0.5 µg of each clone DNA is incubated in 0.25 M NaOH and 10 mM EDTA at 65°C for 60 min to denature the DNA and degrade residual RNA contaminants. By using a manifold filtration system (21 by 21 wells), each clone DNA is blotted onto a GeneScreen Plus nylon membrane in the alkaline solution. After neutralization, the blots are baked at 85°C for 2 h under vacuum. Positive and negative controls are added when necessary. In order to perform this procedure, it may be referred to the article of Chuang et al. (1993).

For RNA extractions, cells grown in a suitable volume of culture medium may, for example, be immediately mixed with an equal volume of crushed ice at  $^{-}$  70°C and spun at 4°C in a 50 ml centrifugation tube. The cell pellet is then suspended in 0.6 ml of ice-cold buffer (10 mM KCl, 5 mM MgCl, 10 mM Tris; pH 7.4) and then immediately added to 0.6 ml of hot lysis buffer (0.4 M NaCl, 40 mM EDTA, 1% beta-mercaptoethanol, 1% SDS, 20 mM Tris; pH 7.4) containing 100  $\mu$ l of water saturated phenol. This mixture is incubated in a boiling water bath for 40 s. The debris are removed by centrifugation. The supernatant is extracted with phenol-chloroform five times, ethanol precipitated, and dried. The dried RNA pellet is dissolved in water before use.

Then labeled total cDNA may be prepared by the following method. The reaction mixture contains 15  $\mu g$  of the previously prepared total RNA, 5  $\mu g$  of pd(N<sub>6</sub>) (random hexamers from Pharmacia Inc.), 0.5 mM dATP, 0.5 mM dGTP and 0.5mM DTTP, 5 $\mu$ M dCTP, 100  $\mu$ Ci of [ $\alpha$ - $^{32}$ P]dCTP (3,000 Ci/mmol), 50 mM Tris-HCl (pH 8.3), 6 mM MgCl<sub>2</sub>, 40 mM Kcl, 0.5 U of avian myeloblastosis virus reverse transcriptase (Life Science Inc.) in a total volume of 50  $\mu$ l. The reaction is allowed to continue overnight at room temperature. EDTA and NaOH are then added to final concentrations of 50 mM and 0.25 M, respectively, and

10

15

20

30

the mixture is incubated at 65°C for 30 min to degrade the RNA templates. The cDNA is then ready to use after neutralization by adding Hcl and Tris buffer.

The hybridization step may be performed as described by Chuang et al. (1993) and briefly disclosed hereinafter. The DNA dot blot is hybridized to <sup>32</sup>P-labeled total cDNA in a solution containing 0.1% polyvinylpyrrolidone, 0.1% Ficoll, 0.1% sodium Pp<sub>i</sub>, 0.1% bovine serum albumin, 0.5% SDS, 100 mM NaCl, and 0.1 mM sodium citrate, pH 7.2, at 65°C for 2 days and then washed with a solution containing 0.1% SDS, 100 mM NaCl, and 10 mM Na-citrate, pH 7.2. The same dot blot is used for hybridization with both control and experimental cDNAs, with an alkaline probe stripping procedure (soaked twice in 0.25M NaOH-0.75 M NaCl at room temperature, 30 min each, neutralized, and completely dried at 65°C for at least 30 min) between the two hybridizations. Quantification may be done with the Betascope 603 blot analyzer (Betagen Corp.).

As it flows from the above technical teachings, another object of the invention consists in a method for detecting the presence of mycobateria in a biological sample comprising the steps of:

- a) bringing into contact the recombinant BAC vector or a purified polynucleotide according to the invention with a biological sample;
- b) detecting the hybrid nucleic acid molecule formed between said purified polynucleotide and the nucleic acid molecules contained within the biological sample.

The invention further deals with a method for detecting the presence of mycobacteria in a biological sample comprising the steps of:

- 25 a) bringing into contact the recombinant BAC vector or a purified polynucleotide according to the invention that has been immobilized onto a substrate with a biological sample;
  - b) bringing into contact the hybrid nucleic acid molecule formed between said purified polynucleotide and the nucleic acid contained in the biological sample with a labeled recombinant BAC vector or a polynucleotide according to the invention, provided that said polynucleotide and polynucleotide of step a) have non-overlapping sequences.

Another object of the invention consists in a method for detecting the presence of mycobacteria in a biological sample comprising the steps of:

15

20

25

35

- a) bringing into contact the nucleic acid molecules contained in the biological sample with a pair of primers according to the invention;
- b) amplifying said nucleic acid molecules;
- c) detecting the nucleic acid fragments that have been amplified, for example by gel electrophoresis or with a labeled polynucleotide according to the invention.

In one specific embodiment of the above detection and/or amplification methods, said methods comprise an additional step wherein before step a), the nucleic acid molecules of the biological sample have been made available to a hybridization reaction.

In another specific embodiment of the above detection methods, said methods comprise an additional step, wherein, before the detection step, the nucleic acid molecules that are not hybridized with the immobilized purified polynucleotide are removed.

Also part of the invention is a kit for detecting mycobacteria in a biological sample comprising:

- a) a recombinant BAC vector or a purified polynucleotide according to the invention;
- b) reagents necessary to perform a nucleic acid hybridization reaction.

The invention also pertains to a kit for detecting a mycobacteria in a biological sample comprising:

- a) a recombinant BAC vector or a purified polynucleotide according to the invention that is immobilized onto a substrate;
- b) reagents necessary to perform a nucleic acid hybridization reaction;
- c) a purified polynucleotide according to the invention which is radioactively or non-radioactively labeled, provided that said polynucleotide and the polynucleotide of step a) have non-overlapping sequences.

Moreover, the invention provides for a kit for detecting mycobacteria in a biological sample comprising:

- a) a pair of purified primers according to the invention;
- 30 b) reagents necessary to perform a nucleic acid amplification reaction;
  - c) optionally, a purified polynucleotide according to the invention useful as a probe.

The invention embraces also a method for detecting the presence of a genomic DNA, a cDNA or a mRNA of mycobacteria in a biological sample, comprising the steps of:

10

15

20

25

30

35

- a) bringing into contact the biological sample with a plurality of BAC vectors according to the invention or purified polynucleotides according to the invention, that are immobilized on a substrate;
- b) detecting the hybrid complexes formed.

The invention also provides a kit for detecting the presence of genomic DNA, cDNA or mRNA of a mycobacterium in a biological sample, comprising:

- a) a substrate on which a plurality of BAC vectors according to the invention or purified polynucleotides according to the invention have been immobilized;
- b) optionally, the reagents necessary to perform the hybridization reaction.

Additionally, the recombinant BAC vectors according to the invention and the polynucleotide inserts contained therein may be used for performing detection methods based on « molecular combing ». Said methods consist in methods for aligning macromolecules, especially DNA and are applied to processes for detecting, for measuring intramolecular distance, for separating and/or for assaying a macromolecule, especially DNA in a sample.

These « molecular combing » methods are simple methods, where the triple line S/A/B (meniscus) resulting form the contact between a solvent A and the surface S and a medium B is caused to move on the said surface S, the said macromolecules (i.e. DNA) having a part, especially an end, anchored on the surface S, the other part, especially the other end, being in solution in the solvent A. These methods are particularly fully described in the PCT Application n° PCT/FR 95/00165 files on February 11, 1994 (Bensimon et al.).

When performing the « molecular combing » method with the recombinant BAC vectors according to the inventions or their polynucleotide inserts, the latters may be immobilized (« anchored ») on a suitable substrate and aligned as described in the PCT Application n° PCT/FR 95/00165, the whole teachings of this PCT Application being herien incorporated by reference. Then, polynucleotides to be tested, preferably under the form of radioactively or non radioactively labeled polynucleotides, that may consist of fragments of genomic DNA, cDNA etc. are brought into contact with the previously aligned polynucleotides according to the present invention and then their hybridization position on the aligned DNA molecules is determined using any suitable means including a microscope or a suitable camera device.

Thus, the present invention is also directed to a method for the detection of the presence of a polynucleotide of mycobacterial origin in a biological sample

15

20

25

and/or for physical mapping of a polynucleotide on a genomic DNA, said method comprising :

- a) aligning at least one polynucleotide contained in a recombinant BAC vector according to the invention on the surface of a substrate;
- b) bringing into contact at least one polynucleotide to be tested with the substrate on which the at least one polynucleotide of step a) has been aligned;
  - c) detecting the presence and/or the location of the tested polynucleotide on the at least one aligned polynucleotide of step a).

The invention finally provides for a kit for performing the above method, comprising:

- a) a substrate whose surface has at least one polynucleotide contained in a recombinant BAC vector according to the invention;
- b) optionally, reagents necessary for labeling DNA;
- c) optionnally, reagents necessary for performing a hybridization reaction.

In conclusion, it may be underlined that the alliance of such BAC-based approaches such as described in the present specification to the advances in comparative genomics by the availability of an increased number of complete genomes, and the rapid increase of well-characterized gene products in the public databases, will allow the one skilled in the art an exhaustive analysis of the mycobacterial genome.

## MATERIALS AND METHODS

- 1. DNA-preparation. Preparation of *M. tuberculosis* H37Rv DNA in agarose plugs was conducted as previously described (Canard et al., 1989; Philipp et al., 1996b). Plugs were stored in 0.2 M EDTA at 4°C and washed 3 times in 0.1% Triton X-100 buffer prior to use.
- 2. BAC vector preparation. pBeloBAC11 was kindly provided by Dr. Shizuya, Department of Biology, California Institute of Technology (Pasadena, CA). The preparation followed the description of Woo et al., 1994 (Woo et al., 1994).
- 30 3. Partial digestion with HindIII. Partial digestion was carried out on plugs, each containing approximately 10 μg of high molecular weight DNA, after three one hour equilibration steps in 50 ml of HindIII 1X digestion buffer (Boehringer Mannheim, Mannheim, Germany) plus 0.1% Triton X-100. The buffer was then removed and replaced by 1ml/plug of ice-cold HindIII enzyme buffer containing
   35 20 units of HindIII (Boehringer). After two hours incubation on ice, the plugs

15

20

25

30

35

were transferred to a 37  $^{\circ}$ C water bath for 30 minutes. Digestions were stopped by adding 500  $\mu$ l of 50 mM EDTA (pH 8.0).

4. Size selection. The partially digested DNA was subjected to contour-clamped homogenous electric field (CHEF) electrophoresis on a 1% agarose gel using a BioRad DR III apparatus (BioRad, Hercules, CA) in 1X TAE buffer at 13°C, with a ramp from 3 to 15 seconds at 6 V/cm for 16 hours. Agarose slices from 25 to 75 kb, 75 to 120 kb and 120 to 180 kb were excised from the gel and stored in TE at 4°C.

5. Ligation and transformation. Agarose-slices containing fractions from 25 to 75 kb, 75 to 120 kb and 120 to 180 kb were melted at 65°C for 10 minutes and digested with Gelase (Epicentre Technologies, Madison, WI), using 1 unit per 100 µl gel-slice. 25-100 ng of the size-selected DNA was then ligated to 10 ng of HindIII digested, dephosphorylated pBeloBAC11 in a 1:10 molar ratio using 10 units of T4 DNA ligase (New England Biolabs, Beverly, MA) at 16°C for 20 hours. Ligation mixtures were heated at 65°C for 15 minutes, then drop-dialysed against TE using Millipore VS 0.025 mM membranes (Millipore, Bedford, MA). Fresh electrocompetent E. coli DH10B cells (Sheng et al., 1995) were harvested from 200 ml of a mid-log (OD550=0.5) culture grown in SOB medium. Cells were washed three times in ice-cold water, and finally resuspended in ice-cold water to a cell density of 1011 cells/ml (OD550=150). 1 µl of the ligation-mix was used for electroporation of 30 µl of electrocompetent DH10B E. coli using a Eurogentec Easyject Plus electroporator (Eurogentec, Seraing, Belgium), with settings of 2.5 kV, 25  $\mu$ F, and 99  $\Omega$ , in 2 mm wide electroporation cuvettes. After electroporation, cells were resuspended in 600 µl of SOC medium, allowed to recover for 45 minutes at 37°C with gentle shaking, and then plated on LB agar containing 12.5 µg/ml chloramphenicol (CM), 50 µg/ml X-gal, and 25 µg/ml IPTG. The plates were incubated overnight and recombinants (white colonies) were picked manually to 96 well plates. Each clone was inoculated 3 times (2 X 200  $\mu l$  and 1 X 100  $\mu l$  of 2YT/12.5  $\mu g/m l$  CM per clone) and incubated overnight. One of the microtiter plates, containing 100 µl culture per well, was maintained as a master plate at - 80°C after 100 ml of 80% glycerol were added to each well, while minipreps (Sambrook et al., 1989) were prepared from the remaining two plates to check for the presence of inserts. Clones containing inserts were then designated "Rv" clones, repicked from the master plate to a second set of plates for storage of the library at -80°C.

10

15

20

29

6. Preparation of DNA for sizing, direct sequencing and comparative genomics. A modified Birnboim and Doly protocol (Birnboim et al., 1979) was used for extraction of plasmid DNA for sequencing purposes. Each Ry clone was inoculated into a 50 ml Falcon polypropylene tube containing 40 ml of 2YT medium with 12.5 µg/ml of CM and grown overnight at 37°C with shaking. Cells were harvested by centrifugation and stored at -20°C. The frozen pellet was resuspended in 4 ml of Solution A (50 mM glucose, 10 mM EDTA, 25 mM Tris, pH 8.0) and 4 ml of freshly prepared solution B (0.2 M NaOH, 0.2% SDS) was then added. The solution was gently mixed and kept at room temperature for 5 minutes before adding 4 ml of ice-cold solution C (3M Sodium Acetate, pH 4.7). Tubes were kept on ice for 15 min, and centrifuged at 10,000 rpm for 15 min. After isopropanol precipitation, the DNA pellet was dissolved in 600 µl RNase solution (15 mM Tris HCl pH 8.0, 10 µg/ml RNase A). After 30 minutes at 37°C the DNA solution was extracted with chloroform; isoamylalcohol (24:1) and precipitated from the aqueous phase using isopropanol. The DNA pellet was then rinsed with 70% ethanol, air-dried and dissolved in 30 µl distilled water. In general, DNA prepared by this method was clean and concentrated enough to give good quality results by automatic sequencing (at least 300 bp of sequence). For a few DNA preparations, an additional polyethylene glycol (PEG) precipitation step was necessary, which was performed as follows. The 30 ul of DNA solution were diluted to 64µl, mixed gently and precipitated using 16 µl 4M NaCl and 80 µl of 13% PEG 8000. After 30 min on ice the tubes were centrifuged at 4°C, the pellet carefully rinsed with 70% ethanol, air-dried and diluted in 20 µl of distilled water.

- 7. Sizing of inserts. Insert sizes were determined by pulsed-field gel electrophoresis (PFGE) after cleavage with DraI (Promega). 100-200 ng of DNA was DraI-cleaved in 20 μl total reaction volume, following the manufacturer's recommendations, then loaded onto a 1% agarose gel and migrated using a pulse of 4 s for 15 h at 6.25 V/cm at 10°C on an LKB-Pharmacia CHEF apparatus.
   Mid-range and low-range PFGE markers (New England Biolabs) were used as size standards. Insert sizes were estimated after ethidium bromide staining of gels.
- Birect sequencing. For each sequencing reaction 7 μl BAC DNA (300-500ng), 2 μl primer (2 μM), 8 μl reaction mix of the *Taq* DyeDeoxy Terminator cycle sequencing kit (Applied Biosystems) and 3 μl distilled water were used.

10

35

After 26 cycles (96°C for 30 sec; 56°C for 15 sec; 60°C for 4 min) in a thermocycler (MJ-research Inc., Watertown, MA) DNA was precipitated using 70 μl of 70% ethanol/0.5 mM MgCl<sub>2</sub>, centrifuged, rinsed with 70% ethanol, dried and dissolved in 2 μl of formamide/EDTA buffer. SP6 and T7 samples of 32 BAC clones were loaded onto 64 lane, 6% polyacrylamide gels and electrophoresis was performed on a Model 373A automatic DNA sequencer (Applied Biosystems) for 12 to 16 hours. The sequences of oligonucleotides used as primers are shown in Table 1

9. DOP-PCR. As an alternate procedure we used partially degenerate oligonucleotides in combination with vector-specific (SP6 or T7) primers to amplify insert ends of BAC clones, following a previously published protocol for P1 clones (Liu et al., 1995). The degenerate primers Deg2, Deg3, Deg4, Deg6 (Table 1) gave the best results for selected amplification of insert termini.

15 Table 1: Primers used for PCRs and sequencing

Vector specific Primers for DOP PCR- first amplification step:

SP6-BAC1: AGT TAG CTC ACT CAT TAG GCA

T7-BAC1: GGA TGT GCT GCA AGG CGA TTA

Vector specific Primers (direct sequencing, nested primer for second PCR step)

20 SP6 Mid: AAA CAG CTA TGA CCA TGA TTA CGC CAA T7-Belo2: TCC TCT AGA GTC GAC CTG CAG GCA

Degenerate Primers:

Deg2: TCT AGA NNN NNN TCC GGC

Deg3: TCT AGA NNN NNN GGG CCC

25 Deg4: CGT TTA AAN NNN NWA GGC CG

Deg6: GGT ACT AGT NNN NNW TCC GGC

<u>Primers used for the amplification of M. bovis DNA in polymorphic chromosomal region of Rv58:</u>

Primer 1: ACG ACC TCA TAT TCC GAA TCC C

30 Primer 2: GCA TCT GTT GAG TAC GCA CTT CC

10. Screening by pooled PCR. To identify particular clones in the library which could not be detected by random end-sequencing of the 400 BAC clones, PCR-screening of DNA pools was performed. Primers were designed for regions of the chromosome where no BAC coverage was appearent using cosmid-or H37Rv

10

15

20

25

30

whole genome shotgun sequences. Primers were designed to amplify approximately 400-500 bp. Ninety-six-well plates containing 200 ul 2YT/12.5 µg/ml CM per well were inoculated with 5 µl of -80°C glycerol stock cultures each from the master plates and incubated overnight. The 96 clones of each plate were pooled by taking 20 µl of culture from each well and this procedure was repeated for 31 plates. Pooled cultures were centrifuged, the pellets were resuspended in sterile water, boiled for 5 minutes, centrifuged and the supernatants kept for PCRs. As an initial screening step, the 31 pools of a total of 2976 BACs, representing about two thirds of the library were tested for the presence of a specific clone using appropriate PCR primers. PCR was performed using 10 µl of supernatant, 5 µl of assay buffer (100 mM bmercaptoethanol, 600 mM Tris HCl (pH 8.8), 20 mM MgCl<sub>2</sub>, 170 mM (NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>), 5 µl of Dimethylsulfoxide (DMSO), 5 µl of dNTPs (20 mM), 5 µl of water, 10 ul primer (2 uM), 10 ul inverse primer (2 uM) and 0.2 units of Tag DNA polymerase (Boehringer), 32 cycles of PCR (95°C for 30 s. 55°C for 1 min 30 s, 72°C for 2 min) were performed after an initial denaturation at 95°C for 1 min. An extension step at 72 °C for 5 min finished the PCR. If a pool of 96 clones yielded an appropriate PCR product (Fig. 1A), subpools were made to identify the specific clone. Subpools representative for lane A of a 96 well plate were made by pooling clones 1 to 12 from lane A into a separate tube. Subpools for lanes B to H were made in the same way. In addition, subpools of each of the 12 rows (containing 8 clones each) were made, so that for one 96 well plate, 20 subpools were obtained. PCR with these 20 subpools identified the specific clone (Fig. 1B, lower gel portion). If more than one specific clone was present among the 96 clones of one plate (Fig. 1B, upper gel portion), additional PCR reactions had to be performed with the possible candidates (data not shown).

11. Genomic comparisons. DNA from the BAC clone Rv58 was digested with the restriction endonucleases *Eco*RI and *PvuI*I, and resolved by agarose gel electrophoresis at low voltage overnight (1.5 V/cm). DNA was transferred via the method of Southern to nitrocellulose membranes (Hybond C extra, Amersham) following standard protocols (Sambrook et al., 1989), then fixed to the membranes at 80°C for 2 hours. The blot was hybridized with <sup>32</sup>P labelled total genomic DNA from *M. tuberculosis* H37Rv, *M. bovis* type strain (ATCC 19210) or *M. bovis* BCG Pasteur. Hybridization was performed at 37°C overnight in

10

15

2.0

25

30

35

50% formamide hybridization buffer as previously described (Philipp et al., 1996b). Results were interpreted from the autoradiograms.

12. Computer analysis. Sequence data from the automated sequencer ABI373A were transferred as binary data to a Digital Alpha 200 station or Sun SparcII station and analysed using TED, a sequence analysis program from the Staden software package (Dear et al., 1991). Proof-read sequences were compared using the BLAST programs (Altschul et al., 1990) to the M. tuberculosis H37Rv sequence databases of the Sanger Centre, containing the collected cosmid sequences (TB.dbs) and whole-genome shotgun reads (TB\_shotgun\_all.dbs) (http://www.sanger.ac.uk/). In addition, local databases containing 1520 cosmid end-sequences and the accumulating BAC end-sequences were used to determine the exact location of end-sequenced BACs on the physical and genetic map. MycDB (Bergh et al., 1994) and public databases (EMBL, Genbank) were also used to compare new sequences, but to a lesser extent. The organization of the open reading frames (ORFs) in the polymorphic region of clone Rv58 was determined using the DIANA software established at the Sanger Centre.

#### EXAMPLES

Example 1: Construction of a pBeloBAC11 library of *M. tuberculosis* H37Rv.

Partial HindIII fragments of H37Rv DNA in the size range of 25 to 180 kb were ligated into pBeloBAC11 and electroporated into strain E. coli DH10B. While cloning of fractions I (25 to 75 kb) and II (75 to 120 kb) gave approximately 4 x 10<sup>4</sup> transformants (white colonies), cloning of fraction III (120 to 180 kb) repeatedly resulted in empty clones. Parallel cloning experiments using partial HindIII digests of human DNA resulted in stable inserts for all three fractions (data not shown), suggesting that the maximum size of large inserts in BAC clones is strongly dependent on the source of the DNA. Analysis of the clones for the presence of inserts revealed that 70 % of the clones had an insert of the appropriate size while the remaining 30% of white colonies represented empty or lacZ'-mutated clones. Size determination of randomly selected, Dralcleaved BACs via PFGE showed that the insert sizes ranged for the majority of the clones between 40 kb and 100 kb with an average size of 70 kb. Clones with inserts of appropriate size were designated with "Rv" numbers, recultured and stored at -80°C for further use.

15

20

25

30

35

#### Example 2: Direct DNA sequence analysis of BACs.

To characterize the BAC clones, they were systematically subjected to insert termini sequencing. Two approaches, direct sequencing of BAC DNA and PCR with degenerate oligonucleotide primers (DOP), adapted to the high G+C content of mycobacterial DNA, were used. In a first screening phase, 50 BAC clones designated Rv1 to Rv50 were analysed using both methods in parallel Except for two clones, where the sequences diverged significantly, the sequences obtained by the two methods only differed in length. Sequences obtained directly were on average about 350 bp long and for 95% of the clones both the SP6 and T7 end-sequences were obtained at the first attempt. Sequences obtained by DOP-PCR were mostly shorter than 300 bp. For 40% of the BACs we obtained only very short amplicons of 50 to 100 base pairs from one end. In two cases the sequence obtained with the DOP-PCR differed from the sequences obtained by direct sequencing, and in these cases E.coli or vector sequences were amplified (data not shown). Taking the advantages and disadvantages of both methods into account, we decided to use direct termini sequencing for the systematic determination of the SP6 and T7 end-sequences.

### Example 3: Representativity of the library.

After having determined the end-sequences of 400 BACs a certain redundancy was seen. The majority of clones were represented at least 3 to 4 times. Maximum redundancy was seen in the vicinity of the unique rrn operon, as 2.5 % of the clones carried identical fragments that bridge the cosmids Y50 and Y130 (Fig. 3, approximate position at 1440 kb). The majority of clones with identical inserts appeared as two variants, corresponding to both possible orientations of the HindIII fragment in pBeloBAC11. This suggests that the redundancy was not the result of amplification during library construction but due to the limited number of possible combinations of partial HindIII fragments in the given size-range of 25 to 120 kb. To detect rare BAC clones, a pooled PCR protocol was used. Primers were designed on the basis of the existing cosmid sequences and used to screen 31 pools of 96 BAC clones. When positive PCR products of the correct size were obtained, smaller subpools (of 8 or 12 clones each) of the corresponding pool were subsequently used to identify the corresponding clone (Figs. 1A and 1B). With this approach 20 additional BACs (Rv401-Rv420) were found for the regions where no BACs were found with the initial systematic sequencing approach. The end-sequences of these BACs

10

15

20

25

30

35

(Rv401-420) were determined by direct sequencing, which confirmed the predicted location of the clones on the chromosome. A 97% coverage of the genome of H37Rv with BAC clones was obtained. Only one region of  $\sim$  150 kb was apparently not represented in the BAC library as screening of all pools with several sets of specific primers did not reveal the corresponding clone. This was probably due to the fact that *Hind*III fragments of mycobacterial DNA larger than 110 kb are very difficult to establish in *E. coli* and that a *Hind*III fragment of  $\sim$ 120 kb is present in this region of the chromosome (data not shown).

# Example 4: Establishing a BAC map.

Using all end-sequence and shotgun-sequence data from the H37Rv genome sequencing project, most of the BAC clones could then be localized by sequence comparison on the integrated map of the chromosome of M. tuberculosis strain H37Rv (Philipp et al., 1996b) and an ordered physical map of the BAC-clones was established. PCR with primers from the termini sequences of selected BACs were used for chromosomal walking and confirmation of overlapping BACs (data not shown). The correct order of BACs on the map was also confirmed more recently, using 40,000 whole genome shotgun reads established at the Sanger Centre. In addition, pulsed-field gel electrophoresis of DraI digests of selected BACs was performed (Fig. 2) in order to see if the approximate fragment size and the presence or absence of Dral cleavage sites in the insert were consistent with the location of the BACs on the physical map (Fig. 3). Comparison of the sequence-based BAC-map with the physical and genetic map, established by PFGE and hybridization experiments (Philipp et al. 1996b), showed that the two maps were in good agreement. The positions of 8 genetic markers previously shown on the physical and genetic map were directly confirmed by BAC-end-sequence data (Table 2, Fig. 3). The position of 43 from 47 Y-clones (91%) shown on the physical and genetic map, which were later shotgun sequenced, was confirmed by the BAC end-sequences and shotgun sequence data. Four clones (Y63, Y180, Y251, and Y253) were located to different positions than previously thought and this was found to be due to book keeping errors or to chimeric inserts. Their present approximate location relative to the oriC is shown in Figure 3: Y63 at 380 kb, Y63A at 2300 kb, Y180 at 2160 kb, Y251 at 100 kb, and Y253 at 2700 kb. A total of 48 BACs, covering regions of the chromosome, not represented by cosmids were then shotgun sequenced (Cole et al., 1997), and these are squared in Fig. 3. No chimeric BACs were found, which is consistent with the observations of other research groups for other BAC libraries (Cai et al., 1995; Zimmer et al., 1997). The absence of chimeric BACs was of particular importance for the correct assembly of the *M. tuberculosis* H37Rv sequence. The exact position of the BAC termini sequences on the chromosome will be available via the world wide web (http://www.pasteur.fr/MycDB).

Table 2: Identities of genetic markers previously shown on the integrated and genetic map of H37Rv (Phlipp et al., 1996b) wich showed perfect sequence homology with BAC ens sequences.

Locus	BAC end sequence	Description of genetic marker	Organism	GenBank Accession n°
ара	Rv163SP6	Secreted		
· T · ·		alanine-proline-rich antigen	M. tuberculosis	X80268
dnaJ, dnaK	Rv164T7	DnaJ hsp	M. leprae	M95576
fop-A	Rv136T7	Fibronectin binding protein	M. tuberculosis	M27016
polA	Rv401T7	DNA polymerase I	M. tuberculosis	L11920
ponA	Rv273T7	Penicillin binding protein	M. leprae	S82044
pstC	Rv103T7	Putative	M. tuberculosis	Z48057
		phosphate transport receptor		
recA	Rv415SP6	Homologous recombination	M. tuberculosis	X58485
wag9	Rv35SP6	35-kDa antigen	M. tuberculosis	M69187

# Example 5: Repetitive end-sequences.

Repetitive sequences can seriously confound mapping and sequence assembly. In the case of the BAC end-sequences, no particular problems with repetitive sequences were observed. Although nine clones with one end in an IS 1081 (Collins et al., 1991) sequence were identified, it was possible to correctly locate their position on the map using the sequence of the second terminus. Moreover, these BACs were used to determine the exact locations of 181081 sequences on the map. Five copies of this insertion sequence, which

10

15

20

25

30

35

harbors a *Hind*III cleavage site, were mapped on the previous physical and genetic map. In contrast, BAC end-sequence data revealed an additional copy of IS1081 on the *M. tuberculosis* H37Rv chromosome. The additional copy was identified by six clones (Rv27, Rv118, Rv142, Rv160, Rv190, Rv371) which harbored an identical fragment linking Y50 to I364 (Fig. 3, at ~ 1380 kb). This copy of IS1081 was not found by previous hybridization experiments probably because it is located near another copy of IS1081, localized on the same *Dral* fragment Z7 and *Asnl* fragment U (Fig. 3, at ~ 1140 kb). Furthermore, the position of a copy of IS1081 previously shown in *Dral* fragment Y1 (Fig. 3, at ~ 3340 kb) had to be changed to the region of Y349 (Fig. 3, at ~ 3340 kb) according to the end-sequences of BAC Rv223. The positions of the four other IS1081 copies were confirmed by the sequence data and therefore remained unchanged. In total 6 copies of IS1081 were identified in the H37Rv genome in agreement with the findings of others (Collins et al., 1991).

In addition, a sequence of 1165 bp in length containing a *HindIII* site was found in two copies in the genome of H37Rv in different regions. The end-sequences of BAC clones Rv48 and Rv374, covering cosmid Y164, as well as Rv419 and Rv45, that cover cosmid Y92, had perfect identity with the corresponding parts of this 1165 bp sequence (Fig. 3, at ~ 3480 kb and ~ 900 kb). Analysis of the sequence did not reveal any homology with insertion sequences or other repetitive elements. However, as each of the two locations showed appropriate BAC coverage, chimerism of the sequenced cosmids Y164 and Y92 can be ruled out as the probable cause.

# Example 6: Using BAC clones in comparative genomics.

The minimal overlapping set of BAC clones represents a powerful tool for comparative genomics. For example, with each BAC clone containing on average an insert of 70 kb, it should be possible to cover a 1Mb section of the chromosome with 15 BAC clones. Restriction digests of overlapping clones can then be blotted to membranes, and probed with radiolabelled total genomic DNA from, for example, *M. bovis* BCG Pasteur. Restriction fragments that fail to hybridize with the *M. bovis* BCG Pasteur DNA must be absent from its genome, hence identifying polymorphic regions between *M. bovis* BCG Pasteur and *M. tuberculosis* H37Rv. The results of such an analysis with clone Rv58 (Fig. 3, at ~1680 kb) are shown here. This clone covers a previously described polymorphic genomic region between *M. tuberculosis* and *M. bovis* BCG strains (Philipp et

15

2.0

25

30

35

al., 1996a). EcoRI and PvuII digests from clone Rv58, fixed on nitrocellulose membranes, were hybridized with <sup>32</sup>P-labelled total genomic DNA from M. tuberculosis H37Rv, M. bovis (ATCC 19120), and M. bovis BCG Pasteur. Figures 4A and 4B present the results of this analysis, where it is clear that several restriction fragments from clone Rv58 failed to hybridize with genomic DNA from either M. bovis or M. bovis BCG Pasteur. On the basis of the various missing restriction fragments, a restriction map of the polymorphic region was established and compared to the H37Rv sequence data. The localization of the polymorphism could therefore be estimated, and appropriate oligonucleotide primers (Table 1) were selected for the amplification and sequencing of the corresponding region in M. bovis. The alignment of M. bovis and M. tuberculosis H37Rv sequences showed that 12,732 bp were absent from the chromosomal region of the M. bovis type strain and M. bovis BCG Pasteur strain. The G+C content of the polymorphic region is 62.3 mol%, which is the same as the average genome G+C content of the M. tuberculosis genome, hence indicating that this region is not a prophage or other such insertion. Subsequent PCR studies revealed that this segment was also absent from the Danish, Russian, and Glaxo substrains of M. bovis BCG, suggesting that this polymorphism can be used to distinguish M. bovis from M. tuberculosis. Analysis of this sequence showed that 11 putative open reading frames (ORFs) are present in M. tuberculosis, corresponding to ORFs MTCY277.28 to MTCY277.38 / accession number Z79701 -EMBL Nucleotide Sequence Data Library (Fig. 5). FASTA searches against the protein and nucleic acid databases revealed that the genes of this region may be involved in polysaccharide biosynthesis. Among these putative genes, the highest score was seen with ORF 6 (MTCY277.33), whose putative product shows a 51.9% identity with GDP-D-Mannose dehydratase from Pseudomonas aeruginosa (accession number U18320 - EMBL Nucleotide Sequence Data Library) in a 320 amino acid overlap. The novel M. boyis sequence of the polymorphic region was deposited under accession number AJ003103 in the EMBL Nucleotide Sequence Data Library.

As it appears from the teachings of the specification, the invention is not limited in scope to one or several of the above detailed embodiments; the present invention also embraces all the alternatives that can be performed by one skilled in the same technical field, without deviating from the subject or from the scope of the instant invention

MO

WO 99/54487 PCT/IB99/00740

38

Table 3: End-sequences of the polynucleotide inserts cloned in the named recombinant

BAC vectors contained in the 1-1945 M. tuberculosis H37Rv genomic DNA library.

RvXXXSP6 corresponds to the SP6 end-sequence of the clone RvXXX.

RvXXXT7 corresponds to the T7 end-sequence of the clone RvXXX.

RvXXXIS 1081 corresponds to a region located close to a copy of the IS1081 repetitive sequence (Insertion element).

The character « - » denotes an uncertain base residue.

Clone Rv101

::::::::::::::::::Rv101T7.seq::::::::::::::

Clone Rv102

GTGCCGTTCCAACCCGANTTGGCTTTCGGCGCATCGGTGAGGACGGCGTGCGGGTGCTCAACGACGACGTGTCTCGC GGGACAACCTCGATCGTGCGCCATGGACGGGGGAAACGAGGAGGTGATCGTACAAGGCGGGGGGACGG TTCCGCCGCGGGCTGACCGCATCCCGTTGACCGGGGGGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCG ACGGCCAAGGCGGCCTGCCAGGTTCGCCGGGTCCACGGTCGCGACAAGGTGGTGCTGGCGGTCCCGATCGGCCAGAC GACATCGTGGCCGACTTCGCCGGGTACGCCGATGAGGTGGT

Clone Rv103

AATACTCAAGCTTTCGGCGGAAACGGACACATTGCGAATATTGATGACAAAAATAAAATCATTGATGGTTTGAGTCAC CAGGCCGATCAAGCCTTCGCCGAGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGA TTCCGTCATTATCAGCCAAAATAACTGCTCTCCGGGTTACACCCAAACAGCGCAATATGGCGAAAAACGGTCGCCGTTG CACGACATTAAATGTCAGGGTATTGTAGAATTAAAAAGATACCCAC

TECTCCCGAAACCTGGGGGTGTGCCTGCTTCTTATGCAGGGCATACGGACATCCTTCCCCTGAGACCGGGGTGGAAC
AGGCACGTGTCCATCATAGNGGGTCAACCCCGGCCAAGGGCGAGGCAGCCCAGCTTGCCGCACCGTTAACCTTATG
CTGTTAGGTTCATTTTGCTGCGATCAAAACAGCTGGTCGGCCGTTAGGAACTGAATTGAAACTCACCGATTTGGTGCC
GCCGTAGGTGTCCTGGCTGCGGTGGGTGTTTTGTCCGGGTTGGTAACGACGACAATGTGACCGGGGGAGGTGCA
ACCACTGGCCAGGGCTGCGAAAGGTCGATTGCGGGGGAAAGAACAACTCAAACCAGTGGGT

ATACTCAAGCTTTGCCGACGAGCGGGCGATGTTGATGACGGGAAACCCCAGCGCACAACCGACGATTTTGGCGTAGCC
GGCGGACGTCTGGTTCCGATTCCGATCCACCTCGGCGCTCGCATCGAGCATGCGGCGCGCGACGACTAGCAGCGATCACGGCGTGCGCGACGACTAGCAGCGACACACCGCGTTCTACGTG
GCCGGTGTACTGGGTGTCGAATGATTCGTGGGGTGCGTAGACCCCACACTTCGACATAGATGCCGTCGGCCG
CATCGCGTCGACAACTCCGGGTGATGGAATAGCACTTGCCGTACACGCGACGTTGCGCGGATGAGCCCGAACCCCA
ATA

TCCTATGTCCCTGCCGAGCANGTGATCGAACGCGGTGACAGATTTGTCTATCCTGGACCTGACGTGAGGTCGAAGTT TTCCAGGAATTCGGCAAAATCGGTAAGAGCCTGAAGAATTCGGTATCGCCGGACGAATTCTGCGACGATACGGGGGC ATATACGCTTCGGGTTTACGAGATGTCGATGGGGCCCCTGGAGGCTTCACGTCCATGGGCCACAAAGGATGTTGTCGG CGCTACCGTTTTCTGCAGGGGCTGTGCGCGTTGGTCC

Clone Rv105

:::::::::::Rv105T7.seq::::::::::::

GETAGCCTTCGETCGCAETCTGCGAGTGATCATTCATCACCACCGGACCTCGTCGCATCTTCCATAGCCCGCACACCT TCAGTTGCTCACCGGATCCAACCGGTAGAGGTCGCCATCGCATTGGTCATCGGGATATGCCGCTCGGGAC GGTCAGAGCCCTCGGGTCCGGCCACCACTCCCCAGCCTTCGTCGGGTCGTCCCGCACGCGCATGGGCCACCATCGCAT TCACCAGGTCTGCGCGAATCACCACGCGTTAGACGGTTCCTTTCCTAACCAACACCGAAGTTTCAGGACCCGAATGCT CCGGGAAAACATGTCACGGTAGAGGTCGTATTCCGGCTTACACGGCTA

Clone Rv106

::::::::::Rv106SP6.seq::::::::::::::

Clone Rv107

::::::::::Rv107T7D4.seq:::::::::::

Clone Rv108

TGAATTTCCGATCCCACATCTCGGTTCAGATACAGGTCGCCATACCCCTTACTTCGGCAACGCTGGGCGGATTGGCCCTGCGGCTGCAGCAACCCATCGACATCCACGACATTCCGGCAATCTCGTTCAGCCAATCCAATACCCATCGACATTCCGCGCGATCGACATCCCACCCTTCACCCTTTAACGC

WO 99/54487 PCT/IB99/00740

40

Clone Rv109

Clone Rv10

:::::::::::::::::::Rvl0SP6D2.seq::::::::::::

 ${\tt GGGATGGGCGGGCCGCTAAACTCTTCGTGTTCCACTAACTCCGGGAGGGNCAATCTCGGGCCGTTATGGCTCACGTCGCGCCCCTCCGACCGCAACATTCGGAGTTGGCAGCAACCTGGTAGCACCCTGGCCGG$ 

 ${\tt NCCGTCGTTGACAAGTAAATATGTCCGCAAAAGTCTCAGCGGCCGACTTTGCTCGCAGGTGGCGGTACCGCGCCACCGAGTCGATGCCGTGGTCGCAAATATGCTCCCGAAATCGCACGGCCTTCCCNNTTTAAACGGA$ 

Clone Rv110

CTACACCATCGAATACGACGGCGTCGCCNACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGC
CGGCACCTACTACGTCACACTCCTTCATCCTGACGCCGGAACAAATTGACGCACGGTTCCGCTGACCAATAC
GGTCGGTCCCACGACGACCCCAGTACTCACTACTACCGCAGCACAACAC
GATCGGTCCCACGACGACCACCAGTACTACATCATCGCAGCACACACTGCATCTGTAACCTGGCGCTCATCAGCGCACCCGGC
CATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAANGTGATTGTTAACCTGGGCTACNGCGACCGGC
CTATGGTTATTCNACCTCNCCGCCCAATGTTGCGACTCCGTTCGGCTTGATCCANAAGTCNNCCCGGTCGTCATCGC
CGAANCTCTCNTCCCGGCCACCAGGATATTGCGAATTTCNCCTACAAATCANACCACTCCA

Clone Rv111

GCATGATGGGCCACCTTTGGGGCGGCGCGCATACGGCGGGTACCGATCTCCCGCGTCATACACCCGGGGTAATCGC CGACGGTGCCGGTTCGCGAGCGAAGGGTGACGACTCTGATTGAATCGAGTTCCAGGTCCAGCGGGGTGGCGCACCAACG GCGCGAGCTCAACGACGTCAATCNCGTTGTCGCTTTCTTACGGTCACCGACCCTGGTGACCCTAGTTCACCG

Clone Rv112

TGGGGCGATGGGAACCTTGGAGACCTGTATTTGGAGGCGGTGGCNACTGAGGTTGGCGTGGACNAACTGTGA CCGGGTTGATTGCCTGGCGCTTGGCGGTAGCACACCGGGCGTGGTGGTGATCGCNAANAGACAANTTGTGGTGGA NGCTTCTGCTGCCTGCGACACCCACNACGTGGTGGCACCGGGGAGCTTTAGCTGGCATGTCCTGACCGGCTGGCCGA CNACTCCAGACNTTCCACNAANGGTGCGCNNCCCAATGTNCCGNANTGTCTCGGGTCCCTTTACCNCCCAATGGGCN GNTTCCACNGGTTACGGCCCCNTNCCGGGGGTCTNCCTCCAANTGACAAATAGCCCGGACTTTCCAC

### Clone Rv113

#### :::::::::::Rv113SP6.seg::::::::::::

# 

#### Clone Rv114

## 

## 

GGTTGGCCACGCTTCTGGGGTGCGGCGCGCGTCACAATGACCGTCTGCTCCTTGCTGACCACCACGCGTGGGGC GAGCCCAGCACCTCCAAGCCCACTCGCGCAGCACCATGCCGGCGTTGGGGTTGACCACCTGGCCACCCGTCACCAC GCCAGGTCCTCAAGGAAACGCTTACGGGGGTCACCGAAGTACGGCCCCTTTCACCGCGACCGCTTTCAACGTCTTGG AATCGCTTGACGACCACGTCGCAACGTTCGCCTCCACGTCTTCAGCCACGATCAGTAGTGGCTTACCGTTCC TGCAACCTTTTCCAGCAATGGCAACAGTTGGGAACGAACTACTTCTTCTTGTGTCA

#### Clone Rv115

### 

CCAAGCTATTTAGGTGACACTATAGATTACTCAAGCTTTTGGCTGGGTGGCTTCGAATTCNGGGTGCACCCCTATGG
GTTGCANCAGCGGCTGGGCCCGCACACCCCACTGGCCCGGGTGTTTTCGCCCCGATCATCGTGAGCGAAAA
GGANATTCNCCTGTTCGATGCTGGGATTCGCCACGCCAAGGCATCATN.GGATTACTCTCCNCGGGTGGGAAAAGTGC
CCAATCCCCCTCCCTCCAACTTTCCNACAATCATTCCGGTTCCNCCNTCCGGTTGGNGGTAACCNNCCAATAAAACC
CCTGCCCC

### 

### Clone Rv116

#### 

ATACTCAAGCTTGCCCAGCCGTCGATGACAAGAAATATGTCCGCAAAAGACTCAGCGGCCGACTTTGCTCGCAGCTGG
CGGTAACCGCCCCCCGAGTCGATGCCGTCGCGGCAACATGCCTCCCGAATTCCAGGCCAATTCCATTCCGGGA
AGCATCCGCAATGCCAGCTGCGGTTGCCCCCTGCCGGCCACGGCACCACTTGCGGCATTGCGTCCACCTGGGCCAGC
GCCCGCCGCAAATTCCAAACAATAAAAATTGCACCGGC

::::::::::::::Rv116T7.seq::::::::::::

Clone Rv117

CCGACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACT ACTTCATCCTGACGCCGGAACAATTGACGCAGGGTTCCGCTAACCAATACGGTCGCACGAGGACCACTACT ACATCATTCGCACGGAGAACCTGCCGCTGCTAGAGCCCACTGCGATCGCGACCACGATGTGGGGAACCCACTGGCGAACC TGGTTCAACCAAACTTGAAGGTGATTGTAACCTGGGCTACGGGCACCGCCTTT

Clone Rv118

ATACTCAAGCTTTGTCACACCAAGTGTTTCGACCAGGCGCTCCATCCGGCGAGTGGATACTCCCAGCAGGTAGCAGGT CGCCACCTCGTCAGTGCGCGTTCAGCTCGCTTGCGGCGCTGCAGCAGTCAGGGAAAAACCTCCCCTGGG CACCTGGGGGATCCCAACTTCAATGGTTGCGGCACGGGTGTCAAATTCAGGGGGGGTAGCCCTTGCAATTGCA CCGCTCATCGCTGCTTTCGGGGTACCCCGCCCGCACAGGGCTTCGGCTTCAGCCCCCATCAGGGCGGCAATAAACTT CAAAGAGCAC

Clone Rv119

Clone Rvll

AGCTITGEAGTTGCTGAGTAATGTGGGCCAACGTCACCACACCGGGTGAATTCAATCATGCCGCCCAGGGCGGCCA ACCCAATGGTGGCCGCAGCGGCAGCTCGATCGCACGCGCAGGGTTGCCGCCCCCAGTTGATTCACGAACAGGGTGA GGTCATIAGCGGGCAGGATAGTGACGAAGGCAAGACCTCCATCTGCCGTCGGAAGAAGTATGCAG WO 99/54487 PCT/IB99/00740

43

# 

### Clone Rv120

#### 

ATACTICAAGCTTCAGTTCCTCCACGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTC
GCCATACCCCTTACTTCGGCAACGCTGGGCGGATTGGCCCTGCGCTGCACCAAACCATCAACGCCTTCAAATTGCCG
GCAATCTCGTTCAGCCAATCCAT

# 

GCTCTACGCGGCCTAGGGGTGGACATCCAGCCGAGCAGATGCTCGAGCGGCACCCCACTCGCCGATGGCCGGAAC CGGCTGGTTACCCGGGTGGCGGCTGACGTCTCGGCGGCGAGACATCCNGCTGGAAAGGGCCGCTTCCCACCCTCCTCAAAACACAAATTCAAAGGTGTTCCTCGTCGTCTACGACATGACCCCGGCGAACAACTTGACCGGTGGAAAGCTTGACCAGTGGCAAAGCTCGAGTTCCGACAACACAAACCCGAGAACACAAACCCGAGAAGACATCACAAAACTCGATCCGACAAAACTCGATCCGACAAAACTCGAGCAAAACACAAACGGGATCCCGTCCTCC

### Clone Rv121

## 

# 

CCACGGCATGGATCAAGGTACCGGCCGGGATGTTGCGCCAATGCCAGGTTGTTGCCCGGCTTCATCTCGGCGTTAGCGC CGGATTCCACCACATCCCCTTGCGAAAGTCCGTTGGGTGCAATGATGTAGTGCGCTTCCCCCATCGAGATAGTGGAGA ACGCAATCCGTCGGTACGGTTCGGGTCGTACTCGATGTGCGCGCCCTTTGCCGTTAACACCATCTTTGTCATTCCGGC GAAAGTCGATCATCCGGTAAGCCGGGTTTATGACCGCGCCTTTGTGCCGGGTTAATCCGGCCATGCGCGTTGCTC CACCGCGACGTGCAGCGGCCACCAGCGACTTTCTCCGGGTTGACTGGTAATCCGGCATGCGCTTGCCCCCACCACGCGGTTAGTCGCCATGCGCTTGCCGGTTAGCCG

## Clone Rv122

#### 

GCAGCATGACGGCGGTAGCGAACACGGCCGGATCCAGCGCAAGTAGCGTCGATGTGCTCACGGAATCGCCCCGGCACC
GCGATCTCGANGATCACCAGTGCCACCCCCTGCAGCGCNACACCGACGATTCCGTACACCGCCACGCCGATCAGGCCC
TGGGCCATCTGATTGGACGTGCGTANATGGCGGCGATGGTGACGATGCGCCAGCCCAGTACATTGTGGCGCCAGCACA
ACCACGGCGTTGGGGCGGCGGTCGATGAACACTAGGCGACGACACTCGCCCGGGGTCAACAGGTTGACCATCAGAAAG
CCTGCGACTAGCACGGCGCCCCATGGAAATCAGCAAANGTGCCACCACCCCATGCAGGATCGGGTAAGGCTTAA
TGGTCCCGAAATCGACTCCTCCTTTGCGTTATGCCTTTTTGCCTGTTTTTTCGCGGAA

#### Clone Ry

## 

# 

## Clone Rv124

## 

WO 99/54487 PCT/IB99/00740

44

Clone Rv126

Clone Rv127

Clone Rv128

Clone Rv129

GCGAAAGTCCGTTGGGTGCAATGATGTAGCGCTTCTCCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGGTACGGT TCGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGCGAAAGTCGATCATCCGGTNNG

#### 

#### Clone Rv130

## 

### Clone Rv132

#### 

### Clone Rv134

GCTTCCGGCTCGTATGTTGTGTGGAATTGTGACCGGATACCAATTTCACACAGGAAACAGCTATGACCATGATTACGC
CAAGCTAGTTAGGTGACACTATACAATACTCAAGCTTGCCGGCTGGTGGGCCCGACCACTTCGATGGCACGACCGTGA
ACTGCTGCCCGGCCAATTCTTCTTGGTCGCCCGGACCGATCGACGGGCTGGGATTCCAGAAGGTGCCCGATCCCGC
CCCTGGGAAAAACCGCGTGCACCTCTACTTCACGACCAACGAC

# 

CGGATCGACTGATGCGCCGACAACCACGCCCAACAACTGGAATGAACCGTCGTGACCATCATCAGCACGCGGTTGTA
GGCGACTTGCGACATGTTCAAACCCGCGTACTCTGGACGAGGATCTTCAAACCGAAACAGCCCAGCTCGGCCAGGCCTTT
CACGTACTCGTCGGGGATCTGGGCACCACGCGTCGAGGACGCTGCGCCCACCGGGTGTTAGGAATCTCCGCACGTTTTGAC
CACAAACCCCTCGGTTCGGGCCTCCTGGGCGTCCGACGGCTTGGGAAATGGGTGTATGAGCCCTACGGGAAACCGCC
CACAAAACACTTTGCGCAAAGAGTTTATCCCAACCACTTTCCGCAGGTTTCTCGCAAGGGCCCGCCTTGCCC
CTCGGTGACTTAGCTAGGTTAGCCAACGCCCTCCTCCTGA

Clone Rv136

Clone Rv137

Clone Rv138

:::::::::::Rv138SP6.seq:::::::::::

CACTACTCAGCTCTTCTCTTCATTACACCCCTCTTATTTGGGATGGCAAAAGGCGAAGCACCGCTTGGCCACNAA
CGCCGGGAGGGACAACTTCGGGGGGTTGGCTCTCCCGGGAAGGCCCAACGTACGGCGTTCAACACGTCGCTG
GCCCTCCGACCGCGACACTTCGGGGATTGGCACCAACCTGATTACCACCCTGGCGGGGGTGATCTCAACGGCTCGCCG
CGGGTAGTCCCCGCCGGGGGGTACACACTCTGAAACCCCGATGACCATCGATGTTGTGGATCACGATCCGAACGCAACG
GTTCCTACACGGGGGATATTCCCCC

CAGGCATCAAGCTTTCGTCAGTTCATTGCGCCAGCAGCACAACAAGAGCATCGGGACTAACGAGGTCAACTACCGG CCAACGGTGATTTCTTGGCCGCCGCCTGACGGCCCGAACGACGACGACCAACTTCAGCAGCAGGCCAGCCGTGCC GGCCACGAGGTTGGTGCTCTGGGGGCTATCTCCCAGGGTCGCGCCTGTCGACTCTGCACCGCCTGACCCCTGCCC GCCTCGGGTTCAGCGCGCTGCCCGCAGCGGACGATCACATCGCCGCAGATCGCCCTGTTCGGGAATCCCTCGG GCCGCGTGCGGGGTGATGAGCGCCCTGACCCTCAATTCGCGTCCAAACACTCAACCTCTGCAACAACGGCGACC CATTTGTTCGGACGCAACCGTGCAACGCCCTTAGTCACTACTTGCCGGATGA

Clone Rv139

Clone Rv13

 $\label{thm:condition} \textbf{ATACTCAAGCTTGGGGGTGATCACCGGAAGTCNCATGATCAGCCACGTTCCGCGCCCGCCCGGCATACGGTGGTGTGATCACCCGCGGTCATACACCCGCGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAA$ 

Clone Rv140

Clone Rv141

AATATTCAAGCTTTCGGCGGAAACGGCNCCTTCCGAACATTGATAACAAATAGAATCATTGATGGTTTGAGTCAC
CAGGCCGATCAAGCCTTCGCCGGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGAACGAGCGT
TTCCCTCNTTATCAGCCAAAAATAACTGCTCTCGGGTACCACCCAAAAAGCGCAAATAGGCGGAAAAAACGTCCCCGTTG
CACAACATTAAATGTTCTGGTATTGTTGATTAAAAAGATACCCACCACCAGGGCAATCCAACTGAGAGCGGTTAAATT
GACCGTAAAAAACTCCCCGTCATCTGTTT

CAGGCATGCAAGCTTGCTGCATCTTCCTGTGACTGCTCCCGAAACCTGGGGGTGTGCCTGCTGTGTATGCACGGCATA
CGGACATCCTTCCCCTGATACCCGCCGTCGAACCAGCCACCTGTCCATCAGGGGTCAACCCCGGCCAAGGGCGA
GGCACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTAGTGCTCATCTCGCGGCAAAACAGCTGGTCGCCGTTA
GGAACTGAATTGAAACTCAACCGATTTGGTGCCGCCGTAAGTGTCCTGTCTGCGGGTGCGCTGTTTTTCCCGGTGT
GGTAACGACGACAATGTGACCGGGGGAGGTGCAACCACTGGCCAGGCGTCCGCGAAAGTCCATTGCNGGGGGAAGAA
ACAC

::::::::::Rv142SP6.seq:::::::::::

CAGGCATGCAAGCTTTTTGAGCGTCTCGCGGGGCAGCTTCGCCGGCAATTCTACTAGCGAGAAGTCTGGCCCGATACG
GATCTGACCGAAGTCGCTGCGGTGCAGCCCACCCTCATTGGCGATGGCCCGACGATGGCGCCTGCAGCGACGACGTCGGTC
GCCGTTGCCGACGGCGACGGGTAGGTGGTCAAGTCCGGTCTAGCGTTGGGCCTTTGCGACGAGGTTCCGACCGTGCTC
GCGGTTGCGCCGCAAAGCGGCGGTCGGGTGCATCATGAATGCCTCACCGCCGCCGCACTGCACGGCCAGTGCCC
GGCGATGTCAGCCATCAGGCACATCATGCTCGCTTCATACTCCTCGACCAGTCCGGGAACAGCTCCATTCCCGGACC
GCCAAACG

Clone Rv143

Clone Rv144

ATACTCAAGCTTCCCGGCCGCAGGTGACGGCGCGCCTAGCGCCACTTGATGCCGCACCCGATCGACGGNCGTTGGTC
GGGGTTGACTGGCCGCCGGCGACGGCGCACTCGACGGCCCTCACCGGTCGGCCATTGGC
GGGGCGGGAGTCGTGACCACGGTTAGCACAGTCGGCGCTGCACCCTCGAAGACAAACGTCCCGGTGCAGCACC
CGCGGAGAAGGCCCNGGCGACGTCTCGGGTTTCGTCGTAGAGATACCGCCGCGCGGCGCCCTCGGC
GACCATCTGATCGGGCCATCTCGGGTAACACACTCCTTACTGGAGATACCGACACTACGGGACCTTTGATC
GGCGAGGTCCCGGCCGACCCGTCCCCCCCTTCGGCGCACCACTACTGTTC

SUSSIBLE SERVICE

11

Clone Rv145

 ${\tt CAGGCATGCAAGCTTCATGCCCGCGGCATGATAGCCACATGCACGCAATCGAACTCAGCGAAACCGGCGGGCCAGGCGTCTTTAGGCCACCTCACCAGCGCGCAACCTCAACCCGGCCACGGAGACCTCCTGATC}$ 

Clone Rv146

ATACTCAAGCTTCATTTTGATCATCATCATCATCATCACCCGAATTGTTGGTAGCCGCAGTGGTTATCGTGGGGGTACCGT COTGCTTTCCATGGGGCGCTTTCCGGGTTTGCGTATTGGTCTGGCAGCACATTGTGGTAGTCAGATTCTGGAT GGTGTTGGCGATGTCGGTGATCCTGCTCATGGCGGTGGGATCCGACTACAATCTGCTGCTGATTTCCCGGTTGAAAGA GGAAATTGGGGCCGATTGAACACCGGAATTATCCGTGCCATGGCTGGTACCGGGGGAGTGGTGACGGTGCCGGCCT GGTGTTGCCGTTACCATGTCGTTGTTGTTCATGCATTTTGGCATTATTGGTCAGATCGGTACCACCCATCGGCCT GGCCTTGCTGTTCGACCCCTCGTGCCTCTTCATGAACCCGTCCATTGCGATTCGCCTGGGACCTGGTTCTGG GGCCCTACGGGTGCGCCGGCGGCAGCATCAATCTTCCGCCG

Clone Rv147

Clone Rv148

CAGGCATGCAAGCTTCCGGGCCGGAGTGGTTTCGAGGGCCGCTGCTTTCTCGGCATCGGTTTGGGCTGTCACCAGCAG TTGGTAGTTCTTCACGTACTGTTGTTCGAGGTCGAGCCGCCGCGGTGTCGGAGGTCGCCGGACGCGTATCCCGCAG GCCGGTCAGGGTGCCCTTCCAGTCCACGCGCTGTGGTCGGCGAACCGGTTATCTTCAAATCGAACCAGTGCACCAC CATCGTGTTGGCGATCTTGTCCGAGGGCACCTCGAACCGGCGTGCGAGTACAGCCACGCGATCGTGTTGCCCTTCGC GTCGACCATCGTCGATACCGAGGCATTGCCCTC

The state of the s

Clone Rv14

AGCTTCGGTGTAGCCGATCACCGGAAGCCGCATGATCAGCCACGTTTCGCGCCCCCGGCATACGGCGGCGTACCGAT CTCCGGTCATACACCCGCGGGTAATCGCCCACGGTGCCGGTTCGCGAGCCGAAGGTGACGACCGCAATTCAATCAGG TTCCAGGTCCAGCGGGTGGCCGACCAACGGCGGAGCTCAACGACGTCAATCACGTTGTCGCTTTCTACGGTCACCGA CCCGGTGACCGTAGTCGCCCGGTGCGCCGAGAGTTGCACCGCCACCCCGCACACCGCCTTTGCACGGGAC GCCACCCCGGATCGGTTGTTGGCCAAGGTAATTGGGTCATTCCATTTCACGGCACCCCGCACCCCCAGCCCCAGACCCCAGTAC CGCCCACAGCCACCGCGGTTCAGCCACCACTGTACCAAACCAAGCGCAACGCCCA

Clone Rv15

ATACTCAAGCTTCGGTGGCTTCGCCCGCCCTGCCGGTGGACTTCATGACAACGCGGGGGGATTACCCCCGCTACCG CCAGCAGCATGACGGCGGTACCTAACACCCGCCGGATGCCTCGCACGTGCTCCATCTGCTCACGGAATCGCCCCGGC ACCGCGATCTCGAGGATCACCAGCGTTACCCCCGGCAGCGCGACACCGACAATTCCGTACACCGCCACGCCGATCCGG CCCTGGGCCAGCTGATTGGACTGGGC

Clone Rv151

CAGGCATGCAAGCTTCACACGTAGGCGCCGTCGATAAATGACTCCGCCGCGCTTCGCACATCCTCGTAGCGATCCTTG GCGAGCAGGTCAACCGGGCGCTGCCCGTCGAGGAGCCGGTTTTTGGCGTCAAGCCACTGGCCGACACCTCGGGGGTA AGCGAATCCGAGAGCAGGAGGACGAGGTCACGAAGCTGCGCCAGCCGGTCGTACCGCTCAGGGCGGATGTCGCCGCTC CGCCACCCGCCTACCGCCCGATCGGACACCTGTATGACCGCGCGACGTC

Clone Rv152

Clone Rv153

:::::::::::::::::::Rv153SP6.seg::::::::::::::::

TAACTCAAGGCTTGCGTTGAGGCCCCAGGCCCATCGACGGTTTGGCGCCCTTAAATGCACTCGAGGTCGTCAATTGACC
CCACAGCGGAAATGCCGACTATTCGCAGGCCTCCTTGGCCTTGCCGTGCAGGAGGGGCTCCGGGGACCCGATGG
GCTATATGACCTCGGTTTCTCGGGTGCTACCGGGCGCTTCGAGATGAACTCGGCGTTGGATTGCAGCGGC
CCAATTCATCGAGCGCAACTTCGTACACATGGCCGGCGCCCACATACGCTTCACCGGATCTGCTCACACGGACCG
CCCTGTCGGGATCTGCTACGGGTAAAGGAACTTACTTGGCACTCGGTGCC

Clone Rv154

ATACT CAAGCTTCATTTTGATCATCATCATCATCATCACCGAAGGTCTGGTAGCCCGATGGTTATCGTGGGTACCGT CGTGCTTTCCATGGGCGCCTCTTTCGGGCTTTCCGTATTGGTCTGGCAGGACATTCTGGGTATGGAGTTGTACTGGG GGTGTTGGCGATGCGGTGATCCTGGTCCTGGCGGTGGATCCACATACAATCTGCTGGTGATTTCCCGGTTGAAAAA AGAAATTGGGGCGGATTGACCGGAATTATCCGTGCCATGGCTGGTCGCGGGGGGTGGTTACCGCTGCCGCAT GGTGTTGCCGCTTACCA

Clone Rv155

GGGCACGGGGCCACTCCGCACAATCTCTACCCGACCAAGATCTACACCATCGAATACGACGGCGTCGCCGACTTTC
GGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACATCATCTC
TGACGCCGGAACAAATTGACCCAGCGGTTCCGCTGACCAATATCAGTCGGTCCACCAGTACCCAGTATACATCATTC

GCACGGAGAACCTGCCGCTGCTAGAGCCACTGCGATCGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAAC
CAAACTTGAAGGTGATTGTTAACCTGGGCTACGGCGCCCCATGTTGTTATTCGACCTCGCCGCCCAATGTTGTGCGA
CTCCGTTCGGGTTGTTCCCAGAGGTCAGCCCGGTCGTCATCGCCGACGCTCTCGTCGCCGGGACCAGCAGGGAATCGG
CGATTTCGCCTACA

### Clone Rv156

## 

# 

## Clone Rv157

## 

#### Clone Rv159

#### 

## 

### Clone Rv15

## 

## 

Clone Rv161

ATACTICAAGCTTGGGGTGTTGCCGATCACCGGAAGCGGCATGATCAGCCACGTTTGGGGCGGCCGGGCATACCGGGGGC TACCGATCTCCGCGTCATACACCCGGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACGCTGATTG AATCGAGTTCCAGGTCCAGCGGTGGCCAAACGGCGCGAGCTCAACNACGTCAATCACGTTGTGCGTTTTCTACGG TCACCGACCCGGTGACCGTAGTCGCCCGGTGCGCTCGGCCGAGAAGTTGCACCGCCACCACCGCGACAACGTCTTTGCA CGCGAACCGCACCCCCGGGAT

Clone Rv162

:::::::::::Rv162SP6.seq::::::::::::

:::::::Rv162T7.seq::::::::::

Clone Rv163

CCAAGATCTACACCATCGAATACGACGGCGTCGCCGACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACG CCATTGCCGGCACCTACTACGTGCACTCCAACTACTTCATCCTGACGCCGGAACAANTTGACGCAGCGGTTCCGCTGA CCAATACGGTCGCTCCCACGATCACCCAGTACTACATCATTCGCACGGAGAACCTGCCGCTGCTAGAGCCACTGCGAT CGGTCCCGATCGTGGGGANACCCACTGGCGAACCTGGGTTCAACCAACCTGAAGGTGATTGTTAACCTGGGCTACGG CGACCCGGCCTATGGTTATTCGACCTGCGCGCCCAAATGTTG

Clone Rv164

Clone Rv165

CIGGTGCTGGACGGAGCCTAGTACAACTTCCTCTCCATGCTCTTTGCCCCGATCGCGCGACCAGGATGACCCAGGAC
ATCCTGCCGCCCCGAACTACTACAACTCCACCAGGAC
ATCCTGCCGCCCCAACTACTGCACAACCCATCGTGCACCAGGAC
TCGCCGACAACCCATCGGTGTACCTCCTCACTGCTGCTTAGCACAGGAGTTGCGCTGTTTGGCAACAGCGGCGC
AACTTCGACAAACCGCCCTCTGTACAAGATGTTGCGGCGCGGTGGGCCGAGATCNCCGATCTGTCCGGTGCGAAAAT
GCTGGATTCAAGTTATGAACTAAAT

Clone Rv166

TTTCAGATCTCATTTTTATGACATGACTGGAGATCTGTCTAGATTGCAGCTCCTGTGAGCGTGGGTACCGGATTCAAG
CCGGTCGGTCACGCCGCGGTGGTACCGGCTTTGCGGCAGTCTCGGCCTCGAGTTCGGCGATCGCGCGCAGAGTGCT
TTCGCGCCACCAAGATCGCGCCTAATGGCCGGATGACCGCGATCAGGACCAGCAAAAACCGTTCCAACC
AGTGCTGGGCGGCATCCACG

Clone Rv167

55

## Clone Rv169

::::::::::Rv169SP6.seq::::::::::::

## ::::::::::::::::::Rv169T7.seq:::::::::::::

### Clone Rv16

## 

### 

## Clone Rv170

# ::::::::::::::::::Rv170SP6.seq::::::::::::

ATACTCATGCTTCCCCAAGTTCCGATGGGTCCGCGCGACCCCACCAAACTCGCTACCGCTACCTGTTCTTCGCT TCGGATCTATCCTCGTACATGACCGCACCGTGTTGGACGTGACTGGCGCCCGGTTCATATGACACCGAGATCATTGC CACGGTACGGCAATTCGTCAAGAAGGAATCTTTCCCCAATCGACCGCCCTCGAACGTGCAACAGCTACCCGCAAAA AATCGTCAATCGCTGGTGTTATTGGCTTGCTCGGTCGCCGGCTGCAAGGGTATCGACACCACCGAGTTCATTCTCC GGGCCTGCC

# 

::::::::::Rv171SP6.seg::::::::::::

ATACTICAAGCTTCGGCCTCGCTGCAGGAGTGGGAGCGCGAGGGCTGGAAATCCGAAAAACGAGCCGGTGATCGCACTG TCCCCGATCGGGCCCGACCCTGGTTGGTGTTACCGATGAATCCGCACCCAAAATGTGGCTGCGTGGCGTTTCTTGAC TCCTTGCCGTCGACTCTTGTGCACCCACCGACGGGTTGGTCCAGGATCTGGATGGGCAAAGTTGTGCGCCCGGCCG GTGACGCCGATGAGCTGACCGAGGTCGACAGCGCCGTGTTGGCTGACTTGGAACCGACATGGATTCGCCCCGGTTGG CGTCACCTCAAGCATTTCAATGGTTAT

::::::::::::Rv171T7.seg:::::::::::::

ATTCCTCACCCCGATGCGCCCAGATGGGGCTTCGCAAATAAAGCACGAACAGGCGGGCAAAACGTCTATCTCGGAGC CGGAAGGCCAATCAGCCGACCGACGACGAACGACCACCGCGCATAACCACTTAGGCGTTGAACGGCCGCCCAAACATT ACGCCTCCGTTGATAAGGCTTTCGGTCTCTTCCCCGGTCATCCCAAGCACCTTGCGGCAAATTTGAACGCTTTCCTGT CCGGCACCGGCCCCGGGCTTTGGGGTCCNTCCGA

Clone Rv172

:::::::::::::::::Rv172SP6.seg:::::::::::::

::::::::::::::::::Rv172T7.seq::::::::::::

Clone Rv173

GCGCACCATCGCCAGTAGGTGCCCCTGGTCGGGCGCGTCGAGCCACCCGAGCGGAAACGCGAGTCCGAACAGCAACAG CAGGACGGCGCAACCAGGGCGGTGACCATGCCCCCGGCGCTGAACATCAACACACAGGAAGGGTTCCGCCGAGCGTCC GCGCGACC

Clone Rv174

Clone Rv175

ATACTICATECTTEGG GCTEGGTGGCAGCCACCTGCCCACCACAGGACGCGGTGCGGACGGGCTACCGCCCG GTGGTCACCATCGTGGCGGTCTGCTGTTGTATGCCAACTTCCCGCCGCGCAACTGCTGGTGGGCGGGGGGGTGTGG CTGCATTGCTGGCCTGGGTCCTGACCCNCCGCNCNACACACCGGTGGGTGGGCTGGCTACGGCTTCTTATTCGGC CTGGTGTTCTACCTCTCGTTGTTGCCGTGATCGGCAGCTGGTGGGCCCCGGGCCTGGTTGGCACTGGCGACGACG TNGCGCGTGTTCCCGGCATCTTCGGCTCTGTTGCCGGTACCTGTTGCCGGTTGGCT

CGCCAATTCACGATATCGTTAACCGATATCCCGAGCCGATAGCTGGCGGGCTCGGGTGGTGGCCAGCGGCGCTGCGACGAAAGGTGTGACCGTCATCAAACAGACACCACCGGCGGCCGTCGGCCGTCGCTCACCTTCACATCCAGCATCCGC

Clone Rv176

ATACT CAAGCTTGGGCACTACTTCGCTACCCCCTTTGGCCACGAGCAGCCACAGCGCGTTGGCGACCAA
ACGTGGACATCAATAGCCCGAATCGGTGTGTGACAGTTGGTAAACGGTGTTGATCCCAAGCTTTGCCAGCCTTTTCG
TAGTCTTGGGCCCCACACCCCACAGTGCTTCGACGGTACGCTCACCATGATGGCCATCAGTTGGCATCGGTGAGCT
GATAAATGCCAGTGGTTTCGCCAACCGGTAGCGATCTTGGCGCCTTCTTGTTTTTCACTCATACCTATCAGACAAG
ACAGCCGGTTTTGCACAAAATGACTTTGGATCTTTTGGGCACTTCGATGGTGCTCTGGGGA
CACGCCGGTTTTGCACAAAATGACTTTTGGATCTTTTGGGCACTTCTCATGAGGTGGGTCTTGGGGACT

AAAGTCCTGTGCCGGTTCGCTAAACACCCGGCGGACACTCAGACGGTGCTGGTGGTGCGGCATGGCACCGCGGGCAGC AAAGGCACTTCTCCGGGGGACGACAAGCGACCGCTAGACAAAGGGGGTCGTGCGCAGACAAACGTTGGTACA CAGCTGCTGCGTTCGGCGCCACCGATGTTTATGCCGCCGACCGGGTGCGCTGCCACCAGACGATGGAGCCACTCGCC GCGAACTGAACGTGACCATACACA

Clone Rv177

Clone Rv178

Clone Rv179

The same with the state of the same

58

CGTGGCCACGAACGCCGGAGGGACANTCTCGGGCGGCTAGGGCTTCTCGCGGGAAGGCCCGAACGTACGGCGTTTCA ACACGTTCGCGTCGCCCTCCGACCGCGAACATTCGGGATGGCAACCACCTGCCAGCTACCTGGCCAGCGATGATCTG CAGCGTCGCCGCGGGTAGTCGCCCCCCGGGGGCTACAGTCTGAAACGCGATGACCATCGATGTGTGGATGATCATC CGACGCAACGGTTCCTACACGGCGATATCTTCNCCTCGCTGCCGGTGGACCGGTGGTCTATCCC

Clone Rv17

Clone Rv180

CCGAAGGCCCGTTCCCGGGCGTTCAGCAAGCGATCGTCGGTTGGCCCACTGCGGGTCGAATCTTGCGGCCGCCGGTCGTGGAACGCCCAGGTCACCCGGCGGCGTACC

Clone Rv181

ATACTICABGCTTTTTTCTGCTCATGAAGGTTAGATGCCTGCTGCTTTAGTAATTCCTCTTTATCTGTAAAGGCTTTTT GAAGTGCATCACCTGACCGGCAAATAGTTCACCGGGGTGAGAAAAAAGACAACAACTGATTTAGGCAATTTGGG TGTTGATACAGCGGGTAATAATCTTACGTGAAATAGTTTTCGGATCAGGCCAGCGCAGAAATATTTCCAGCAATTCAT TCTGCAATCGGCTTGCATAACGCTGACCACGTTCATAAGCACTTGTTGGGCGATAATCGTTACCCAATCTGGATAATG CAGCCATCTGCTCATCATCCAGCTCGCCAACCAGAACACGATAATCACTTTCGGTAAATGCAGCAGGTTTTACCAGCGGG GACTCCCATCTGCGCAATTCTTATGCACCAGAATACTCTTTGACCGAACGCGGTGTTCTGTTAGCA

Clone Rv182

CTCAAGCTTGGTGCCGACATGGCCGGGCTGGAGCCCGCGTATGGCAAGGTTCCGCTCAATGTGGTTGTATGCAGCAG GACTACGTTCGCCTCAATCAGCTCAAACGTCACCCCCGTGGCGTGCTGCGCAGCATGAAGGTCGGGCCCCGACGATG TGGGCGAAGGCAACAGGTAAAAACCTGGTCGGCATGGGTCCACCTCATTGGGCCGTTGCGGATCGGCTTGCACCG GCCGGAGTGCCGGTCGAACTCAACACCACCCTTCACCGATCTTTTCGTCAAAAATGGGCTCTGTCTCGGGGTATACC

CCGAAGCCTGGGAAATCCTGACCGAATACCGCGACGTGTGGACACTTTGGCCGGCGACTTCTTGAAAAGGAGACCC
TGCACCGACCGGGCTGGAAAAGCATCTTCGCTGACGTCTAAAAGCGGCCGCGGCTCACCATTTCGACGACTTCGGTG
GCCGGATCCGCTGAAACCCCCATCAAAACCACCCGGGGAGATTCGCATTCGACGACTTGGGCC

Clone Rv183

Clone Rv184

:::::::::::Rv184SP6.seq::::::::::::

Clone Rv185

:::::::::::::Rv185T7.seq:::::::::::::

Clone Rv186

:::::::::Rv186SP6.seq:::::::::::

CCTCCTTTCCCCAAGATAGAAAGCAGGAGAGTCTTCTGCATGAATAAAGACTGGTACCCATCCCTGATACA
TTGAGGCTGTTCCCTGGGGCTCGTTACCTTCCACNAGCAAAACACGTAGCCCCTTCAGAGCCNNATCCTGAGCAANAT
GAACAGAAACTGAGGTTTTGTAAACGCCACCTTTATGGCAGCAACCCCGATCACCGGTGGAAATACGTCTTCAGCAC
GTCGCAATCGCTACCAAACAACACTCACGCATATGATTAATTTGTTCAATTGTTATAACCAACACGTTGCTCAACCCGTC
CTCGAATTTCCATATCCGGTGCG

Clone Rv187

:::::::::::::::Rv187SP6.seg:::::::::::::

WO 99/54487 PCT/IB99/00740

60

#### Clone Rv188

CGCCACGTTCATGGGCAACAACCCCGATCACCGGTGGAAATACGTCTTCAGCACGTCGCAATTCGCGTACCAAACACAT CACGCATATGATTAATTCGTCCAATTGTATAACCAACACGTTGCTCAACCCGTCCTCGAATTTCCATATCCGGGGTGCG GTAGTCGCCCTGCTTTCTCGGCATCTCTGATAGCCTGAGAAGAAACCCCAACTAAATCCGCTGCTTCNCCTATTCTCC AGCGCCGG

- Jan Tara Barana Barana Barana Barana

# Clone Rv189

#### Clone Rv18

AGCTTTTGGCAGGGTCTCCTCGAATTCGGCGTGCACCGCTATGGGTTGCAGCAGCGGCTGGCGCCGCACACCCCACT
GGCCCGGGTGTTTTCGCCCCCAACCCGGATCATGGTGAGCCAAAAGAAATTCGCCTGTTCGATGCTGGGATTCGCC
CCCCAGGCCATTGACCGATTGACCCACCACGGGGTGGCGGAGGGTGCCGCAGTCCCGGTCGCGTGCACGTCTCCGACCA
TCCATCCGGCTTCCGCCGTCGGCTGGCGTAGCCGTCGACTACCACAAGGTGATTCTGC
CCGTTGTGTCGAAGTGCCTTTCGCGATCGACTTTCCGTTGACCTACCGGCTGGGCGTGGCACAACACCCCGGTGAG
GTCGTTTTGTTGCACTTGTCCGTTGACCTTACCGGTTACACCAATCGTCAC

## Clone Rv190

## 

#### Clone Rv191

:::::::::::::::Rv191SP6.seg:::::::::::::

 ${\tt TTGGTGATGGAATCGGCGAACTTGGCCACCGGTGGGTGTTGACATCCTCGACGGTGGGCAATTGCCCCCGGTAACGTTTGCCGCCT}\\ {\tt TTGCCGCCT}\\$ 

#### ::::::::::Rv191T7.seq:::::::::::

#### Clone Rv192

#### 

### ::::::::::::::Rv192T7.seg:::::::::::::

### Clone Rv193

## :::::::::Rv193SP6.seq::::::::::::

## 

## Clone Rv194

#### 

ATACTCAAGCTTGCTGCAGCTTCCTATGACTGCTCCCGAAACCTGGGGGTGTGCTCCTGTGTATGCACGGCATACGG
ACATCCTTCCCCTGAGACCCGCGGTCGAACCAGCGCACTGTCCATCAGGGGTCAACCCGGCCAAGGGGGACGGC
ACGCCAAGTTCGCCAACCGTTAACCTAGTGCTGTTAGCTACTTTGCTTCCAGCAGCAAACAGCTGGTGGCGCTTAGGA
ACTGAATTGAAACTCAACCGATTTGGTGCCGCCGTAGGTGTCCTCGGCTGCGGTGCGCTGGTTTTCTCCGCTGTGGT
AACNACNACAATCTGACCGGGGAGGTGCAACCACTGGCCAGGCGTCGCGAAGGTCGATTGCGGGGAAGAAGAAC
TCAAAGCCAGTGGGTCGACGCAGCCAACCA

## ::::::::::Rv194T7.seq:::::::::::

#### Clone Rv195

### 

# 

#### Clone Rv196

## 

CAAAGCGCGAACTGCCTCGGGGCAGCCCACGACCTGCTGCTCGGATTGCCGGCGGCGAAATCAATTCCAGGCAGCTCC CGGACAATGCGGCTCTTGCTGGCCCGCAACGAAGGACTCCAGGTCACCCGGGTGCTGCTGCACCTGCCGA TCGCACAGGTTGGCCCACAACCGGCCGCTTGATGCCCGGTGGGCAAGCCGGCAGTTGCCAAACCCAGCTAATCAG CTCGGCCAGGTTCCGGGAAGAATGGCTCCGCTGATCACCTACCATCCCCAGGATCTGCGTGTCTTCACCAC CCGCCCAAGAGGTTGTTTTGTGTCTTATGACCAN

# 

CGGGAAGCCGCATGATCAGCCAAGTTTCGCGCCGCCCGGCATACGGCGGCGTCACCCGATCTCCGCGTCATACACCCGC GGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACGTGATTGAATCGAGTTCCAGGTCCAGCGGGTGGC GCAGCAACGGCGCGAGCTCAACGACTCAATCACGTTGTCGCTTTCTACGGTCACCCGGTCACCCGGTACCCCTNGTCGCCC GGTGCGCTCGGCCGAAAANTTGCACCGCCACCACCGCGAAACCGTCTTGCACNCCGGAAGCCACCCCCGATCCGTTGT TGGGCCAGGTTATTGGGT

## Clone Rv19

#### 

CCGGAACGCCGACGGCACGGTATAACGCCTCCGCATATGGGTCGACAACCAGCGGGTCGGACTTCTGGGCTTCTAGC GTTCGCGCNGTCGCGACAAACAGCGCGGTCGAACCGACACTCGTTGTGATGTCCTTAGCTATCACGTTCGGTACGCACC CAATCGAGTCTAGCGCGGGTAGNTCAGCCCCGATCTCCANGCTCCGCGAGCCAGGCG

### 

CTGGTTTATGTCCCGTTGAAGTTCCATCACCCGATGTGGCGGGGACCACTGCCAGGTCGATCTCAACTACCACATCCGG CCGTGGCGGTTGCCGCCCCCGGGGGTCGGCGGAACTCGACGAGCGGTCGGAGAAATCGCCAGCACCCCCCTGAAC CGGGACCACCCGCTGTGGGAGATGTACTTCGTTGAGGGGCTTGCCAACCACCGGATCGGTGGTTGC

# Clone Rv1

#### 

CCGAGCAGTTGGGAATCGCTCTGCANCAAACCAATATTCTGCGCGACGTCGCGCGACGAGCTGGACCGATTAGGCGTA CGCCTCCCNCTGGACGACACCGGGGCACTCGATGACCCCGACGCCTACGCTCGCAGGATATTGTTCGCCGGACCCCTC TCTAG

# 

TATATATATCAAGCTTGCCGACGCCAACCTCGCGCGATGTTGTTACCCCGACCGGCTCTTACATGCACCGGT CCCCACACGTCAGCCTGTGACGTCTGCACGCGGACTCTTTACATAGAATGTGGATTGCCGGATTGGGATGTCCGGCATTGCGGATTCCGGCATCCCGGATCACCCATCGCATCCGGATCCCGCGATCCCCATCGCATCCCCACATCCGCAATCCGCAATCCGCAATCCGCAATCCCAATCCCAATCCCAATCCCAATCCCAATCCCAATCCCAATCCCAATCCCAATCAAT

Clone Rv201

ATACTCAAGCTTGCCGAAGTTCCGATGGTTGGCCGCGGGGGCCCAACGAAATCGCTAGCTGGCCGTGTTCTTGGT TCGGATCTATCCTCGTACATGACCGGCACCGTGTTGACGGGGCGCCGGTTCATATGACACCGAGATCATTGC CACGGTACGGAAATTCGTCCAGAAGCAATCTTTCCCAATGCACCGCCTCGAAGGTGCAACACCTAACCGCAAGA AATCGTCAATCGCCTGGGTGTTATTGGCTTGCTCGGTCGCCGGCTGCGAGGGTTTCTACACCACCGAGTTCATTCTCG GGCGTCCCGGCGATTCGAATGGCGGTGCGCGGT

Clone Rv204

::::::::::Rv204SP6.seq:::::::::::

TGGTCCGTGTGCGATACCAATACAACGCGGGGCACCTGACGCGGGGGGCGGAACCAATCGGTGGCCATCGCCATC TTCTGCTACCCGGTCAACGGACGCACCTTCTCCTGGCCGACGTAGTGCGCCCACCCGCCGCCGTTGCGTCCCATCGAT CCGGTCAAC

Clone Rv205

:::::::::::Rv205T7.seq:::::::::::

Clone Rv207

Clone Rv209

TGACACCCAACAGAGGGCACTTAACATGCCAATGCGGCCGCCTACCTGCACGTTTTCGCGATGTCAGAGGATGCCGGG GGAGAACAATGCGAGCACGCCGCTGACNTTGCTACGGCTTTGGGGGGGTGACATTGGTGGTGTTGCGGGCTGCN AGGCCCGANTCNAGGCCGAAGCATATAGCGCGGCCGACGCATTTCGTCTCGACCGCAAGCGCGACCTCAGCCGCAGC CGGTGGAGCTACTGCTGGGGCCCATCAGGCC

::::::::::::::::::Rv209T7.seq:::::::::::::

GGTGACCCTCTATGACGCGGCGGTGGGACACTGTGATCTAAGACCGGTCTGGGTCTTCTCCGGGCAAGGGTCTCAGT GGGCGGCGATGGGCACCCAATTGCTCGCCAACCAACCAGTGTTCGCGGCCACCATCG

#### Clone Rv20

::::::::::::::::::Rv20SP6.seg:::::::::::::

ATACTCAAGCTTGGCAGATCCGGATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCGATAC
TTGAACCTGGTCTCGTTGGCCAATAACTCGTTGGGGGTGCAGGACCGGCCCAAAACGTACTTCGGCATCAACGCGTCC
GACCTGAATTGGCAGCAAGCGGCGTGTGTGGCCGGGATGGTGCAACCGCTCACCCGTAACCCGTACCCCAACCCC
GACGGCGCGCTGGCCCGGGGGAACGTGGTCCTCGACACCATGATCAAAACTTCCCGGGGAGGCGGAGGCCTTGCCTG
CCGCCCAAGCCGAACCCCGCGGGGTTCTGCCGCAGCCCAATGATTGCCGCGGGGGTGCATCGCGGGGGCGGCCCCCA
TTCTTTCTCCAAATACGTCAAGAGGTATCTGTTCTGGGGC

## 

### Clone Rv214

# 

## Clone Rv215

::::::::::Rv215SP6.seg:::::::::::

ATACTCAAGCTTGGCGGCAACGCCACTACCGGGCTCACCAGGTCCTGTGCCGCCACCGCCGCGCCCCAAAGCACCATC
AGGTCGTAGTTGTCTTGACGTTCGAACGCCGTAAGCGAACCAATGCCGCCGCCCATGCTGTGCCCCAAGCACGAGTCCC
TTGCACCCCGGGATATTCCCGGGTGGCGATCCCAACGAGGTGTCGAAGTCAGCGGTGTATCTGAGATGTCTCTCACTA
TCATCCGTTTGGCACCCGAGCGGCATGCCCGCGGGGGTCAAC

### 

### Clone Rv217

ATACTCAAGCTTGCGTTCGATGAAGTAGTCGTCGGTCAGCGCCGCCTCTTCGAGCTCCTTGGCGATGCCCAGCAAGGA GTCATCGCCGCCGAGCTTGGCCAGGATCTTCTCGGCCTGTTCCTTGACGATGCGGGCCCGCGGATCGTAGTTCTTGTA GACACGATGACCGAAACCCATCAATTTGACCCCGGCCTCGCGGTTCTTGACCTTGGCTTACAAACTCGCTGACGTCGT CGCCGCTGTCGCGAATGCCCTC

## 

NGTCAAGCCGAGCATGCGGGGGGINACGACGGAGACCCCAACAGGGTGGGTTGGGCGCTGGGAGAGGTGGGGGTGG CCACAAAGGGAAGATGGCGTTGAGGGTGGTGGATGATGGGTCATAACGAAGTAGCTAATGCGATG ATGTCGACGTTTCCGTGGCATCAGCGTGCAGCGGGGACCCACTCGACGAGGTCTCGGTGCCGCCGGGCCAGGGCACC AGCACTGACGATTCCAGGGCGCCGTCGGG

:::::::::Rv218SP6.seq:::::::::::

CGATAATGGCTTCCGGTAAGTGCAGCAGCTTTACGACGGCGACTCCCATCGGCAATTTCTATGACACCAGATACTCTC CGACCGACGCCGGTGTCTGTTGACCAGTAGATAGAAAAGAAGGATGAGATCTCCCCGTGCGTCCTCAGTAAGCAGC TCCTGGTCGCGTTCATTACCTGACCATACCCGAGAGGTCTTCTCAACACTATCACCCCGGAGCACTTTTAGAGTAAAC TTCCCATCCCGACCACATATAGGCTAAGGTAATGGGCATTACCGCGAGCCATTACTCCTACGCGCGCAATTAACGAAT CACCATCGGGGCCGCTGGTGTCN

Clone Rv219

Clone Rv21

ATACTCAAGCTTCCTGCAGCTTCCTGTGACTGCTCCCGAAACCTGGGGGTGTGCCTGCTGTATGCACGGCATACGG
ACATCCTTCCCCTGAGACCCGCGGTGGAACCACCACGTGTCCATCATCAGGGGTCAACCCCGGCCCAAGGGCGACGGC
ACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTTGCTGCGAGCAAAACAGCTGGTCGGCGCTTAGGA
ACTGAATTGAACCTCAACCGATTTGGTGCCCCCCCTAAGTGTCCTGCTGCTGCTGCTGCTGCTGTTTT

Clone Rv220

AATACTCAAGCTTGGCACGACCAGGACGTCGAGTGGGCCTTGGAGTGACTTGGCGACCTCAAAGGCACCGGTACCC
GCCCGCGAAGCCAAGCAAGCAACACAACGCGTCACCC
CGCCACGATCGTCAAAGACTTCATCTGCCGAGTGTTGCCCATCTCATCGCCTAAATATGGAATTAGGTCCAGCGC
CGGACGATGACAAAGCTTCATCTGCCGAGTTGTCGCCATCTCATGGCTCCAAATATGGAATTAGGTCCTGGG
CGGAAACGACAGTCCGCCAACACGGATTGCGCTTGTACGCTTGTACGCTCCTCCGCAAATCCCGGGCTTGGCCCC
CGCGAAACCGAACTCGCGCGCGCTAGGGTGGTGCTCATCTTCGCCCGTA

Clone Rv221

 ${\tt CAGTCCATCGAACCCGTCGACCTGATGGCCNCCGCGGCCCGGAAAGCCGCGAGTCCACCGTGCTCGAAGCGGTGGATTCCATCGGTGTGCACCATCGTGTGCACCATCGTGTGCACCATCGCGCATTACCGGAATTCCCGGGCGTCTCCTCGGC$ 

Clone Rv222

Clone Rv223

GTOTICATICATICATICATA, AGECTICA, CARAGECCITACAGECTATA COCCUCICACICACICAC CEGECCETATA CONTICOTICACIC COCCUCA CARGECTA COCCUCA COCCUCA CARGA 
Clone Rv224

ATACTCAAGCTTTCGTCAGTTCATGGCGCCAGCAGACCAACAAGAGCATCGGGACATACGGAGTCAACTACCGGCCAACGGTGATTCTTCGTCGCCGCCGCTGACGGCGCGAACGACGCCAGCGACCACATTCAGCAAATGGCCAGCGCTGCCGGG

# 

GCCCGTGTAATTTGGGATGGCAAAAAGCGAAGCACCGCTGGCCAACGCCGGAGGGACAATCTCGGGCGCT AGGGCTTCTGCGGGAAGGCCCGAACGTACGGGTTTCAACACGTCGGCTCGCCCTCCGACCGCAAAATTCGGGGGA GCGACCAACCTGGTAGCACCCTGGCCGGGCATGATCTGCAGGCTCGCGCGGGTAGTCTCCGCCGGGCACCT

## Clone Rv225

# 

GGCAGCGGCACAACCGGAACGTCGCACGGTGCTCAATCACGGGTGCACGGTGTGCATCAGAATGGCGGGGGTTCGT TCTCCGCGTCAGGCCTTCGCCAGGAGGTACTGTCTCCCCCTTCCCCCGGGTTCGTGCGGACTGAAAGGGATTTCAT TGGGAACCACCGCTGCGTATCGCAGGGCCTCGGTGACGTCTGCTTCCTCAGGAAGTTCGGCAGAATTCCG CTGGATGTTATTTGGTCCGCCTAC

## Clone Rv226

## Clone Rv227

## 

#### Clone Rv228

::::::::::Rv228SP6.seq::::::::::::

#### 

CCGGTAACCAGATCAGCTCGTCGACCTCACTGCCGGGGGTGAATTCCCCACCGGTGCTGCGCGCTGCCCAGTAGTCGA CCTTCTTGAGGCCTCGGAAAAGGGGAGTCGGTCGGGTAGGTCACGTCAGGAGCCGCCTACCCAGTTGGGCGTGAG CGGTCTCCTGAGATATCTCCCGCACCGCCCCCACCGGTGCGCTCGCCCGGATCCACTTTGCCCTTGGGCAGCAC AGTCGTCGTAACGGGGGGGTGAATCACAGCGATCTCGACCGGCCCTTCCGAATCGGCACTGCCGGGTTGCCAAGAACA CCGCACCGGCGGTACACAATCCGGCCCGCCGAGCGCCGGCGGGGGGACAATTCTGGACCGCTCAACTCCTC CAGGTCAATTCGGCCAACCTCCTCGCGTCTGGATGTGGTC

Clone Rv229

::::::::::::::::::Rv229T7.seq::::::::::::

TCCGTACGGCCCGGGTACGCTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATA
GCCCGCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCAGTGGTCATCGGGATA
TGCCGCTCGGGACGGTCAGAGCCCTCGGGTCCGCCACCCCAGGCTTCGTCGGGGTGGTCGCGACGCGCATGG
GCCACCATCCATCCACCAGGTCTGCGCGAATCACCGC

Clone Rv22

GGACACATTGCGAACATTGATGACAAAATAGAAATCATTGATGGTTTGAGTCACCAGGCCGATCAAGCCTTCGCCGAG CCAAATTCCAATCAAGAGGCCCAAGCAGCAATCAGCCGGCAACGAGGGATTCCGTCATTATCAGCCAAAATAA CTGCTTCTGGGTTACACCAAACAGGGCAATATGAGGAAAAAGGGTGCGCGTTGCACGACAATAAATGTCACGGTATT GTAAATTAAAAAGATACCCACCAACAAGGCAATCAAACTGAGAGCGGTTAAATTGACGGTAAAAGGGTCCGTCATCTG TTTGACGGTTTCCCGTTGGGTNTCCGACGTTTCCATAGGGCCAGTCTTTGTTGGATGCGTGTTGCAGT GGCCTCATCTTTGATGATGT

Clone Rv230

Clone Rv231

GGAAGCGTGAAACAGCTCGCGGCAGCCCCCGAACGTGCTGCGATAGCCGGGGGGCGAAGATCAATTCCAGGCAG CTCCCGGACAATGCGGCTCTGCTGGCCGCAACGAAGGACTCGAGGTCACCCGGTGCCCGGGTGCTGGTGCACCTG CCGATCGCACAGGTTGGCCCACAACCGGCCGCTTGATGCCGGTTGGCAAGCCCGGCAGTTGCCAAACCCAGCCTGAT CNTGCTCNGCTCTNTANTTCGGCGAAGAGTGGCTCGCTGATCACCTACCATCGCCAGGATCTGCGTGTCATCACA ACGCTCGCAAGAGGAGTTTGTTGTG

CATTCTTTAACAGTTGTTTTGGGCTCGGCATGGTTAGCCAACGTTCTGGGGTCCAACATATCATCTTGGTCCGGTACC
GCTCGTCCGGGTATGCTGCGGCGGGATTCTTGGTGCGGTACC
GCCCACCGGATCACAAACTGAACCCCCAACAGGGACATGCTTATCGGTAGGGCGGCCCCAGGGGGGGCAACGCATCACTTATCGGTAGGGGGGCCCAACAGGGGGGGCAACAGCATCACTTCACTTCACCACCCCGAATGGCGGCGCAACTACTTAACCCCCGAATTGACTTCACCTCCGCAACTGGCGCCCGATCACTTCACTTCACCACCCCGAATGGCGCCCGGTATACTGATCATCTTGCGCACCCCGGATAA

CGGTGTCTGCAGTTGGTAGGCCTGCAGTTTGTGCATCATCCCGATGCCGGGGCCTGTGGCCAGGATGTACAGCAC
CACGCCGCCCCCTCACGGCCGAATCGCAGCGGGCGTCCTCCAGCTCAACCGCAATCGCAGCGGGGTACCAAAC
ACATCGCCGGTCAAGCACTCCGAATCACCGGACCAGCAGCTCGTCACCGTGGCCGTTGGGCCGCAGCATCTCCCCG
GGACCATGCGCGACATGTTCCACGTCTCTGTANATGCTGGTGTAGCCGATGGCGCAAACTCCCCATGACGAGTCGGA
ATCCGCGCCTCCGGCAACCGGTCAATGTCT

Clone Rv233

CGGCATICTGCGGCTCAACCTGTT.CTTGGGCAACATGCCGAGGATGGCTCTTCCACCACGCGGTCGGGTGGGGTTG CATTACCTCACCGATGGTGCGCTTGTGCAGGCCGCCGGGATACCCCGAGTGCCGTAAACCATCTTGTGTCTGCAGTTT GTGGCGGCTGATGGCGACCTTGTCGGGCTTGATCACGATNACNAATCACCCCANCGACATTGGGGGCGAACGTCGGC TCGTGCTTGCCGCGAGCAGGCTGGCCGCCGCGACGCAAGCACCACCGCGTCGGTGGGTTGATGACGTACCA CCATCGCGTGGTGTACACCGCCTTGGGC

GCGGCAAAAATTGAAGCACTCNTGGCCACTMCGGCCGGGAGGGACAATTGCGGCGGCTAGGGCTTTGGCGGGAAGG CCCGAACGTACTGCGTTTCAACACGTGCGTCGCCCTCCGACCGCGAACATTCTGGGATGGCAGCAACATCTTTGGCAC CCTGGCCGGGCGATGATCTGCAGCGTCGCCCGGGTAGTCCCCCCGGGCGGCTACAGTCTGAAACGCGATGACCATC GATGTTGGACGCCGACCACCACCACCACCTCCACACTGTGATATGTTCGCCTCGCTGCGCCGTGGACGGTGGACGGTGGT CTATCCCGGA

Clone Rv234

CGCGTTGAACTGAAGGGGTGCCGCCCGGCTCGAGCAGGCAAGCCATTTGTTCGATGCGGTTACCGAAGATCTCTTCGG TGACTGCCCGCCCCCGCCAGCCTGGCTCAGTGTCCGGCGTTGGTCGCCGGGGGACAATCTTTGGCGTCCACGGTGGT CGGGGTCATGCCCGCGAGCAGGATTGGCGACCGGTCAGCCGGGTGACTTCGTCAAGAGCTGACGCTGCGGTTG GGGAGGCAATCATGGTCGGTGCCTTAGCTAGCTGCGGCGGGG

Clone Rv235

CGCGGACATCCCGAACGAGGACACGCGACCGCTTCGGTGTGTGATCTATCAGGGCTCGCACCACGCGCAACCGCTTCCGGCTACCTAGACGCGGT

GCATGCGGGTGATGCCGTTCTCAGTGCGCAACAGCGTTCGACGCGGCATACCCAGCCGCACATGCCGTGCACGCCGGN GCCGGGGCGGAATCT

Clone Rv237

### 

#### Clone Rv23

### 

### Clone Rv240

#### 

## 

#### Clone Ry241

## 

## 

GGATCAACTACCGGCCAACGGTGATTCTTGGGCGCCGCTGACGCGCGAACGACCACCACCACCACTTCAGCAGATGGCC AGCGCGTGCCGGCCACGATGTTGGTGCTCGGCGGCTACTCCCATGGTCGGCGCCACGTGATCGACATCGTCACCGCCCA ACCACTGCCGCCTGGGGTTCAGCCAGCCGTTGCGCCCCGCAGGGACGATCACATC

### Clone Rv243

#### 

AGACCETCACACGCGCACTECTACTCGCCGAGCATGGGAATCGCTCTGCAGCAAACCATTACTCTGCGCGACGT TCGAGATGACCTTCTGAATGGACGGATCTACCTGCCGCGCGACGACCTGGACCGCGTATGCGTCCGCCTCCGCCTGCA CGACACCGGGGCACTCTATGACCCCGACGGACGGCTCGCGTACTGCTCCGGTTCACCCCCGACGCCCCACGCTACG CGTCGGGACTGCGTGAGTCCAACCTCGACGCCGTAGCGCTCTGTGTGGGCCATGTCTGGCATCTACCGCCGTCG CTCCCTTGA

## 

 $\tt CACACGGACGGCGGTGCGGACGCAGCTGACGCGCATGGTGGTCAGCATCGCGGCCGGTCTGCTGTTGTATGCCTACTT$ CACCGGTGGGTGGGCTGGGCTATGGCCTGCCATATCGGCCTGGTGTTCTACN

 $\tt CCGATATCCGAGCCGATAGCTGGCGGGCTCGGGTGGTNGCCAGCGGCGCTGCGACGAAAGTGTGACCGTCATGAAACA$ GTGTAGTGGGTCGCCGGCCGAGCCCGGCAAACGCCGGCCCGACACAACCCCGGAACAGGAAGTCCGGTCACCGCGCC

Clone Rv245

::::::::::Rv245SP6.seq::::::::::::

GCTTCAGGACAAATTGNATCCCTATGCACCCGTTGTCACGCCGATGAGTGAAGACTGCACGCAATCGCCGGAATCCGG CAAAACCCTGCACAAGCGAAATCAACCGGAGGCTGACAAGGCAACGTCGGTGATCCGTACCGCCTGGTTGGACAAACG  ${\tt GCAGAAGGCGCCTCGTCCGGTCCATCTACGCCGAGCACACTGGTGATAGCGCCATCGGCATCGGTGCGGCCACGGTGG}$ AGACGAACGTCCGCNGGCGTCTGGGTCAGTAACCCGCCGACCAGTTCTCGGGCAAGCTGGTCAACATCGGGCGCCACG TCTCCAAC

GTTTGGCGGCCTTATTGCACTGAGGTCGTCAATTGACCCACAGCGGAAATGCCGACTATTCGCAGGCCTCCTTCGCCT TGGCTGCCGGAGATGGGCTCCGCGGGAACCGCATGCAGGTATATGACCTCGGTTTCTCGGGTGCTACCGCGTGCCTTG TCGAGGATGAACTCGGCGTTGGAATTGTCCAGCCGGCCCAATTCATCGAGCGCAGATTCGTACACATGGCCGGCGGCG ACATACCTTCACCGTGGATCTGCTCCACACGGACCGCCCTGTCGGGATCTGCTCACGGGTAAAGGAATTA

Clone Rv246

 $\tt GCGCACTCCTCTTATCGCTCCGCTCTGCATCGTCGCGGCGGGTCAGGTGCAAACGCCTTCGGGGGTGGGGGTCCTG$ CAGCTTATCAGTGTCGAACGTGCGAACGTCGCGCCTTCGCCGGTGCCTGAATCTCTACAAG

TTTCGAGGTCGAGGTCGA

Clone Rv247

TGTAATTTGGGATGGGCAAAAAGCAAANCACCGCGTGGCCACAAACGCGGGGAGGGACAATCTCGGGCGGCTAGGGCT TCTCGCGGGAAGCCCGAAACGTACGGCGTTTCAACACGTCGCGTCGCCTCCGACGCGAAATTCGGG

TTGCAGGCCGCCGGGATACCCGAGTGCCGGTAAACCATCTTGTGCTGCAGTTTGTCCCGCTGATGGCGACCTTGTCGC GTTGATCACGATGACGAAGTCACCGCCATCGACATTGGGGGCGAACTCGGCTTGTGCTTG

Clone Rv249

GCATGCTTCATTATCTAATCTCCAGCCGTGGTTTAATCAGACGATCGAAAATTCATGCAGACGGTCCCAAATAGAAAG ACATTCTCCAGGCACCAGTTGAAGAGGTTGATCAATGGTCTGTTCAAAAACAAGTTCTCATCCGGATTGAACTTTACC AACTTCATCCGTTTCATGTACAACATTTTTAGAANCATGCTTC

Clone Rv24

GCCGCCAGGCTGCTCCGCTCGCTGATGGCACGCCACCGCGACACCACCGGCTGCGCTACGTCTATCCATACCGGGCG GAGCTACATCGGCTCGGCCCCATTGTTCNGGCCCTCTTTCGAGGTCGAGGTCTATACCGATTTGCGCATCCG

TCCGTACTGGTCGGGTACGCTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATA GCCCCCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCATTGGTCATCGGGATA TCCCACTCGGAACGTCAGAAACTCGGGTCCG

Clone Rv251

::::::::::::::Rv251SP6.seq::::::::::::

GTTCTCGCACGATTTCGGATTACCGGGATGGTCTCAATTGGGTATCCGGGGAAGGCGCTGACATTCGCCGCGATTAGC
TCTTTGATGGACCGGGGTGATTTTTGATCACGGAAATGGGTGTTTATNCAGGTCGCACGCTTTCATCCGGGGCGGAA
CG

:::::::::::::::::Rv251T7.seq:::::::::::::

GGGTGTGCCTGCTGTGTATGCACGGCATACGGACATCCTTCCCCTGAAGACCCGCGGTCGAACAGCCACGTGTCCATC
ATCANGGGGTCAACCCCGGCCAAGGGCGACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTT

GCTGCGAGCAAAACAGCTGGTCGGNCGTTAGGAATGAAATTGAAACTCAACCGATTTGGTGCCGCCGTAGGTGTCCTGG
CTG

Clone Rv252

:::::::::::Rv252T7.seg:::::::::::::

Clone Rv253

Clone Rv254

CGATACCGCTGCTTACCGAGACATCCACCATCCCACCGGATCACCGCAGCGCGCGAAATCGCACAACACGTTGAGG CCTTGCAGGTTCCGCGATTGGAATTGCCGACGGTCTCTGACGGCGTCGACCTTGGAGCCTCTACGGACTCTCGGAAT ACCTTGCCCACACGGGGGTTCGATGAGTGTCACACCGAAGACCTCGATATGGGCGCAATCCTGGCCGACACATCCAAC CGGGTGGTTGTGTGCGCGCCCCGGTGGGGTCNGCAANACACTACCGCGCCGCTGGCGTTGCGCGCGCGCGAAT ATGGCCCGCACTGTGGTCG

Clone Rv255

GCACGCAATCGAAGTCACCCAAACCGGGGGGGCCAGGGGTCTNACGCCACGTCNACCAGCGGAACCTCAACCGGCA ACGGGGGCTCCTGATCAAGGCGGGCCATCGGTGTCTACTTCATCGACACCTACTTCCGCTCCGGCCAATATCCGC ACGAACTCCGGTTCGTCATCTGCTCCGAAGTATCGGGCACGTGGANGCCGTCGGCCAGGGGTTAC :::::::::Rv255T7.seq:::::::::::

Clone Rv257

CHATGETACCGCGCCGGTCACCTTCTGGATATGGCGGCCTGGTCAAGGGGGCTCCGAGGGAGCGGGCTGGGTTAA CAAGTTCCTGGCTCATATCCGCGAATGCGACGCCATTTGTCAGGTGGTGGGGTTCGTCGACGACGACGACGTGACTCA TGTCACCGGACGGGTCGATCCCCAGTCCGACATTGAGGTCGTCGAGACCGAGCTGATCCTGGAAGCACT GGAGCGGCCACGGCCGCTGGAGAATGAGCGCCACCAACAAGGCGCGCAAGCCGGTCTACGAAGCGCACTGGA TGCCAGCANGTGCTCGACGCCGGCAAGACGCTGTTCGCCGCGGGGTGGATGCCGCCGCGTTGCGAACTGAAACT GCTGACCACCAAGCCCTTCCTGT

Clone Rv258

Clone Rv259

TEGACTCATAACGATCGGTCAGCGACGCCAACACGAACGGCCGGACGATGGGCCAGGGTCGGCCAGGGTCCCCCTACA
AACAGGATCCGTTGCCTCCCAGCGACGACGGCTCCGGTCCGGCCTTGGGCCCCTCCTCCTCCCACCCCCTACAAACCGGACGCTTCGTTCCCAGCTCCCGGTCCCGG
TCGCCGGCGACGCATCTTCTCCCATCTCTCCCCCCTAAAATCTCGAGGCCCCTACCCCCAAGAATCCCCCAAAATGCAATCCCTCGACACCCCTACTTCCCAACACCGCAACATCTCTTGGCGATCAGAAATCCCTCGATCAGCACCCCTACTTTGGAAATCATCCTCATATGCCTCGATCCGCTCCTCATAAAATCATCCTCATATGCCTCGATCCGCTTCATAGCTCAACCCGAACACCGCAACTGCTTCATATCGTTTTGAAAATCATCCTCATATGCCTCGATC

Clone Rv25

CTTTACACTTTATGCTTCCGGCTCGTATCTTGTGTGGAATTGTGAGCGATAACAATTTCACACAGGAAACAGCTATG
ACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTAGTGGTTGCGCACGTAAATTCGTCAGGT
GACCGATCCCCTGCTGTCTCACTCGCCTCACAGCGACCACCACGGCTGCCGTCAAGCGAGCCACGTCGAGCAGACA

#### 

## Clone Rv260

## 

ATACTCAÂGCTTGACCGACGCTATCGCACCGCACGCGGAACCTCAAGGGCACTACTGGCACAAGGGCCCACACGTC
AACCTGTTAACTCCTGCCCCGACCCCGGCCCAAGTCCTTGGCGTTAACACCGAACGGGCCAACCCGGGAATTTGGGTT
CCATCAAAACAATAGCAGGTGCCTGGGCGGGTGTTC

# :::::::::Rv260T7.seq:::::::::::

GTCGTCCTGTCCTGGGGCGTCCCTATCAGCACGCCCACAAATGGGGCACAAGAAGGATTCCTGGAACGGTGGCTGTCCACAAGATCACCCTCGCCCAAAACTGCTACGGGCACTTCTACATCGAGCACAACCGTGGCCATCACGTCCGCGGTGTCCACACCGAGG

#### Clone Rv261

#### 

## 

GACACCCTGGTCACGGGTGACAGGACTCGATTTCTTCGCTCATTGGTCGGGGCTGTTGAGGGACAGCACGCCGGTGAG GCCGTCGCGTCCTCGGTGTGCTCGGTTGGTGGAGCCGGTCCCCGGGCCGACAATCGTAAATCAAGCGTATTCGTC AACAGATATCATCAATGTCGGCGCTGGACTATTCAAATCATCGATATACTGGTGACCTGGTCCTTCGCCATCGATCAA TGGCGATAGTCACGCAGATCGTCACGGACATCGTCTGCGTCCCAGCTGGCCCGTCCAACAGATGCTGCAACCCATCG GGGTGGTATCNCCGCGGTGCTCGGCCGATGGTCCAACACATTCTTGCGTCCAAGCCCGAAACCATCCGGCCATGAGTTC ACCGCCATGGCGCAACGGTTGGTCCGGGCAAACCGGCGCATTCGAATTC

## Clone Rv262

## :::::::::::Rv262SP6.seg::::::::::::

## ::::::::::Rv262T7.seq:::::::::::

CCCGAATCCGGTGGCCGGCAGGGGCCTGGGACCCTTCTAACTTGTCTTTACCGGTCACTGTTGCACCCC
AACACCTTTAACGACTGGACGGACGTTACATCGGATTCGACGCTTCATCCACAGCGTTGCCATTGGCACACCCAC
TACGCCAATTTCTCCGACTGGGACACCTACCGCAGCCTCGCCCCACTGCAGGACTGTTGTTCCCGCAACGGGCCATC
GACATCATCCAGTCGTTGGTGACCGACGCGGAGCAGACTGGTGCGTATCCGCCTTTGGCGCTGGCGAAATTCCCCCAC
GGCATGAT

#### Clone Rv263

## 

TTGAGATGCTGGTGGGATGCCGATGGTTGGAACATGGTCCCCTGGCGTCGAATAGGCGCGCAGGGCATGAGCTCACCG GTTCGGAACAACGTATCGAAGAACTCGCACTGGCTGGCAGATGGTATCTCCGATGTGGTTGTAATTTGTATCCCAACTC TAACTGTGCTATCGGATCTGCGTGAATA

::::::::::Rv263T7.seq:::::::::::

## Clone Rv264

# 

# 

TATGGTCTTCGTCGACCAGTACGTCGTAGGGCCATGAGCCAGGACTGAAGCCGGGCCATGCCTGCAGGGCCGGTCA ATCCAGCAGGCAGGCGGCCATCTCCCGCAGATAGCCTGCGCCTCGGGCGCACGCTGCGGATCGCGTCCGAGCTCGTC GGCCAGGCACGCAGCCGCTCGTCATACCATCGGCATCAGCAGTTGGGTAACCTCAACGGGTCGGTGCGTAGCG CGTCATTGATTCAGCAACAATACCGATGCGCTGCAGCAACTTTCGCATCCGATGCGGCCCACTCCCGTGCAGTCA TGGCTAGCCCCCCTACTGCGGTTGGTCGATGCACGGCGGGGTGGTAAACCTCGGGTTCAGCTGCGTTG

## Clone Rv265

## 

GCTTAGCGGTCTTGCTCGAACCGACATTGCGTGCCACTCATGAGCGGGTGGCGGTGCTGCGGTGCTTACACATCT

## 

#### Clone Rv266

## ::::::::::::::Rv266SP6.seq::::::::::::

## 

# Clone Rv267

# 

:::::::::::Rv267SP6.seq:::::::::::

# 

GGCCGAGTCCAGCACTTCGCACTATGTGCAGACCAAANACCCGGTGGTCGCCGCGCTGCGAGCGGCTGGCAACGGC GCCGGTGATCACCGAGTGGTGCGANAGTTGCCGACCGCCAGTTCGCCGCGGCTTTACTACGAGAAGGGCCTGCCGAGC TCATCAGGATTCACCTGTCGATCAGCGCTGAACCTTTACTTCCCCGACCAGACGGCGACCTCGCCGATGGACCCGGCGT TGTACCTGGTGTGGGCGCAAGCTAACGCCGCCGCANGCTATCGGTACTCGGTCCAAAGCGCAGCCGGGGTCGCAAGCC TAGCGGGCAAGGTCCGACACTCTCGGTCACCTGGACCAACTACGGCGCTGCTGCCGCCACCGAAATAGTGNGTGCCCG GCTACCGGCGTGGTGTCCACGGCACATCTGGTTCGGACCTGCCGCACGCGTGGAACTGAAAATGTGNGTGCCG

## Clone Rv268

# 

AGCTTCÀAGGACATCGTCATCGCGÁCCAAAACCCSCGGCTAGGTCGGCATCCGGGAGCACTCGGGACACCCTGGGCGC GACCGCCCTCCCGGAGCCCGATTAGGCGGGCAGATTAGCCGGCTCCGGGTCCGGTCCGGTTCAGATTACGCGCCCCCGAA TGGCGTCACCGGCTGGTAACCACGCTTGCGCGCCTGGGCGGCGGCTGCCGGATCAGGTGGTATATGCCGACAAAGCC TGCGTCATCGGTCATCACCAACGGTGACAGCAGCCGGTTGTGCACCATCGCNAACGCCACCCCGGTCTCCGGGTCTTC CAN

# 

#### Clone By269

## 

AGCTTGTCGATCGTCCGGCAGCGTCCGGCGAGTCAAGTCGAAGCCAGTCCGGTCTCCTCTCCGACTACGGCCAAGAAC
TGGGCGACGGTGTCAGTGCATACCAACGGANACTGGTGGCGCCTAGGCGAGCGACCGCCTCACAAACGGCGGTGACC
GCGTTTCTGGTCGTGCACCATCGAGCCGTGCCCATCCCGGCCGCGTCAGCCGCATCACCATCGATGCCCTTCTCG
GCGCTTTCAATCAGCTACAGGCGACGTTCGGCANCATCGTCCCGGCGCANCG

## 

#### Clone Rv26

## 

GGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACACCTATCACCATGATTACGCCAAGCT ATTTAGGTGACACTATAGAATACTCAAGCTTGATTTTGATCATCATGATGATCATCACCCGAAGTGTGGTAGCCGCAG TGGTTATCGGGGTACCCTGCTGTCCTTGTGGGCGCCTCTTTCGGGATTTCGCTATTGGTTGCTGAGGAGCATTCTGG GTATCGGGTTGTACTGGATGGTGTTGGCGATGTCGGTGATCCTCCTCTGGCGGTGGGATCCGACTACAATCTGCTGC TGATTTCCCCGGTTGAAACAGGAAATTGGGGCCGGATTGAACACCGGAATTATCCGTGCCATGGCTGTACCAGGGGGG TGGTACAGGCTGCCGCGATGGTGTTCCCGTTACCATGTCTTTTTTTGTTCAGGAATTTCCGAATT

# ::::::::::Rv26T7.seg::::::::::::

CAGGCATGCAAGCTTGGCGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTC
AACGACGACGTCGTCCGCGGGACACACCTCGATGCTGCCGCATGGACGCGAACGCAAGCAGCTGATCGAGCTA
CAACGCCGCACGGAACGCTTCCGCCGCGGGGGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGAC
GGCATCGCCACCGGACGACGACGCACGCCAAGGCACCCACGCCCACG

:::::Rv270SP6.seg::::::::

TCGGCTAATAATCGTTGAAGGCGGCCTCCTCTGCAATCGCCTTGGCGTTGCCGGGTTGTCACCGGTGATCATCACGG TGCGGATGCTCATTCGGCGCATTTCGTCGAATCGTTCCCGTATGCCCACCTTGAAGAGAGTGCTCTAATGAAGAGAGCACCC CGATGGCCCGCGGCTGCTGTTATCGGTCAATCGCCAACCACTAGGGTTGTCCCCGGCGGAGCTGATGCCGTCGAC AATGGCACCACCTCCTCGGTGGGTGGGCACCGTGATCGCGAACCCACTTCATCACCGCAGCCGCGCACCTTCGG ATTCGACGATG

Clone Rv271

CTCAAGCTTGGAGGCGTGGCGATCGGGGTCCAAGGGGGCCTCTCCGAGCACAACAGAGCAACACNIGCTCGGCGACGACGACGACAACACNIGCTCGGCTGACGCTGCTGGCGACTGACTTATCGACTGCTCTTGTTGGACGTGCCTGGCGACCGGCACACTGACGATGTACGACGGGCTACATGTACGACGGGTGCTCTATGTGCGCGGGTTGGTGAGTTTCCACGACCTGACCATCGAAGATCTACGCGGGTGGCCGATGGCCGACTCACTAATTCTACGGCGGCGAACTGGGTNATCCCTTCNCCACCGTCGG

CCTAGGTCAACCGTACCGCATCGGGTCGACCGCACAGATGGACTGGACCTCGGCGAGGTCATCGCCTATG CCTCCCGGGGGGTGACCCCGGGTGACCTCGTTCGGCTCGGGCACGGTGCCCACCTGCACGCTCGCACCACC CTCAGGCCACCGGAAATCATCCCGGGGTGACGTGCACGACTGTCACCTCAGGTCGAGGTGGGCAG GACGATGCAGACCGCCACGACGGGCGCACTCCTTTTCCGTTGGCTCTTCGGCCGAATCCGGACGCGGACCCGACC GCGCGGGTCAACCCGGCACCGACGCGGGTGCCGTTTACCCGCGGGCTGCACAAATCCCGACGGGTATGGGCTTTGAC CTCCCGACGGGGA

Clone Rv272

Clone Rv273

GGGTGGACTTTCTGCAAGGCGAGGCTACACGTCGTCGTCGTCGTAGGCATAGCCATCCCGTCGGCCTACTCGCCAT CACCGATCAGCTTCGCCCCGAAGCCGCCGTGGTGATTTCCGCTGCGACCAAACTGAACGGGCCAAACCGGTATTGCT TACCGGCGACAACCGGGCCACTCGGCTGGTTGTCAGGTTGGCAT

Clone Rv274

TTCCGAATTTCGGGTCCNGGTCATATGACCCTCATGGAAGAAGAAGCGGCCCCCCCGCGCCCCGTGCGACGGCGAATGA
AAACCCTCACCCAGGCCGCATTGAACGCCGACAAGACGGTGGAGCAGGTCGAAGACGTCCTGGACGGTCTGGGTAAGA

CCATGCCCGAGCTGAACAGCTCGCTGTCACAGCTGAACAGCACCGTGGAGCGCTTGGAGGACGGTCTGGACCATCTCG
AAGGTACCCTGCACAGCCTGGACGATCTCGGAAACGGCTCATCGTGTTGGTCGAGCCGGTGGAAGCCATCGTCGACC
GCATCGACTACATCGTCGACCAAACGGTGATGTCACCGTCTGGTC

## 

#### Clone Rv275

# :::::::::Rv275SP6.seq::::::::::::

#### 

#### Clone Rv276

## ::::::::::Rv276SP6.seg:::::::::::

## 

CGAACTGAGCCCATAGAAAGCAGCGACTAATTGGCTGGGCAAATAGGAAGACCCTTTGTCCTGCCACGTATATTTGT CGACCTCGTTGCGAAGGAAGCGCTGCGATTGGTGCCCTTTTCCCTGGAGAATCTCTCGCCGGAAGCAGGAAGCTTTG GAGTTGACAAGCAGGGGCGCCCCTCGCCGAAATCACATTCTTGGTCTGCTGAAATTGAACGCGTCCCCGGTCGCC GATGCTGCCGAGCGCCCCCCACGATACGACGCCATCGCGCCTTGGGCCGCGTCTTCGACCACCGCCAGGTTGTGGTG CCTGGCGATCTTCATGATCGCGTCCATCTCGCAGGCCACCGGCATAGTGAACGGGGACCATGGCCTCGGTTCGCGG TGAA

#### Clone Rv277

#### 

 $\tt CTTAGACGCCACCTCCGGGCCGAGCTCCACGGGGTGGATAAGTACGGCCGGATGTGGCCAATGGGAAGTTGTTGCCCGGTTGACTGCCGGGTTAACGCCGGATTCCACCACATCCCCTTGCGAAAGGCCGTTGGGTT$ 

# 

COMPAN DATABLE

79

Clone Rv278

. .

Clone Rv279

Clone Rv27

::::::::::::Rv27SP6.seg:::::::::::::

TTACACCHICCTCCTTCCGCTCCTATGTTGTGTGGGATTGTGAATTGTGACGGATACAATTTCACACGGAAACAGCTATGAC
CATGATTACGCCAACCTATTAGGTGACACTATAGAATACTCAACCTTTTTTACACCTGCGGGGGCACCTTCGCCGC
CAATTCTACTACCAGGAAGTTTGGCCCCAATTCGACTGACCCAACCCCCCAATTGGCGAC
GCCCCCACNATGCCGCCTGGACCCAATCTTGTCCCCCTTGCCGACGGGACACCCCGTANGTGGTCAAGTCCGGTTAAC
CTTGGGCCTTTTGCGGACCGTCCTCCCGACCTGTCTCCCGACCAACCGGCGTANCTGTCTCAAGTCCGTCTAAC
CCTCACCCCCGGGCACTGACCGCGTGCCCGCGGCGATTCCGCGACTCGGACATCACGAATG

Clone Rv280

CCGGCGGAACTCAGACGTGCTGGTGGTGCGGCATGGCACCGCGGGCACAAAGCGCACTTCTCCGGGGACGACAGCAA GCGACCGCTAGACAAGAGGGGTCGTGCGCAGGCAGAGCGTTGGTACCACAGCTGCTGGCGGTCTGGGGCACCAGCAT TTATGCCGCCGACCGGGTGCGCTGCCACCAGACGATGGAGCCACTCGCCGGAACTGAACGTAACCATACAAACGA GCCCACCCTGACCGAAGAGTCCTACCCCAACAACCCAAACGCGGCCGACACCGAATGCTGAACTCAAGCTAACCAAGT  $\tt AGGCACACCCGTGATCTGCACGCAGGGCAAGGTCATTCCCGATCTGATCACGTGGTGGTGCGAGCGCGACCGTGTGCCCCCGACAGTCCCGCAATCGCAAAGGCAGCACGTTGGTGT$ 

#### Clone Rv281

 $\tt GTATGGTCAGCTGTCCATCCGGCGGTGTCGGCCGAGCTGCCAGATCTCGTCAGCCGTAACCGGGTTGCGGGATCCACGCGTGTCGGGGTTGTCTAC$ 

## 

CCGACTTTCCGCGGGTACCGCTCAACTTTGTGTCNACCTCAACGCATTGCCGGCACTACTACGTGCACTCCAACT
ACTTCATCCTGACGCCGGAACAAATTGACGCACGGTCCCCTGACCAAATACGGTCCGCTCCCACGATGACCCAGTACT
ACATCATTCCGACGGAGACCTGCCGGTGCTAGAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGCGAACC
TGGTTCAACCAAACTTGAAGGTCATTGTAAACCTGGGCTACGCGACCCGCCCTATGGTTATTCGACCTCGCCCCCAA
TGTTTCGACTCCGTTCGGTTTTTCCAGAANCTCAGCCC

a dyear to a since on organization of the

## Clone Rv282

# 

TGCACCCAACTTACTGAGCATGCTAACGCTGGTCGTGCGGGTCTTGTTCCCGCGTGTCGGCAGGGCACACGCTCGGGG CGTACCTGGAGAGGGCCCGGTCAAGCCCGGAGAGCAGTGCTCAGTCCGCCAGCTTGACCGACTTTCGATGAGAACGC GCTTCTCGCCGTATTGAACTGGCGTGCTGACGGTCGCTGAGCAGCGCTCGCCGAGTGCGGCCGCTGATTCTTTCATCG AGCCAGGACCGCATTCGTGTTCGGCCGC

# Clone Rv283

AGCTTACGGCCGGTCGACGCGACGTGGTTCATGACACCACAAACCGTCAACGCCTACTACAACCCGGGGATGAACG AAATCGTCTTCCCGCAGCGATTTTACAGCCACCATTTTTCGATCCGCAGGCCGACGAGGCGGCCAACTACGGCGGGAT CGGGGCGCGTGATCGGGCACGATGATCGGGCACGGTTTCGACGATAGGGCGCCAAATACGANGGCGACGCAATCTGGT CNATTGGTGGATCGA

#### 

## Clone Rv284

AGCTITCACCAGCGTGCCATTCTGTTCGCNACACCTCCCTACTATGCGCAATTCGCCCACAGGGGTGCATCACAGG
GGCGATAAAGGTGGACATCGCTGGGGTGAACAGC
GGCGATAAAGGTGGAATCCCTGGGGTGAACACC
GGCATTCTCGTTGCCCGCAAGACAATCGGGATGCAAAGCCGGCAACTCGCACACCATTCTTGGCCGTAAG
AACCTGGAAATCGAACCCCGGGTTTGGAGCCGTTGAAACCCAACGGTTTCCTGCCGTTGGCGCAGACACTACGCCA
TACCAAAATCTATGAGCGGTTTCGTC

## 

#### Clone Rv285

## 

#### Clone Ry286

## 

## 

# Clone Rv287

#### 

CGCAGCTOTGGCCGATCTGGTCCGGAATACCTAGCTCCAGGTTCTGAGTGGAGATGAGTGCGGCCATCGAAGTGTTGT CAATGTACTCCAGGATGTCAGGTGCCAGGCCGGCGGGGATCTTGGGCACCGCCGCCATGACTTGGTCGAAGTCGG CGAACGGGCGAGCACGCTGGCGTCGTGGTC

#### 

#### Clone Rv288

# 

## 

Clone Rv289

::::::::::::Rv289SP6.seg::::::::::::

GCTTTGCCGCGTTCTTCCAGAGGTTGGAGTGCCAAAGGCTCTGCCGATGCCGAGGCGCGCCGGTGATGAGGGGAGC TTGCCTTGGATTGACTAGTTTGACTACTCCCGTGGTTGTCCCTGCGATTGGTGGAGGTGGCCGCGCGCCTTTGCCC CGAGGTCGGGATCCCGTCGCGGGCTTCGGGGAGCAAACTGACCTGCAGATGGAAGTCGTGCCACATGCCCGCGAACC GGCGATGCTCGATGACTTTTTTTGAAGCGGCGCAGGCGGTTCGATCTTGTCCGCGTCAACGCAGATCGGATCGTCGCC CGCGGGTCTCTCATGAAGAAT

Clone Rv28

CAGGCATGCAAGCTTCACGTCCGTACGGCTCGGGTACGCTTCGGCTCGCAGTGTCCCAGTGATCAGTACCAGCCGGAC CTCGGTCTCGATCTCCCATAGCCGCCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTACAAGTGGCCAGGGCTC GGCATTGGTCATCGGGATATCCCGCTCGGGACGGTCAGAACCCTCGGGTCCGGCCAGCACTCCGCAGGCTTCGTCGGG GTGGTCGCGACGGCATGGGCATGC

Clone Ry290

GGGCGCCATGTTCAGGTTGTCCACGGTGACGACGGTGAACCACACTGTTTGACCTGTCGGCACACACCGTGTGGAT CGGCGAGCGGACCCGACAAATCGATGGCGCGCACATCGCGTTTGCCCAGGTGATTGCTAATCCGGTCGGGGTCAGGT GGGCCCCAACATGACCCCGGAACTGGCCGTGGAGTACGTCGAGGGCTTGACCCGCACAATAAGCCGGGCCGGCTGAC TTGGTGAGCAGGATGGGCAACCACAAGGTCCGCGATCTGTTGCCACCGGTCGTGGAGAACGTCCATGCCACCGGGCAT CAGGTCATTGGC

Clone Rv291

TTGCCTTCCATCCCGAGCAAGGTCGACTCAGCGATGACGAATTGTTCTTCTTCGGGGGGTGTTGCTGGTTGCGGGC TATGAGAGCACTGCTCATATGATTAGCACATTGTTTCTGACGCTGGCCGACTATCCAGATCAGCTGACACTCCTTGCG CAGCAACCAGACCTGATCCCGCCGGGATCGAGGA

 $\tt CGACGCTGGGCCCAACTGCGACCACCAGGTCCTGGTATGGCAGGACATGGCCGGGTTCAGCGGCGCCCAATACCG$ 

Clone Rv292

CCGGCGACGCTTGTTTCCTCCATACTCGCCCCCTAATCTCGAGGCAGCCCGTACCCGCAGGCAACCTCCCAAAAATGC
AATCCCCCAAAATGCATTGCGTCNAGCTATTTCTCACACCGACGCTAGTTGCGGATCANAAATCCGTTGGGCGCGGA

:::::::::::::::Rv292T7.seq::::::::::::

Clone Rv293

Clone Rv294

Clone Rv295

TCTCCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCTCGCGTTAG CGCCGGATTCCACCACATCCCCTTGCGAAAAGTCCGCTTGGGTGCAATGATGTGGAGCCTTCTCCCCATCGAGATAGTGG AGCAACGCAATCCGTGCGGTACCGGTTCGGTCGTATCACCGCGCCCTTTGTCCACCCATCTTTTGTCATTG CGGCGAAAGTCCATCATCCGGTAAGCGCGCTTATGACCGCCGCTTTTTGCCGGGTNGGTAATCCGGC WO 99/54487 PCT/IB99/00740

84

## Clone Rv296

## 

#### 

# Clone Rv29

## ::::::::::Rv29SP6.seq::::::::::::

TCCGGCTCCTATGTTCTGTGGAATTGTCAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAA
GCTATTTAGGTGACACTATAGAATACTCAAGCTTCACCTCGTTACGCTCGGTTACGCTCGGTCCCAGCTGTCGATC
GATAGATGACGACCGGGACCTCGTCGGCATCTTCCATAGCCCGCCACACCCTTCAGTTTCTCACCAGGATCCAACCGCT
AGAAGGTCGGCGACGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGTCAGAGCCCTCGGGTCCGGCCAGCA
CTCCGCAGGCTTCGTCGGGTCGTCGCACGCCCATGGGCCACCATCGCATTCACCAGGTCTGCGGAATCACCAGCA
CGTAGACGGTTCCTTCCTAAGCAACACCGAGATTTAGGACCCAATGCTCCGGAAACATGTCA
CGTAGACGGTTCTTTCTCTAAGCAACACCGAGATTTAGGACCCAATGCTCCGGAAACATGTCA

## 

## Clone Rv2

# 

CCTGCATCCGCCTCCTTATCTTGTATTGGAATTGTCANCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTA CGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTCCAATCCCCCTGCCCTGATAGGCCTAGGCAACCGGAACCGGA GCGGATCTCGGCCGACCGTCGGATCGGTTTCATCCCGCACAGAAACGCGGCTCCGGCTCGGGGTCCCTTCCGTCGGTCAC CACCCAGACGAAGTGGTCGACCTTCCCGACAGGTAGTGCATCAACGCCGGACTGGGAACACAACACGACACA GAACCGTCGATACAGCGTCTCNCCGGAGAACTGGATGTGTCCGTGCACGGTCCCCTCGCGGTCACCGGGCACCACGG GCGTAACATCACTTGAGTTCCGTCGCAAACAGCGTACCGGAATCGGGGAATCGAGGAACACA

## 

#### Clone Rv301

# 

# 

TACTCAAGCTTGAACGCTGCGAGCCCATGTAGAGCGTTTGGTACCAAACCGATCGGTGGGCCAACTTGCCATGG
GCTCACAGCGGCTATCGCGAGCGTTACCCGATCATCGGCCAGCGCGCAGCGTGGCCTGACCGCAAGGGGTTGCCTTATC
CATTCCTCTGCGGCATGGTTCCCGCAGGGAGTGCCGTAACTCGGCTAGCCACCTGCGCCCCTCCGCGTGGGTTCG
GATTCCCTCGGCTAGTAAGGTGCTCGCCTTGTGTTCAACGAATCGCTAGACAGCTCTTATCGGGAGTGGCCGTCGGG
ATCGTTGCGCTGCCGCTGCGGTTCGGCTTTACCACGGAACGTCCCAAGGTGCGCTCATCGGGCTCTAC

Clone Rv303

TACTCAGCTTCGGCTCAGGTGCTGCTGGTAAAGTTCNCTGAACGGTGCAGGTTTCGACAATGTGGTGCCGGTTCG GCGGGTACTGCCATCGAGACACTGGCGCAGGCTATCGCACCCCTTATCGGCTACAAAAAATCGCGGTATGCGTTCTT GAGCATAGGTCGGCGACCGTCGTCATGGTCGACACCCACGACAGGAAAGACGAGATCGCCGTCAAGCNTGTGTGCCGC GGATTATCAGGACTGACCTCTCTGGCTGACCGCNTGTTTGGTCNCCATTGCCGCCCGCGCGCGCT

Clone Rv304

GCCACGTTTCGCGCCCCGGCATACGGCGGCGTACCGATCTCCGCGTCATACACCCGCGGGTAATCGCCGACGGTCC CGGTTCGCGAGCCGAAGGTGACGACGCGATTCGAATCGAGTTCCAGGTCCAGCGGGTGGCCGACAGCGCCGAGCA CAACGACGTCAATCACGTTGCCGTTCTAGGGTCACCGACCAGCGAGCAGCGTAGTCGCCCGGTGGCCGAGAA GTTGCACCGCCACCACCGCGACACCGTCTTGCACGCGGACGCCCCCGGATCGGTTGTTTGGCCAAGGTAATTGGGT CATTCCATTTGACGGGACGCCGACCCCCGAGCCCCAGTACCGCCACGACCACGCCGGCTGACCCACCACTGTACGA ACACCAAGGGAAGCCCGACCA

Clone Rv306

Clone Rv307

CTCAAGCTTCAATTCCTCCACGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCC
ATACCCCTTACTTCGGCAACGCTGGGGGATTGCCCTGCCGCTGAGCCAACCATCGACGCATCGAATTGCCGGCA
ATCTCGTTCAGCCAATCCATACCCATCCACCTTCCGCCGATCGACCATCACCAGCTACAACCAATCACAGGAATTTCGATG
TCGGAGGTCGTGCCGATCGATNTNTCCGTCNACATTCCGGNGTCACCATCACCGGCACCAGNATCGACCCGATTCCG
TCGAACTTCGACGTCTCAGCACTCGAGCACCGAGCAACCA

TTAACCCCGTGGCCTCTACGCCCCTTCGGGTCGAACATGCATCCCGAGCANATGCTCGAGCGCACCCCACTCGCCGAGCGAACGGGACGGGTGGCAGCGTTGCCCGAGTGCGAGAGACTCGGCTGGAAGGGGCCCTTGCCCACGTCGTCGAAGACCCAGATTCGAAGGTGTTCGTCGTCGTCGTCTTACGACATGACCCCGGCGAGAAGAAACCTTGACCGTGGGAAGGACCCAGATTCGGCATCCACAACATTGAAGATCCGATGCCGCGTT

Clone Rv308

:::::::::Rv308SP6.seg:::::::::::

CTCAAGCTTGATTTTGATCATCATGGATCATCACCCGAAGTGTGGTAGCCGCAGTGGTTATCGTGGGTACCGTCG TGCTTTCCATGGGCGCTCTTTCGGGCTTTCCGTATTGGTCTTGCAGAGACATCTGGGTATCGAGTGTTGGATGG TGTTGGGGATGTCGGTGATCCTCTCTGCGGGTGGGATCCACTGCTGCTGCTGATTCGCTGATACAAAAAAG AAATTGGGCCGGATTGAACACCGGAATTATCCGTGCCATGCTGGTACCGGGGGAGTGGTGACGGCTGCCGGGATG TGTTGCGCGTTACCATGTCGTTGTTGTTTCAGCAATTTTGCGAATTATTGGTCAGAT

Clone Rv309

::::::::::Rv309SP6.seq:::::::::::

Clone Rv30

::::::::::Rv30T7PEG.seq:::::::::::

GGGCATATGTCCANAACGGACGNGGCCGGTTTCNTCGATGCNGCCGGGGTCCGCGACNTGCGGACNCNCNGNCACACC
ATCCGCCAGTCCGCGTGGCGTCCCGCCGCGACTCTGCCTCGGCCGCGCACA

#### Clone Rv310

## 

# 

## Clone Rv311

# 

#### 

#### Clone Rv312

## 

# 

ATCTGTACCGACCAAGATCTACACCATCGAATACGACGGGTGGCGACTTTCGGGGTACCGGCTCAACTTTGTGT CGACCCTCAAGGCCATTGCCGGCACCTACTACGTGCACTCCACTACTACTCTGACGCCGGAACAAATTGACGCAC CGGTTCGGCTGACCAATACGGTCGCTCCCACGATGACCCACTACTACATCATTCGCACGAGAACCTGCGTTCAA AGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAAGGTGATTGTAACC TGGGCTACGGCGACCGGCCTATGGTTATTGGACTGCGCGCC

## Clone Rv313

## :::::::::Rv313SP6.seq::::::::::

CTCAAGCTTGCAATGCGGGTCGGGATGCCCATGGTTGGAANATGGTCGCCCTGGCGTCNAATACGCCCGAGCGCATCA GCTCACCGGTTCGGAACAACGTATCGAAAAACGTCGCACTGCTGCAGATGGTATCTCCGATGTGGTTGTAATTTGTA TCCCAACTCTAACTGTGCTATCGGATCAGCCTGAATATCGAAATATGGAAATCCGAATGCAGCCCCCATTCGGTTT ATTCGCTTACGCTTCCCGGGTTCGATCGTCTGATGCACTGCCCCAAAACGCGGATATGATTGTTGAAACCGTATCTA ACCCAATTATTGATGTGGTAGGGGGCACGTCCCCTTTTTTTGTCTTCTG

Clone Rv314

Clone Rv315

ACTCAAGCTTGAGATTGGCGTCAACGGGTGTCGCACCGCCGCTCTGCAGTTGGTAGGCCTCAGTTTGTGCATCAGG CCGATGCCGCGCCCTCGTGGCCACGCATGTACANCACCACGCCGCCCCCTCACGGGCGACCATCGCCAGCGCGCG TCCAGCTGAGGCCCGCAATCGCAGCGGCGTGACCCAAACACATCGCCGGTCAAGCACTCCGAATGCACCCGGACCAGC ACCTCG

Clone Rv316

::::::::::::::::::Rv316SP6.seq::::::::::::::

ACCGGGGCCACTCCGCACAATCTGTACCCGACCAANATCTACACCATCGAATACGACGGCGTCGCCGACTTTCCGCGG TACCCGGTCAACTTTGTGTCNACCCTCAAGGCCATTGCCGGCACCTACTACGGTGCACTCCAACTACTTCATCTGACGCGCGCACCAANATTGACGCACGGGTCCGGTCACGTACCAACTACCACANATCATCACTACTTCGACGGGANAACCTGCCGTCTCAAAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAAC TTCAAGGTNATTGTTNACCTGGCCTACGGCGANCCGGCCTNTGGTTATTCCACCTCNCCGCCCAATGTTTGCNACTCC CGTTCGGGGTTGTTCCCNAAGGTCAACC

CGGTCAAGCGCNTGAGGCCGANICGGCTGGTTACGACTCCTGTTTGTGATGACCACTTCTACCAACTGCCCATGT GGGGACGCCCGACCAGCGATGCTGGAGGCCTACACGGCCCTTGGTCGCCTGGCACGGCCACCAGCGGCTGCAACT GGGCCCTTGGTGACCGGCAATACCTACCGCAGCCCGACCCTGCTGGCAAAGATCATCACCACCCTCGACTGGTTAG CGCCGGTCGAGCATTCCTCGGCATTGGAGCCGGTTGGTTTGANCTGGAACACCGCCAGCTCGGCTTCGAGTTCGGCAC TTTCAGTGACCGGTTC

Clone Rv317

::::::::::Rv317SP6.seq:::::::::::

## :::::::::Rv317T7.seq:::::::::::

#### Clone Rv318

#### 

#### 

## Clone Rv319

## 

# 

## Clone Rv31

# 

# 

GGGCGTNGAACTGATAGGTGGGGCCGGGTTGAGCANGCCGGCCATTTGTTCGATGGGTTACCGAAGATCTCTTCGG TGACCTGCCGCCGCCGGCCAGCTCGGCCCAGTGCCCGGCGTTGGCCGCCGGCGACAATCTTGGCGTCCACGGTGG TGTGGGTCA

#### Clone Rv321

## :::::::::Rv321SP6.seq:::::::::::

CTCARGCTTCARTACAGAGTTATAÁACTGTGATTAATCAACCCTCARTCAATGATGACACAACTAACCCCCCGATATCAGGTC CACATGACGAAGGGAAAGAGAAGAATCAACTGTGACAAACTGCCCTCAAATTTGGCTTCCTTAAAAATTACAGTTC AAAAAGTATGAGAAAATCCATGCAGGCTGAAGGAAACAGCAATTAACTGTGACAAATTACCCTCAGTAGGCTGAGAACAA

#### Clone Rv322

## 

#### 

## Clone Rv327

# 

CTCAAGCTTTCGGCGGAGACGANNTTGCGAACATTGATGACAAAATAGAAATCATTGATGGTTTGAGTCACCAGG CCGATCAAGCCTTGGCGAGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGATTCC GTCATTATCAGCCAAAATAACTGCTCTCGGGTTACACCCAAACAGCGCAATATGGCGAAAAAACGGTCGCCGTTGCACG ACATTAAATGTCACGGTATTG

## 

AGCTTAACTGCTCCCTAATACCTGGGGCTGTGCCTCCGGTGTATGCACGGCATACGACATCCHTCCCCTGAGACCCA CGGTCTAATCAGCCACCTGTCCACCATCAGGGGTCAACCCCGGCCAAGGGCGACGGCACCCCAAGTTCCCCGACCCTT AACCTATTGCTGTGAGCTTCATTTGCTGCGAGCAAAACAGTTGGTCGGCCGTTAGGAACTGAATTGAACTCAACCCA TTTGGTGCCNCCGTAGGTGTCCTGGGTGCGCGTGTGTGTTGTCCCGGTGTGTAACGACCACAATTGTGACCGGG GGAGGTGCAACCACTGGCCAGCGCTCCCGCAATGTCTATTGCGGGG

#### Clone Rv328

# 

CTCAAGCTTGGGTGGCSCTGTCGGTGTGTGTGTGGGCGTTGGTATCAACACCGCCACCAAATGGGGCACAAAAAGAATCACCTTGGCGAATGGGGCACAAA AAGGATTCGCTGGAGCGGTGGCTCCAAAATCACCCTCGCCCAGACCTGCTACGGGCACTTCTACATCGAGCACAAAC CGTGGCCATCACGTCCGGGTGTCCACACCGGAGACCCGGCGTCGGCGCGATTCGGCAAACGTTGTGGGAGTTCTG CCCCGCAGTGTTATCGGCGGCTTGCGCTCGGCCGTTCATTTGGAGGCCCAACGGCTGCGTCGGCTCGGCTCAGCCCC CT

# 

GCACCAAGGCCCCACACGTCACCCTGTGACCTCCTGCGCCGACCCCGCCGAGGTCCTGGCCGTTACCACCTGAACGG GCGAGCCGGGAGTCTTGGTACGCATCGAACAAAGAGCAAGGTGCATTGGGCGGAGTTGTTCCGCCACTTCGTCGATGACG GGGTCNATCCATTCGAGGTCCGCCCCCCCTCGGTCGAGTGGCGGTCACACTCCAGGTACTCGACCTCACAGACGAGA GGACTCGATCCCATCTAGGTGTGGACGAAACAGATCTTCTGTCCGA

## Clone Rv329

## 

TCGCCTCCGCATATGGGTCGACCCAAGCGGGTCCGGATTTCTGGCTTCATCCCTCCGGCCGTCGCGACAAACAGCG CGGTCGAACCGACACTCGTTGTGATGTCCCAGCTATCACCTTCGGTACGCAATCCACCCTACCGGCTACTCAC GCCGCGATCTCCAGCTCCGCCGAGCCAGGTGCATCCCGCTTCCGGTTCCCACTAACCGCCACATCGGCTCA

## 

GTCCTCGAGTGCCGCCGTCGNCACNCCCAGCGCCCGCGCGGCCCACTTGGATGCGACCCGTTTCAAGTCCCTTCATCAT CTGCGAAAAGCCTTGACCCATGGGTCCGCCCAGGATCGCCGAGACCGGCACCCGGAGGTTGTCGAACGACACCTCGCA GGATTCGACGCCCTTGTAACCCAACTTCGGCAAGTCCCGCGACACCGTGAGTCCCGGGCCCGGGTTCGACGAGCACGAT CGACATGCCTTGGTGCCGCGGTTGGGCTTCGGGTCGG

GGCATACCAATGTGGACTTCTGCTCACCCACGATATCCGTGGTCTGATCCGCTGCTGGCGGGGGCTGCNACCTGCNTC
TCNGGGCACCCGTMACTACATGGCNCCGCCCACGCATACGTCGCGGGGGACCACTCCNACTGGTCGACGGTG
TGGCCGCGTGTCCGCANGTCCGACGCCGCACGACGACACGCCGCGCTCCTGTTCTGGACCAACGTCATGT
GCCGTCGGGGTCCATGCTCGACGCCATCGAGACCGTAACCACCGCCTCTCGAGCGGTTCCCTCGGCTTCCGTGACAT
CTTCCTGGCTGCTCGCCGCCGCCCCCGCGCGGCTGACCACACGCCAACCACCTCGGCGGTACATCACCGTC
CCGCCCACTCGACCTGGCGGCCGCATCGGGCCC

GTGAGCAGACCTACGCCHCCTGGTTCCGCCAACTCGGTACCGATACCGAGCGCGCNGCCTGTCGTCACCGATACCCAGC GAACAAGACAGCCGGTCCGCGACAAGATGACTTTCCCGATCTCTGTCGGACTTCCATGGGTCGGTGTCCGGAGTCCCG GGGCCACCGCGAGGTAACCCTCGTCTCAGTCCCATACGCGACCGGGTTATCCACTTCGCGCAACAACGCCACCACCTC CCCAGACGCCNCGTTGTACGCGGCTGGGTTCCACNGCAATAAGTGGCTCANGGCATCGTCCGGCGGCGGTCCNCAAC GCA

Clone Rv330

CTCAACCTTCAGGTTTAACTTTCAACGGATCGACCTTCGACCTTCGACGTGATCGGCCCGAACCTCAATTCTCCGT AATGCCCAACGCAAAACCAGGTGGTGGCCGGGGGGGTGAAACCGGCGTCGGCGGCACCGTCGAATCTTCATGTGGAT TGCCGGAATGGGGATGTCCGGCACGCGGAAACCGTAGTTCGCTTCTCCCGTGAGGCCCAGGTGGATGGGGGAAACAT CCTGGTGTCCGGGATAATAATGGGCCCATGCCGCCGGTTGAAGTCCACTGGATCGGGAATCCTGGATCTGATCCG ACCTTCAGGCCGAACAGCCCTC

::::::::::Rv330T7.seq:::::::::::

CGGCGACGTCGCGATACGCCGACTACTTGGAATCGCTTTGCAGCAAACCAATATTCTGGGGGACGTTGGAGAGGACT TTTTGAATGGACGGATCTACCTGCCGGCGACGACGGGCTGGACCGATTAGGCGTACGCCTCGCCTGGACGACACCGGGG CACTCGATGACCCCGACGGACGCCTCGGGCCTTCGTGCGGTTCAGTGCCGACCGCGCGAGACTGGTNTTCGCTGG GACTGCGGCTGATTCCACACCTCGACCGCCGCAGCCTGCTGCTGCTGTGCGGCCATGTCTGGCATCTACCGCCGTCAGC TCGCCTTGATCAGACGATCGCCGCCGGTCTA

Clone Rv331

Clone Rv333

Clone Rv334

 ${\tt GTTCTTGGGCCCATGCGGAGGTATCGCCGTTTCCACCACGCGGTCGGGGTGGCGTTGCATTAGCTCACCGATGGTGCGCTTGCAGGCCGCCGGGATACCCCGAGTGCCGGTAAACCATCTTGTGCTGC$ 

CAATACTCAAGCTTGCGGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGCGTGCGGGTGCTCA ACNACNACGTCGTCCGCGGGACACACCTCGATGCTGCCGCCATGGACGGGCGAACGCAAGCAGCAGCTGATCGAGCTAC AAGGCCGGCGGAAGCGTTCGCCCGGGGCGTACCGATTCCGGTTGAGCGGCGGATCATCA

CNTCATGATCATCACCCGAAGTGTGGTAGCCGCAGTGGTTATCGTGGGTACCGTCGTGTTTCCATGGGCGCCTC TTTCGGGCTTTCCGTATTGGTCTGGCAGACATTCTGGGTATCGGTTGTACTGGATGGTGTTGGCGATTCTGGTGAT CCTGCTCCTGGCGGTGGGATCCACTACAATCTGCTGCTGATTTCCCGGTTGAAACAGGAAATTGGGCCGGATTGAA CACCGGAATTATCCGTGCCATGGCTGGTACCGGGGGAGTGGTGACGGCTGCCGGCATGGTGTTCGCCGTTACCATGTC GTTGTTTGTGTTCTACGGATTTTGCGAATTATGGTCAAGTTCGGTACCAC

Clone Rv336

::::::::::Rv336SP6.seg:::::::::::

GCTGGTAGAGTCGCTGACCGGTGCAGGTTTCGACAATGTGGTGCCGGTTCGGCGGCTACGTGCCATCGAGACACTGGC GCAGGCTATCGCACCCGTTATCGGCTACGAGCAAATCGCGGTATGCGTTCTTGAGCATGAGTCGGCGACCGTCGTCAT GGTCGACACCCACGACGGAAAGACGCAGATCGCCGTCAAGCATGTGTGCCGCGGATTATCAGGACTGACCTCCTGGCT GACCGGCATGTTTGGTCGCGATGCCTGGCG

Clone Rv337

GCTTTCGGCGATACCGGCATETÄCGGACATCCAGACTTCTGGGGGATCGCTGACAGGGGGGATCCCAAAG TGCGGATGATCGGGCCGCCTACGTGGTGTACCTCGTCGGTACACACGAAACCGAAGCGTATGACTCGGTCCAACG GGTGCGGCACATGGTGGACACCACACGGCACGCACGGGGTCAAGGCCTATGTCACCGGTCCGCAAACACC CGACCAGGCCGAGCCGGAMACAAAANTATCGCTAAGGTCACCGGATCACNAGCATGGTGATCGCAGCAATGTTGCT AGTGATCTATTGCTTCCGTAATTA

CTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTCAACGACGACGTCGTCCGCGGGAC ACACCTGGATGCTGCCGCCATGGAGGCGGTGGAACGCAGCTGATGAGGACTACAACGCCGCGGGAACGCTTCCG CCGCGGGGCGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGCATCGCCACCGGAGCGACGCA CAAGGCGGCGTGCCANGTCGCCCCGGCGCACGAGCGACAAGGTGGTCTGCGCGTCCCCAATCGGCCCC

Clone Rv338

::::::::::Rv338SP6.seq:::::::::::

CCCACGACTTTCTCCTCGATCACTTGGATTTGTACGAAGAGGCAACGAAAGCAGTGATCCTCGGGATGGTCGACGCCT ACATCGACCCGCCGTTCACGCCCACACGCCTGCTACATCGCCTGGCGAGCAGGTCCCACAGTTCGCCCGTAAGGCAC GGCGTCTGTTCCCGTCCGGATCGCCATTCGGCCTCGGCGTCCTGCTCCCATTCGATCAATAGGGCTGGCAGCTCCGTC GGCAGGGGCCTACGCCTCACCCGTCACC

Clone Rv339

CTCAAGCTTATGCGCGCCGGCCGAGTCTGCTCACGGCAACCCCTGAAGTTTAGGGGACNACCTACTCAGCGCAAAAT
TTCGCTAATGTGAGTCCGCCCACCCAGGGANANTCAACCCATGTGATCATGATCTACCGGATACCGGATTGCGGG
TAGCGCCCACGATCGTCNAAATNTCCGCCTGAATCATCGGATAGCTGATCCGGCGTCAACGCGTTTTGANTTCACCGC
GCAACAGCGCCCAAGCCGGCCCGCNCGANCCGATCTCNTCGGCCGCATGGCCCCAATCTTNTCG

 $\tt GTGTGTGGAACCCATCTGAGCAGTGTGCCAAACCGGGGCAGACAGCTCCCAATTGACGTGAGCCCGCTCACTTGCTGGGTAAGCGTC$ 

Clone Rv33

CTTTACACTTCCTGCATCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATG ACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGGGCGTGACGGCCACCGGGGCCACTCCG CACCATCTGTACCCGACCAAGATCTAC

Clone Rv340

GGAACCGGTAACCAGATCAGCTCGTCGACCTCACTGCCGGGGGTGATTCCCCACCGGTGCTGCCCCATGCTAG TGCACCTTCTTGACGCCTCAAAAGGGAGTCGGTCGGGTAGGTCACCGTCAGGAGCCCCCTACCCAGGTTGGGCMA TAGCCGGTCTCCTCGAGTATCTCCCCGCACCGCCCCCACCGGTGCGGTCTCACCCANATCCACTTTGCCCTTGGGCAGC GACCAGTCGTCGTANCNGGGCCGGTGAATGACAACAGTCTCGACCGGCCCTTCCN

Clone Rv341

:::::::::::Rv341T7.seq::::::::::::

TAATGTCTTGCCAACGTCACCACAATCGCGATGAATTCAATCATGCGCCCCAGGGCGGCCAACCCAATGGTGGCCGCG ACCGCAGCTCGATCGCAGCGCGGAGGTTGCCGGCCGCTTGATTCACCAACAGGGTGAGGTCATAGGCGGGCAGG ATAGTGACGAAGGCAAGACCTATATCTGCCGTCGGAAGAAGATCGAGTAGCCGGTCGACACAACGGAAGCGAAAGTG TCCGCGATGTTGATGACGTCGCCGGTTGTGCGGCGGCTGGCGGC

Clone Rv343

::::::::::Rv343SP6.seq::::::::::::

TACTCAAGCTTTCGTCAGTTCATCCGCCCAGCAGACCAACAAGAGCATCGGGACATACGGAGTCAACTACCGGCCAA
CGGTGATTTCTTGGCCGCCGCTGACGGCGCGACAGCGACCACAACTACAGCANATGGCCAGCGGGTCCGGGC
CACGAGGTTGGTGCTCGGCGGCTACTCCCAGGGTGGCGCGTGATCGACATCGACAACCGCCACACCACTGCCCGGCCC
CGGGTTCACGCACCGCTTGCCCGCCCGAAGCGANNATCACATCGCCACTGCCCGCATCGCCTGTTC

TCAAGCTTAGCTGCCCGAATCCGTCANCCCGATGCNCCCAGATCGGGGCTTCGCANATAAAGCACNAACAGGCGGGC
AAAACGTCNATCTCGGACCGGAAGGCAATCANCCGACGGTCNACAAACGACACCGGGANACCACTTAGGCAGTGA
CGGCCGGCCGGACACATTACNCGATGTTTAGGCGTTTTGGTTCTGTTCGCGCTGTATCGCGGCANATCTGGCACNA
TCTGAACGCTGTCCTGTCCGGCAGCGCCCGGCCTTGGGTGCCCCGGAATGTGACNAAACGGAGCCGGACCCN
TCTCGACGC

CCGGGCCACTCCCCACAATCNGTACCNNACCAANATCTACACCATCGAATACGACGGCGTCGCCGANTTTCCGCGGT ACCCGCTCAACTTTGTGTCGACCCTCAACCCACATTCCGGGCACTACTACGTGCACTCCAACTACTTCTATCCTGACGC CGGAACAAATMGACGCNTCGGTTCCGCTGACCAATACGGTGGGTCCC

Clone Rv346

NCTGGCCTTTGGTCCACACTAANACAATACTCAAGCTTCGGGCCGCAGAGCCGCCAACTCACGATÄTCGTTAACCGAT ATCCCGAGCCGATAGCTGGCGGGCTCGGGTGGTGGCCAGCGGCGCGCACAAAAGGTGTGACCGTCATGAAACAGAC ACCACCGGCGGCGTCGGCCGTCGTCACCTGCTCGANATCTCAGCATCCGCAGCCGGTGTGATCGCGCTTTCGGCGTG TNGTGGGTCNCCGCCGAGCCCGGCAAAGGCCGGCACAACCCGGAAC

Clone Rv347

GACAATACTCAAGCTTGACTGGCCACCGCCACGGCATGACCACCGACTGGTCCACTGGTCGACCCCGG GGTGTTGATGTCCCAGCCGCTGAANTCGTCCTGCGCGCGCGCGCGCTCTAAACAGGTACAGGGGGGCGCAATTGGCACC ACCACTTTGGAATTGGACCTGATGTCACGGCCACTCGACGGCACCTGCAGGTACTCCACCGGCAAGCCCG CCGGGAAAATGCCCCCCGGGTCNCCGTGCCACCGAGGGGCCCGANCAAACCCGACACTAGGGCCGCCCAACGGCCCC GACCACNATICNACGCGACAATACCCGTGACGGGCCCCANACCCTGTCAACA

CCTCCAACTCGGCGGGGAAGCGACMCCAGCCTACCGAGCTTCGAGTCCAMCACGCCAGCGGCGGCGTCGGTCTGGTC GTGGTGCCGCCGGGGTGGCGTTGGCTGCAACGATCTCCACCAGCCGGTCGGCTATACCCACGATCTGGCATANACG CGGCCGAGGCCGGTGCCATACCGTATTGCGTCAATTGGGACCGGTTTGCATTGCATTCGCTAGCTGCACACCC GTCAGGGTTCGAACGTTGGCGGGTTCGGCGGCGCCCAMCACCGTTGCACCATGCCGCAAGCCGACCTGCGGCGC ACCAACTGCAGCACAACAATTGTGCCCGTGCGGGCGGATCACTAG

Clone Rv348

CTCAAGCTTTTTGAGCGTCGGGGGCANCTTCGCCGGCAATTCTACTANCGAGAANTCTGGCCCGATACGGATCTG ACCGAANTCGCTGCGGTGCANCCCACCCTCATTGGCGATGGCGCCGACNATGGGCCCTGGACCGATCTTGTGCCGCTT GCCGACGGCGACGCGTAGGTGGTCAAGTCCGGTCTAAGCTTGGGCCTTTGCGGACCGTCCCGACCTGGTCGCGCTG GCGCCGCNAAAGCGCGCGCTGCATCCATCAGGAATGCCTCNCCGCCGCGCACTGCACGCCGGCCGCGCAC

CNCCAGCTTGATTGGTCTGGTTGGCTATTGGCCAGCTGCGCGAGCCTGGCTCACTTCAACTACGACGACCGCAAACAATT GCCGCCTTCGGATCCGAGTTCGGTTGGGTACGGGGCAATGGAGCACCATTTCTCGGTGAATCAGACTATTCCTGAGTA CTTGATCATCCACTCTGCACACGACCTGCGAACCCCGCCGGCCTTGCCGACCTGGAGCAGCTGGCGCAACGTGTGAG CCAGATCCCAGGCGTTGCCATGGTTCGCGGTGTGACCCGGCCAAACGGGGAAAC

Clone Rv349

 $\tt CCTTCTACGCCCGCGATCTCGCCGGAACCGTTGTGCTGGTGGTGTTCCNACGCCCGACATGCGCCTGGACATGCCGCTGGACATGCCGCTTGGTCNACTTCTTCTCACGG$ 

TCGAGGCTTTGGCGGCCTTAAATGCACTGAGGTCGTCAATTGACCCACAGGGGAAATGCGACTATTGCAAGGCCTC CTTCGCCTTGGCTGCCGGAGAGGGGCTCCGCGGGAACCGCATGCAGGTATATGACCTCGGTTTCTCGGGTGCTACCG GTGCCTTGTNTANGATNAACTCGGCGTTGGAATTGTCCAGCCGGCCCAATTCATCGAGCGCANATTCGTACACNTGGC CGGCGGCGACATACGCTTCACCGTGGATCTGCTCCACACGGACCGCCCTGTCGGGATCCTCCTCACGCGTAANGGAAC TTAACTGGCACTCGG

Clone Rv34

GACCACGCCAGGCTAATCACGTGACGCTACCGAATACCCTNCCTAGTGGTGCAGGCTCCCGCTGGAAATGGCCCTGTACCAACTCGCGCACCGGTGCCAG

 $\tt CGGCACCCGACCGCTTGAGCCGTTGGCCGCGTTGGAACTGGCCGACGAGGGACTGATCGTGCTGGGCAAATTGGTCGATGGCACGCTGGCCGCCGATCTGAAGGTCN$ 

Clone Rv350

::::::::::Rv350SP6.seq:::::::::::

CTCAAGCTTGCCGTTACCCCGACTTCCGGAGGGACACCATGAGCACCGCCGAGCACGAGGCCAAACTCCGCCGA CGCAGGCCGGTTGGACTTGTCGTGCTGGACAAGGGGTTTAGCCGCCGAAGCACTGACCTACATCGGCGAAAAGCAGTT CGCCTGTCGACCGACGGGGCNNACCGTGAGGCTAGGGAGGCAGGGCACTGGCCCGCCGACCCGCAATGTACACGCT GCAAGCAAACCATCGAACCGGATGGCTATNCNTCACGCCCCATCGCCGCGGT

CATGITIGGGCACATICCAGGACTICTIGGGGGGATICCGCTGACAGGGGGGGATICCAAAAGTGCGGATTGATICGGGCCGCC
TACGTICGTGGTGTGACCAGTGGTAACAGACAGAACGAAAGGGTATGAGTTGGTGCACGGGTGCGGGCACTGGTGGAC
ACCACACGCCACCGCACGGGGTGAAGGCCTATTGCACCGGTCCGGCACCACTCAATGCCGACCAGGCCGGAGGCCGGA
ACCACACGTTTCGCTTAAGGTCACCGGGATTACACGAGATTGTGTATGCCACCAATG

Clone Rv351

::::::::::Rv351SP6.seg:::::::::::

ATACTCAAGCTTCGGTACGGTGGCGGGCCGTGCTGCTGGCGGCGTCGCGGGCCTGCGGCCTGCGTTTACN
AGCTCGCGTGCTGACACTGGCGGCNAGCCTGAACGGCGGGATCGTGGCCACCTCCCTGATCGTCGCGGGCTACA
TAGCCGCCTGGGAGCAGGCGCCTTGCTGATCAAGCCGCTACTTGACACGCGGCCATCGCGTTCATCGCCGTGGAGG
CGGTGCTGGGCATCATCGGCG

TGTCAAGTCCTTTCAGATCTCNTTTTTATGACATGACTGGAGATCTGTCTAGATTGCAGCTCCTGTGAGCGTGGGTAC
GGGATTCAAGCCGGTCGATCACCCCGGGTGGTGACCGCGTTTGCGGCGATGCTGGGCCTCGAGTTGGGCGG
CGAATGCGTTCGCCGCACAAGATCCCGGCGCTTTGCGCGATTGACCAGCGCGATCCAGGGAGAACCG
TTCCAACCAGTGCTGCGCGCCATCCAGGCCATCCAGCGAGATGACCGGCGTGACCGGGGACTAGACCG
TTCCAACCAGTGCTGTGGCGCGCCATCCCGGCCAAGTGACCACGTGCACTGGTGCC

Clone Rv352

The state of the s

96

Clone Rv353

CNGCTITTTAATGGCCTTGACNTGGGCGNGCCGGCCACCCGGGGGCACTCCGCACAATCTGTACCCGACAAACATCTAC
ACCATCGAATATGAGGGGGCTGGCCACTTTTCCGGGGTACCCGCTAAACTCATTTTGTTGCAGGCACCACAATCTTGCCGGG
ACCTACTACGTGCACTCCATTCATTCATCCTGACGCGGAACAAATTGAGGCAGGGTTCCGCTGACCAATTACGGTG
GGTCCCACGATGACCACCTTGATTCGATCGAGAAACTTGCGCTGCTGAACACTGCGCACTGCAATCGGTGCCGATC
GTGGGGAACCCACTGGGTACCAAACTTGAACCAAACTTGCAGTGAACTGCGCGTGCAACCTGCGATCGGTCACCAACCTGCCATCCGATCCGATCCGTGAGACCTGCGATCGGTACCGGTCATT

Clone Rv354

::::::::::Rv354SP6.seq:::::::::::

CTCAAGCTTGCCGGGAGGGTGCATGGCCGACTCGCATTTACCCACCACAGGGGCCCCAAGCGCGTGTCCGCGCCGTCNA
GCTGAACGTTGCTGCCCGCCTGGAGAACCTGGGCGTCTGCGGCACCTGGTCGGCACCTTGGGGACCTTCGGGACCTTGCGGACTTTGCAGGACCTGGATTTGCACGCCGTGATTCGCTGGGCCTTGCCGGA
TGCCACCCTGGCGTGGTGTGATCCGCGAAANACGAANTTGTGGTGGAGGCTTCTGCTGCGCACACCCACA
CGTGGTGGCACCGGGACACTTTAACTGGCAT

CCGACGCCGTCGTGGCCAACACCGCGACCAGCACCGTGACCGGACCGGGTGCCGCGCGAACCGGTCTTGGCCA
ATTGCCGCGGCACCAAGCCCTCCGCGCCATGGCGAACAGCACCACCGCGCATCCCCGAGCATCAACACCATCACCACG
TGGTAAGCCCGGCCACGGCGCCCCACGGAGCAGCACCACGCC
GATTTGCGGCCACGCGCCCCGCGTACGGTCCCAGTTGGGTGTATGGAACCATGCCCGACAGCACCACC

Clone Rv355

TTHACTGGCCTTTGGTCCACCTAGACAATACTCAAGCTTCCAGGACATCGTCAATCGCCACCAAAAACCGCGACCAAG TCGGCATCCGGGAACCGTCGGGACACCTGGGCCGAGGCCGGACCGGGCGGAGCCGATTAGGCGGCAAATTAGCCG CCGGGGCTCCCGGTCCGANTACGGCGCCCCGAATGGCGTCACCGGCTGGTAACCACGCTTGCGCGCCTGGGCGGC GCCTGCCGGATCAGGTGGTAAATTCCGAC

NGACGTCTTCCATCCGCGCGTCGTTTTGGCGGGTTGGCCACAGCAGCCCGCCGGTGACGGCGACGATGCTGGGCTGGT TGCGGCCCTGCGCAACGCGGGCTTGCATGCTGGTTGGCTGCTTGGTACGAGAGATCCCGAAATAGTCCACGCGATCTGGT GATTTTGCGGGCTACCCGCGATTACCCCGCGGCTCGACGAGTTTTTTGGCCTGGACTACCCGCGTGGCCAATCTGCT GAACTCGCGGCCGGTGGTGGCCTGGAATGTCGAGCGCCGTTACCTA

Clone Rv356

GAGCANTCGGGANNTAGGAGTCAACTACCGGCCAACGGTGATTCTTGGCCGCCGCTGACGGCGGAACGACGCCGG CGACCACTTTGAGCAGTGGCGGGCAGTGGGGGCAGAGGTTGGTGCTGGCGGCTATCTCCAGGGTGGGCGCT GATCNACATCGTCACCGCCGCACCACTGCCCGGCCTCGGGTTCACGCAGCCGTTGCCGCCCCCACAGCGGACGATCACNT CGCCGGGGATTGCCC

Clone Rv357

TACTCATGANCATCCTTTAATCANNGCTTTGCGTTTTTTTTTATAAATCTTGCAATTTACTGCAAAGCAACAAAATCGCAAAGTCATCAAAAAAACCGCAAAGTTGTTTAAAATAAGAGCANCACTACAAAAAGGAGATAAGAAGAGCACATACCT

10

.

#### Clone Rv358

## :::::::::::::::Rv358T7.seq::::::::::::

#### Clone Ry359

TACTCAACCTTCGGGTGATCGCCTTGGTCAACGGCACCGTGATCGGATCGGGTCNACCGCACAAATGGACTGGAGC
TTCGGCGANTCATCGCCTATGCCTCGCGGGGGTGACGCTGACCCCGGGTGACNTGTTCGGCTCGGGCACGGTGCCC
ACCTGCACGCTCGTCTATCACCTCNGGCCACCGGAATCATTCCCGGGCTGG

## 

GTTGGNGCCTCGTCGGCGAACAGTTCTCGCACGATTTCCGGATTAGCGGGATCGGTCACCAGTTGGGTATGCGGGAAG GCGCTGACGTTCGCCGCGATTAGCTGTTTGATGGACGGGGTGGTGATGTTCTGATCACGGAACTGGCTGTAATAGCCC AGGGTCGCCACGCTTTCATCCGGGCCCGGACCCGGCGCACCGAGCGTGTCGCGCAGGTATGCGACGTGATTTTCGCTG AAGTCCCCGTACCGGAACT

# Clone Rv35

#### 

# 

CAGECATICAAGCTTCGGAGGCÁGACCCGTGCATGGTGGCACTGTAGCGACGTGCTGCAATCAAGGTCATGCCGACT CTGGTCAGGTCGGAGCCGCTGACACCCCGCTAAGGCTGCTCAGCTGGTGCATTACCTCACCGACGGCGAACTCCCC AGGTTAACGACTATCCGGATGACGGCACCTGGTTGCGGGCGAACTTCATCAGCAGCTTGGACGGCGGACGCTACGTCG ATGGCACCAGCGGGGCACTGGCCGGGCCCGGCACGATTCGTCTTCAACCTGTTGCGTGAACTTGCCGCACTCATCG TGGTCGGCTGGGCACCTGCGCATTGAAGGCTACTCGGCGCTCCGGATGGGTTCGTCTCATCGCCGA

## Clone Rv360

TACTCAAGCTTGGGGTGGCCTGTCGGTCGGTGTGCTTGGCGGCGTCGGTATCAACACCGCCCACGAAATGGGGCACA
AGAAGGATTGGTGGAGCGGTGGCTGTCCAAAATCACCCTCGCCANACCTGCTACGGCCACTTCTACATCGAGCACA
ACCGTGGCCATCACGTCCGGTGTCCACACCGGAGGACCCGGCGTCGGCGCGTTCGGCNAAACGTTGTGGGANTTCC
TGCCCCGCANTGTTATCGGCGGCTTCGCGT

## 

GCTTGCGGGTCATCGCCTTGGTCAACGGCACCGTGATCGGATCGGGGTCNACCGCNCAGATGGACTGGANCTTCGGCG AANTCNTCGCCTATGCCTCCGGGGGGTGACCCTGACCCCGGGTGACNTGTTCGGCTCGGGCACGGTGCCACCTGCA CGCTCGTCAAGCACCTCNGGCCACCGGAATCATTCCCGGGCTGGCTGACKACCGCGACNTGGTCNCCCTCCAGGTCG AAGGGCTGGCNAAACAANGCAGACCGTCCGGACAANCGGCACTCCTTTTCCGTTGGCTCTTCGGCCGAATCCGGAC CCNAACCCGACCGCG

GTTCTCGCACGATTTCCGGATTAGCGGGACTGGTCACCAGTTGGGTATCGCGGAAAGGCCCTGACGTTCGCCGCGATTA GCTGTTTCATGGACGGGGTGGTGATGTNCTGATCACGGAACTGGCTGTAATANCCCAGGGTGCACCGCCCACCGCCTTCATCCG GCCCGGACCCGGCCCACCGACGTGTCGCCCAGGTATGCGACGTGATTTTCGCTGAACTCCCCGTACCGGAAACT CGAACGCTGAAGTCGTCAACTCGGCACCACTCGTCTNNCCGGGACCAAGGGCGGCGAGCAACTGCGCAAAATCGTTAAGANAGG TCGAATCGTTGAAATTCGGCACCACCTGCTACC

Clone Rv363

CACAAGACAATACTCAAGCTTCAGGTCAATGTGCNCCAAGCCCTGACGCTGGCCACCAGGCCACCGCCGCCGGANAC GCTGCCAAGGCCACCGAATACAACAACGCCGCGAGGCGTTCGCAGCCCAGCTGGTGACCGCCGAGCANANCGTCNAA AACCTCAAGACGCTGCATGACCAGGCGCTTANCGCCNCAGCTCAGGCCAAAAGGCGCTCGAACGAAATGCGATGGTG CTGCAGCANAANATCGCGANCGAACCAAGCTGCTAGGCAGCTCGAGCAG

The second secon

CCACCCGTGCATGGTGGCACTGTAGCGACGTGCTGCAATCAAGGTCATGCCCGACTCTGGTCAGCTCGGAGCCGCTGA CACCCCGCTAAGGCTGCTCAGCTCGGTGCATTACCTCACCGACGGCGAACTCCCCCAGCTTTACGACTATCCGGATGA CGGCACCTGGTTCCGGGCGAACTTCATCAGCAGCTTGGACGGCGGCGCTACCGTCGATGGCACCAGCGGGGCGATGGC CGGGCCCGGCGACCGATTCGTCTTCAACCTGTTGCGTGAACTTGCC

Clone Rv364

:::::::::::Rv364SP6.seq::::::::::::

GCTTTCCGCCGATACCCNCCATGTCCCGCACATCCAGGACTTCTGGGGGGGATCCGCTGACAGCGCGGGATCCCAAAG
TGCGGATCATCGGGCCGCCTACGTCGTGGTGTACCTCGNCGGTAACAACGAAACCGAANCGTATGACTCNGTCCACGC
GGTG

Clone Rv365

GGGATGGCCAAAAGCCACCCCCCCCCCCCCCCCCCGGGCGAGCGACAATCTCGGGCGGCTAGGGCTTCTCGGG GGAAGGCCCGAACTACGCCTTCAACACCTCGCCTCCCCTCCGACCGCAACATTCGGGGATGGCAGCAACCTGG TAGCACCCTGGCCGGCGATGATCTCCCAGCGTCCCCGGGGTAGTCGCCGCCGGGCGG

CAGCAGACCAACAAGAGCATCGGGACATACGGAGTCAACTACCCGGCCAACGGTGATTTCTTGGCCGCCGCTGACGGC GCGAACGACGCCAGCGACCACATTCAGCAGATGGCCAGCGCGTGCCGGGCCACGAGGTTGGTGCTCGGCGGCTACTCC CACGGTT

Clone Rv366

::::::::::Rv366SP6.seq:::::::::::::

Clone Rv367

Clone Rv368

TAAAGCTTTCGTCAGTTCATNGNGCCCCGGACCAACAAAAGCATCGGGACATACGGAGTCAACTACCCGGCCAACGG
TGATTTCTTGGCCGCCCGCTGACGGCGCAACAACGACGGCACCACATTCACCAGATGGCCAGCGGTCCCGGGCCG
GGGTTGGTGCTGCGGCCCGTACTCCCAGGGGTGGGCCGTGATCACCAGCTGTCACCGGCCACACTTCCCGGCCTCGG
GTTCACCGACCGTTGCCGCCCCCAGCGACGATCACNTCGCCGGTCTCGGGATCGCCCTTTCGGGAATCCCTCGGGCGCCGC
TGGCGGGCTGATGACGGCCCTCAACCCCTCAATTCGGGTCCAANACCATCNACCTCTGCAACAACGGCGACCGGTTTG
TTCGGACACAACCGTCGGGANCCGACCT

CCGGGAGGACCATCHCGGCGCGTTCGCTTCTCCCGAAGGTTCTANNGTNNNGCGTTTCNACNCTTCCCGTCGCCCGCACCACATCGGGGTATGGNNGCANCCTGTNAGCATCCNGGCCGGC

Clone Rv369

GCTTGGCAGCCTGCGGCGGCCCTNGAGCTCTTCGATCTGGATCTCGGATTGACATGCTACTTGCCCGGCCG
TGGACGTACCCATTGGGCCGGCACCCAGCGCCCAGCTGACCAGCAGTTGGCCTGCACCGCCCCGTCGG
GCTCGACGCGGTAACGGTCAGCAGCTCCGANGTCCNNCTGATCCGACGCAGCTGCCAATGCCGGCTGAGCGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTGCAGCTTTTNG
GCCTGCCGCAN

Clone Rv36

Clone Rv370

::::::::::Rv370SP6.seq:::::::::::::

GCTTTTTGAGCGTCGCGGGGGCGCTTCCCCGGCATTCTAGCAGCAGAGTCTGGCCCGATACGGATCTGACCGA AGTCGCTCCGGTCAGCCCACCTCATTGCGATGCGCCCAACNATGGCGCCTGACCGATCTTGTGCCGATTGCCGA CGGCAACCGGTAGCTGGTCAATTCCGGTCTAGCCTTGGGCCTTTGCGACCGTCCCACGCTGGTCGCGTTG

## Clone Rv371

NAAGCTTTGTCACACCAAGTGTTTCNACCAGNCGCTCCATCCGGCGAAGTGGATACTCCCAGCAGGTAGCAGGTCGCC ACCACGCTGGTCAGTGCGCGTTCAGCTCGCTTGCGGCGCTGCAGCAGCCAGTCCGGGAAATAGCTGCCCTGGCG

CGCTGGNCGCCGCGCTGGGCTGCGGTAACCAATTACCACAACACTTTTCGGTAGCCGAACAGCGGGGGGGTACCAGGG AAATGGCACAGCCACCGCATCCCGACATCCGCGAAAGTGTGGCAGATTTTCGTGCGGTCGAGCCGGGGAAGGCCT AGCGTCATTGTTGCCTGGAAGGTTGCTGGGCCCGG

## Clone Rv373

CTCAAGCTTCTTCTGCCCCTTGCCGTTNCGGATNACATCCCGCAGCGACTCGGCTTCGGCGCTGCAAGTTCTC
GATCAGCTTCTGGATCACTCCGCCCCATGGCACCGGTGAAGTACTCCGCCGTAGCGGTCGACNAGTTCGGCGTAGAG
GTTTTCGTCNACNATCAGCTGCTTGGGCGCCANCTTGGTGAAAGTGCTCCAAATGTCCTCCAACCGGTCAAGCTACAG
CTCCGCGGGTCAAGGATCTGGCGCATCTGGCGCCCTCGCAGCTTCGCGCACTCAGGCCTTGGGCGCATCGGCCTTGGGCCCC

::::::::::Rv373T7.seq::::::::::::

#### Clone Rv374

CTCAAGCTTTACGCCGACGCCGCCTACACAACACACAAGAATGCGTTCCTACCTGCCGAATCGGGGAACGTTCTGCACACCTGCTTCGTTTTCGGGAATTACTCGACACCAAAACGTCAAGAACTACGACGACGCAGTTGGACAGAATACGGCTCCTGCTGGGGCGCCCCCAATCGAGTTGGGAAGTAATATGTGCTCTGGACCC

TCCCNCATGGGATAACGGGTTTAGATTTCNACAACGGCACCGTGTTTCTCAACAAGCCGGTCATCAGCTGGGCCGGCG ACAAGGGTATCTACTTCACCCGCTTTCGCCCGTACAAGAAAAACACCACTAGGCCACCATCGAGTCCAAGAACAACCACC TGGTCCGCAAGTACGCGTTCTACTACCGCATATGACACCGCCGAGGAACGCCGCTGCTCAACCGGATGTGGAAGCTGG TCAACGACCGCCTCAACTACCTCACCCGACCATCAAACCGATC

# Clone Rv375

::::::::::Rv375SP6.seq:::::::::::

CTCAAGCTTGGGTGTTGCCGATCACCGGAAGCCNCATGATCAGCCACGTTTCGCGCCCCCGGCATACGGGGGGGTAC CGATCTCCGCCGTCATACACCCCGGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACAACGCTGATTGAAT CNAGTTCCANGTCCAGCGGGT

TNAACAGCTCGCGCAGCCCACGACCTGCTGCGTCGGATTGCCGGCGGGGAGATCAATTCCAGGCAGCTCCCGGACAA
TGCGGCTCTGCTGGCCGCAACGAANGACTCGAGGTCACCCCGGTGCCCGGGTGGTGGTGCACCTGCCGATCGCACA
GGTTGGCCACAAACCGGCCGCTTGATGNNNNGTCGGCAAGCCCGGCAGTNGCCAAACCCAGCGTGATCANGCTCGGCA
CGCGAGTTCGGCGAANAACTGGCTCGCCTGATCACCTACCATCGGCCANGATCTGCCTGTCA

CCGACCTGGTATCTTCCGATAGCGCGCGTTGATATCCGGTCTGATCTCCTGCCCTTAACGCCGGATCTCAGCAGGTCCCCATGCAAAGATCCGAGGTGTCCCNGATCTAGGGGTCCTCCTCCAGATGATGAGCAAGTCGGCCC

Clone Rv377

Clone Rv378

AGCTTAGCTTCCCGCCCGGCAATAGGGCTCCAGCTCATCCGGTGTGACCAGATAGGGGCCCAGGGTGATACCGCTGT CTTTGCCCTTGGCCTGTCCGATGCGCAGCTGGCCCTCCAGCATCTGCAGGTCCCGTGCGGACCAGTCGTTGAAAATGG TATAGCCGATGATCGACCG

CCNGAACAGAAGGGNGGTTCCTACCGCGGTGTGCGGCCGGCGCGATATCGGCCTTTTTACTAACCGAACCCGATGTG

Clone Rv379

CTCAAGCTTGCGCGACCAAGCATTCTTGACAGTTGTTTTGGCTCGGCATGGTTAGCCAAGGTTCTGCGGTCCCACAGATCATCTTGGTCCGACAAGCATCATCTTGGTCCGCTAGCGCTCGTCCGGGTATGCTGCCGCCGGGATTCTCGCTGCTATTACTCCCCCCAAGAACAAGCACACGGCACGGTCCAGGC

GCNAGGCGGTATAGCTTCCCGTCGTACCGGCGACCGCAGCCGAGAGCTCGTTTTCCCAGTGTTGCTGGGGATTCTC ACGCTGCTGCTGCTGACACCCCTTCCGCTTACAACGAGCCGCGGGCTACAACGAGCCGCGGGCTACGATCGTGCGACGCTGAACTGGTGTTCCCATGGACTTGGGATGT

Clone Rv37

GTGTGGACCGTGAGCGGATAACĀATTTCACACAGGAAACAGCTNTGACCTTGATTACGCCAAGCTATTTAGGTGAGG CTATATTAATACTAAGATTTCGGTTCGAGCACATCGGCCCAAGAACCGCCGAAGAGCACGGGAACGCCTGCGGCACA TGGGGCGACGACCACGGGTCGGACTTCTGGCTGTCAACCGGATCGGGCCGTCGCGA

:::::::::::Rv37T7.seq::::::::::::::

:::::::::Rv381SP6.seq::::::::::::

CTCAAGCTTTTACGGTGATCGCGCATCACCTGGTTCATGAACTGGAAGCAGCGCAGCGCTTCCTTTTCGGCCGCAACA
TGAGCCANCCTCTCGTTCGGCGGTGCAGGTGCTCGGGCAGCTCGGCCGCACAGCCGCCTGACCCTGAAACCAC
CTTCCAATATCCGCGCACAAAAGGAC

Clone Rv382

CTCAACCTTGGGCTCATCAAGGGGGACCAACAGCAGGGGGTGGCTGGTCGCCATGACGGGTGACGGACCAATGACGCA CCGCGCTCGCGCAAGCCGATGTCGGGGTGGCNATNAATACCGGCACCCAGGCGGCCCGGGAAGCCGGCAACATGGTC NATCTCCACTCC

Clone Rv383

GCTTGTCSTATTCCCTGGCACTGTCAGACATATGCGCGCTCCTCATCGCTGGCTCGGCATCGCCGGCGGT CATGGCGTCACCCTACCCAAGCCGAAACGCGAAACGAGAACGTGTTCCATTATTAGGGTGTGAGCACCAATACCAGATT GCTCACCAGGAACTCAC

CGATATTCGTCGGCCGCGTTGTCTCGACTGGGTCGCGT

Clone Rv384

GACCTCGGCCACCAAGCCGGACGCGCACGCTCGAGGTGGCGATCCGGCTTGGCGTCGACCCGCGTAAGGCAGACCACATGGTCCGCGGCACCGGCACCGCCACACGGCACTGGTAAGACTGCCCGCGTCGCGGCN

 $\tt CCGGAAGTCTAGGGGACGACCTACTCAGCGCAAAATGTCGCTAATGTGAGTCCGCCCCACCAGGGCAGATCAACCCATGTCGATGATGACCTACCCGGATACCGGATTGGCGGT$ 

Clone Rv385

::::::::::Rv385SP6.seq::::::::::::

AGCTTCAGTTCCTCCAGGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCCATACCCCTTACTTCGGNAACGCTGGGCGGATTGGCCCTGCCGCTG

Clone Rv386

GCGGCTGGTTACGACTCCCTGTTTGTGATGGACCACTTCTACCAACTGCCCATGTTGGGGACGCCCACACCGCGATG CTGGAGGCCTACACGGCCCTTGGTGGCCACACGCGACCCAGCGGCTCAACACTGGCCGCNTTGGTMACCGGCAAT ACCTACCGCAGCCCGACCCTGCTGGCAAAGATCATCACCACGCTCGACGTTGATGGCACGGTCGACCATCCTCGGC ATTGGAGCCGGTTGGTTTGAGCTGGAACACCGCCACCTCGGCTTCGAGTTCGGCACTTCAAGTGACCGGTTCAA

GCCTTTCCGCACAATCTGTACCCCAGGACCNTCTAAAAATCGAATACGAGGGGTCGCCGACTTTCCGCGGTACCCG
CTCAACTTTTCTGCACCTCAACGCCATTCCGGCGCACTACTACTCACGTGCACTTCAACTACTTCATCCTGACCCGGAA
CAAATTGACGCAGCGGTTCCGCTGACCANTNNTGTCGGTCCCACGATGACCACTACATCACTACATCATTCGCACGGAGAAC

CTGCCGCTGCTAGAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAAGGTGATTGTTAACCTGG

Clone Rv387

Clone Rv388

CCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCGGCGTTAGCGC CGGATTCCACCACATCCCCTTGCGAAAGTCCGTTGGGTCAATGATGTAGGGCTTTCTCCCCATCGAGATAGTGGAGCA ACGCAATCCGTGCGGTACGGTTCGGGTCNTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGC GAAAGTCGATCATCCGGTAAGCCGCGTTATGACCGCCGCTTTGTGCCGGGTGGTAATCCGGCCATGCGTTAGCGCC

Clone Rv389

GGCGGCTCGGCGAGATGATCGCCCGGTGCCACCCCGATCCGTGCCTCGGTCAGCGCCAACGTGCTTTCCGGTCCGGCCAACGTGCTTTCCGGTCCGGCCAACGTGCCCCGAC

 ${\tt GCAATCGCCTTGGCGGTTCGCCGGGTTGTCACCGGTGATCATCNCGGNGCGGATGCTCATNCGGCGCATTTCGTCNAATCGTTCCCGTATGCCCACCTTGACGATGTCCTTCATATGGACCACGCCGATGGCCCNCGCGCTNCTG}$ 

Clone Rv38

:::::::::Rv38SP6.seq::::::::::::

Clone Rv390

CTCAAGCTTGCGCTGGATCTGGCGGCTGAGCCTGTTCTTGGGCAACATGCCGAGGGATCGCCTTTTCCACCACGCGGT CGGGGTTGCCATTAGCTCACCGATGGTGCGCTTGTGCAGGCGGCGGGATACCCCGAGTGCCGGTAAACCATCT TGTGCTGCAGTTTGTCGCCGTGATGGCGACCTTGTCGGCGTTGATCACNATGACNAAGTCACCACCCCATCACACTTGG CGGCGAACGTCGCCTTGTGCCGCCACCACGTTTGGCCGCCGCAGGCAAGCGCCCANCACCACCTC WO 99/54487 PCT/IB99/00740

104

TTTGGGATGGCAAAAAGGGAACNCCGCGTGGCACAGAACGCGGGAGGACAATCTGGGGCGCTAGGGCTTCTC
GCGGGAAGGCCCGAACGTACGGCGTTTCAACACGTCGCGTCGCCTCCCAACCGGAACATTCGGGATGGCAGCAACC
TGGTAGCACCCTGGCCGGGCGATGATCTGCAGCGTCGCCGCGGGATAGTCGCCGCCGGGCGCTACACTCTGAAACCC
GATGACCATCGATGTGGATGCAGCATCCGACGCAACGGTTCCTACACGCGATATGTTCGCCTCGCTGCGCCGGTG
GACCGATGGGTCTATCCCGGA

Clone Rv391

CTCAAGCTTCGTCATAAGACCATGGTGCGCTTTCTTTCACCCGTCCAAAGTCGGGGGCATCCGCACCGGCTCGCATCG CATCATCCTCCCACAGCGGCCCCTCATCAGCTTGGGCCATTTCAATGTACTTCATACCCGCCCTGCGGGTAGGCA CTGCAACAATTCAAACAGGTGTCACAGGGTGAATAATGTCANAATGGCTTCAATCAAACGGTTCAA

Clone Rv392

::::::::::Rv392SP6.seq:::::::::::::

GCAGTTGGGAATGGCTCTCCAGCAAACCANTATTCTGCGCGACGTTCGAGAGGACTNTTTGAATGGACGGATCTACCT GCCGCGCGCGACGACTGGACCGATTAGCGCTACNCCTCCGCCTGGACCGACTCCGGCGGCACTCGATGACCCCGACGGACC GCTCGCGGCACTCCTGCGGTTCANTGCCNACCGCGCCGCANACTGGTATTCGCTGGGACTGCGGCTTGATTCCACACCT CGACCGCCGCAGCGCTGCCTGTGCGGCCATGTCTGGCATCTACCGCCGTCNGCTCGCCTTGATCAGACCATCGCC GGCGGTCGTCTACCATCGGCGAATCTCTCTCTTCGGGACTGAANAANGCCCAAGTGGCGGCGGCAGCACTGGNCTCTT CGGTAACCTGCNGCACCGCCATTGGACCGCTACCG

::::::::::::Rv392T7.seq::::::::::::

Clone Rv393

::::::::::Rv393SP6.seq::::::::::::

CACGTAGGCGCCGTCCATAAATNACTCCGCCGCGCTTCGCACATCCTCGTANCGATCCTTGGCGAGCAGGTCAACCGG
GCGCTGCCCCTCNAGGAGCCGGTTTTTGGCGTCACACCACTCGCCGCACACCTCGGGGGTAAACGAATCCGAGAGCAG
GAGACNAGGGTCACCAAUTCGCCCAGCGGTGAACCGCCAGAGGGGTTACGGCGCGCTACCGCG
CCGATCGGACCTGTATGACCGCGGCGACNTCGACCTGGGTGACGGGTTTCCAGGGCATCNACNATCTCGCT
GGCCTCGACCGCCCGGTCCAGGGTGACCGCCATCGTGGTTCCCCGCAACTTCCGGTTCTACTACCGTAAACGCTACC

Clone Rv396

::::::::::Rv396SP6.seq:::::::::::

CTCAAGCTTTGTCCGACAAGCGTTCCCGGGCGGTCAGCAAGCGAACGTCGGTTGGCCCACTGCGGGTCGATATTGCCG

CGTCAGCACGCGACGTCGCGNTACGCCGAGCAGTTACACAATCGCTCTGCAGCAAACCAATATTCTGCGCGACGTTCGAGGACTTCTTGATTGGACTG

#### Clone Rv39

#### 

CCGACGCGCACTACGTGCTGTGTCCACCCGCGACCACCGGCACGACGAGCTACGCATCACCACTGCTCGATGGCG
CTGTCACCGAGGAACCTGTCAATGTCGTCGAGCACTACTGACCACGGAAAGGCCAGCATGAACGCCAGCATCGACCACGCACCACGAGAAAGCCAGCATGAACGCACGAGCATCACGTGAGCCCCACCACGAGAACAGTGTCTGGGCAGCGGGGATACCTTGGGTGCCGTCA
TCAGCGACCTGGAGGCCAGCACTATTCGGGCATTCCGGACCGCTGATGGACCCGTCTTCCCCAGGTAAGTTGCACCGCT
TCGTGAACATCTACCTCAACGACGAAGACTGCGGTTGCCCGGCTTGCCCACCGCGATCGCTGACCGGTACCTCG
TCACCATCCTCCCCCCCCTGCTGCCGCGTGAGCGGACAACACGATACGACTACCTGTTGCATCGCT

#### Clone Rv3

#### 

## Clone Rv40

CCTGCTTCCGGCTCGTATGTTGTGTGGAATTGTCACCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTA CGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGTCCTCGGCGTGGCCTCGGCCAAGAAATCGTCGACGC GGGCTCCTGTGCAATCGCCTTGGCGGTCGCCGGGGTTGTCACCGGTAATCATCACGGTGCGGATGCTCATTCGGCGCA TTTCGTCGAAGCGTTCCCGTATGCCCACCTTGACGATGTCCTTCAGATGGACGACGCCGATGGCCGCGGGGTGCTGT TATCGGTCCATTCCCGAACGACTAGGGGTGTCCCCCCCGGGGGTGTTGTCCGTCAGATGGACAACCACTCTCCTCAG TGGGTGGCCACCGTGATTCGCAAAACCACTTCATCACGCAGCCGCGGCACCTTGCGGATCCGAACGGATGCGCTC

#### 

#### Clone Rv412

GCGGCGAGTGTGGTGGGTGCCGAACACGAATCCAACGACGCACTGGCGGAAGAATACCACTTGCTGTACTGGAAGCACGTGCTGATGATCTCCCGTGGAATGTGCCTCGCCGCCGTCTATCGAAAACAGTGAGCATGCTGCG

إنا

WO 99/54487 PCT/IB99/00740

106

CAACCGCGTCGGCGCGTCTGGGCCTTCCGCCGGCTCCGCCGACAATTCTATCTCTGGATCAGCGGGGCTCTCCGGGC CGGCCTCCGCGAACTCAACAGGCCGGCCTCCGGCCGAAACATTCCCTAGCCAATATATGATCGACCCCGAATACAGA ATCTGGCGGCAACACCGCAAAGCGTCCGAACGGCCCAACCTCCGCAATTCAGGTATCCGGG

Clone Rv413

:::::::::::::::Rv413SP6.seg::::::::::::

GAAGGTCGGCGAAGGTGTGGCTGGNTGCCGATCACGAATCCAATGATGCAGTGGTCGGAAGATATTAGCCACTTGCTG
TTCTGGAGACAGGTGCTGATGATCTCCCCGTGGAATGTCCCTCGACTCCGTCTATCGAAATCTGTGAACA

Clone Rv414

 $\label{eq:control} \textbf{AGCTTTAGGCTGGCGTATCAGGGTTGGGGCCGCTGCCCATTTGGGTCGCCCAACGCGTTGCCAGCTCCCTGGGCTGTCAGGCTTGGCCCAAACTTGGCCAACAAACTTGGCTGAGCTTGATC$ 

 $\tt CTCTATCTGGCGTCACATTCGCAATCTTTAGATTGCAGATATCGATAAAATCACCCGCGCGACAAGACCGCCATGTCATCCTTTCGATGTTATTTTCGCCGGCCTGGGGAAAGCGCAACGACGTTGCCTACACGTTCCGCCGT$ 

Clone Rv415

AGCTTTNCCTTGCATCTGCACCCGATCCACGTCAGCCACGTCGCGTTCTCCACCAAGAAGTTGCGGGCATTCTCCT
TGCCCTGGCCGAGCTGCTCGCCCTCGTAGTCAACCAGGCACCCCACTTCGCGATGAGGCCCTGATCCAACCCATGT
CGATCAGCGAGCCTCCTGCTGATTCCCTTGCCGTGAGGGATCAGCCTGCTTGAAGGGGGGGAACACT
TGTGCACGACAACCCCTTCGGCGACGAGGGTGTGCAGTTCCTCGACCTCGAGGTCGAACCTTCGTGCAGCGACCACTTCTCGGGATCACGGAATAGCGGAATTCTTCCGCACCACGATTCGTGCAGGAATTCTCCGGATCACGGAATAGCGGAATTCTTCTCGCCAGCACTCTCAACGGAATTCGTCAACGGAATTCGTCAACGGAATTCGTCAACGGAATTCTCAACGGCATCCC

Clone Rv416

TGAATTATGATCCCGACACAACTGCATCANTTTAGCCGCGTCGNGATGCTATCCGCCGACGGTTTGGANCNGGTCCGT GTCGTTCGTTCTTCATCTCACCCGAAGTTGTGTCCGCCGCCGCGGGGGATCTAGGGACCTGGGATCGACAATCAAGCC CGCCAACAAGCGGCAGCGGCTGCGACCACGACGTGCTGGCGGCGCCCCGATNAGGTGTCAGCGCGATCCGGCA GCTGTTTGGTATGTACGGCCTGNAATATCCGGCGATCAGTGCGCAAGTTGCCGGGTATCACCANCAGTCCCTGCAG

WO 99/54487 PCT/IB99/00740

107

Clone Rv417

AGCTTTGGAGCCNINCCGANCINCGGTACGCCCCGCCACGCCGTACCGGCACCCCTTTGAGCCGTTCGGCGGCGGCGGTTGGGTGGACGCGTTTGAGCCGTTCGGCGCGCGGCGATCTG
AAGGTCGGCATGGAGATGGACATGACCATCGCCGCTGTTGCCCGCACCACACACGTGTGCACGCGATCTG
AGGTCGGCATGGAGATGGACATGGACATGCACCATCGTGTTGCCCGACACACGACGGATCGTGAGAGTGAGATGAGCATGGTACACGCGGATCCTTTACATCGTGGGAACATGTTACATCCTTGGGGCAACATGGGGTAATGAGTTACTTC

Clone Rv418

Clone Rv419

AAAGCACGGAAACGATTGCCTACTGCCGAATCGGGGAACGGTCCTCGCACACCTGGTTCGTGTTGCGGGAATTACTC
GGACACCAAAACGTCAAGAACTACGACGGCTGGTTGGACGGAATACGCTCCCTGTGTGGCGCCCCCGATCGAGTTGGGA
AACTGATATGTGGCTCTGGACCAAGCAAGGACTGACGTTGCGGCCCCGATCGGAAAAA

TTTCGCCACCGCNAGGTCGTGCCCGTTCCAGAAAAGCGTGGTTTCGCCGGGCGCGAGGATTCGACGGTCCAACTGACC AGCCGGTCCCGCCACCCGTTAGGCAGATCGCGGTTCTTATATTTTCGCCCTCGGCATAAACGCCATTGCTACGGTGA AAATCGGACATCTCGCCGTTACACGCTTACATGATCCGCTTTTTCCCCGCGCCGGGTCGTTGACAAACGCGATGTCN GCCTCCTGGGAAGCGGTGGC

Clone Rv41

GTACCGTCACCATGATCGCCCCCATCGGCATCGGTGAGCTGATAGATCCCAGCCGGTTTCGCCAACCCCGGAGCGATC
TTGGGGGCGTGCTNGTNGTCNCTGANACNTAGCCAACCAACAAGAGCCCGGTGTGCGACAAGANGACTGATCGGATCTCT
CCGGACACNTCGAGGGGGTCTNTCAGGAGNCCGGGCCCACCCCGAGGATAGCCTCCGCCCAGCCTCACACCGCGACCG
GGTATCNCAAGTGGGCAATAANCCCACCTCCTCGGACCCCACGTTGTATCGGGTGGGT

100/14/6 . 11/2000

Clone Rv42

Clone Rv43

TAGGGGTGTAACCAACTCCCGGGTCACCACCGCAAACCTCTTGCGGCAACAGCGTCGACGGCTCAACCGGGCTG CCCCGAATCCTGTGGATGGCATCGATGCTATGGTCACGACGTCCCCGACGCGGCGGTGGCAACGAAAGTGGCCCG GATGCACCACAAATGACGGCCGCACACCGGTGGGACGGCAGACGCAGAGCCCTGTCCCCGAAGTCGACGCTAATTCC CGTAGGCATTGGCCGTCAACAGGCGCCCCGCGTACACCAGATCCACGGNGGTTGGCGGTCTCCTCGGCCAA CCAGGCGTGAACCAGCAGTCGAATAGCACAAGACCCCTGGGC

Clone Rv44

GCCGGCCTGGTCAAAGGGGCGTCCGAÄGGANCCGGGCTGGGTAACAAGTTCCTGGCTCATATCCGCGAATGCGACGCC ATTTGTCAGGTGGTGGGGGTGTTCGTCGACGACNACGTGACTCATGTCACGGACGGGTCGATCCCCAGTCCGACATT GAGGTCGTCGAGACCGAGCTGATCCTGGCAGATCTGCAAACCCTGGAGCGGGCCACGGGCCGGCTGGAGAANGAAGCN CGCACCAACAACAGGCGCGAACCGGTCTTACGACCCGGC

Clone Rv45

GATCCACTGACCACGATGACATATGGAATGCTCGACGATTCCGATGGCGATGAAGGCCACGATGCCCTGGCCGTTGG CGGGTATCTGGTGGATGGTTGACCCGGGTAGGTTCCGTCGATGGTGACCATGCCACGATGGGCGGAGGT CGTCGGCACGCATCACCCCGCCGTNTGCCGCCGAGTGGCCTCGACTTTGGCGCCAGCTCTCCCCGGTAGAACTCTC ACCGTTGGTCGCCGCGATCTTCTCTANCGTCGCCGGTTGTCAGAAAGGTAAACAGCTCACCGGGTTTCGCGCGCTG TCCGCCGGGCATGAAGCATTGCGAATCGGGATGGATCGAAAAGGACTATGCGA

TCTACTGCCGAATCGGGAACGGTCCTCGCCAACNGGTTCGTGTTGCCGGAATTACTCAGGACACCGAAACGTCGAGAACGTCGAGAACGAATGGAATGGAAACAAATGTCCTGGAACGAATGGAATGAAATGGCTCCCGAACTGGAATTGGAAATGAAATGGCAGCGTTCTTGGAAGACAATGAAATGAAACNGTGATCACCGCGCGCGTTCTTGGAAGA

bri

43

00

WO 99/54487 PCT/IB99/00740

109

GAATGGCATGCCCTGGGCCGGGCGTTCCTTCCGCTGCCGGACTCCTCCCACCAATTCACCGCCGAAGGCGTCCCGTCT

### Clone Rv46

 $\label{eq:thm:cocc} \textbf{ATACTCAAGCTTCTGTCACCGAA^{T}CCCGCATGGGATAACGGGTTTTAGATTTCGACAACGGGACCGTGTTTCTCAACAACGGGTCATCAGCTGGGCCGGCGACAACGGTATCTACTTCACCCGCTTTTCGCCCGT$ 

# 

CTGGCTCAAGCGCTCGGCGCGAGGTGAACTCGGACCGCTCGACGTCGCCGAACGCGAGGCGGTGCTGGCCCACGCC GACGCCCTCCTCCCACATATCGCCAACCGTCGACAAGCTCTACAACAACGCCGGCATCGCGTAACAGGCAACGTCGAAA AGTCGGAGTTCAAGGACATCGACCGTCATCATCGACCTCGACTTCTGGGCCGTCCTCCAAGGGCCT

#### Clone Rv47

CCGCCTCCGCATTATGGGTCAAGAACCATCGGGTCGGACTTCTGGGCTTCCAACGCTCGCGCCGTCCCN

# 

CCGTGGCACTGTCAGACATATGCGCCGCTCCTCCTCATCGCTGGCCTCGGCATCGTCGCCGCGGTCATGGCGTCACC
CTACCCAAGCCGAAGCCGAAACCGAAACGACATCCTCATTATTAGGGTGTGAGCACCAATACCAGATTGCTCACCAGGAA
CTCACGCAGCACCCGGGACGGATGTCGGCCACCACGCCCATCTGGGGTGAGCGGGGAAATACCGCTAACGCGGCTCC
GGTGCCG

### Clone Rv48

## 

# Clone Rv49

### 

WO 99/54487 PCT/IB99/00740

110

Clone Rv4

Clone Rv50

:::::::::Rv50SP6.seq::::::::::::

ATACTICABECTTCACCAGECGCGGGGGGGGGGGCCAAGCCAGCCAGCCGCGCTCGGGGCGTTCCGG CGGCTCGGCCGACAGTTCGATCTGGATCGGGGGGCTCTCCGGGCCCCCCTCGGCGACCTCAGCGGCCCTC CCGGCCGAACCATTCCCTTAGCCATAGATAACCGCACCTCAATGCACGGTTTTGGCGGCAACCGG

AGCTTCCGTCACGACCCGCCCTCGCCGGTGCCGGGCGCATCGGTCATCGGATCTCATGACGACGTCACGTAGGCCCGC
TAGCCGCAGCGGGCGGCGACACGTGACTGACCGCGGGAACTGACCGTTCACCGCG
GAACTACCGTTCTCCGCTCGACGACTGCACGCGCCTTGCACCGCTGGAACGCGGCCACGGTGTTGCTGGTGTG
CGCCCGACCGCCCTGGCAACACGGTGGTCG

Clone Rv51

ACGTTGGCTCTGCCGGAACGTATTTCCAGCGGCACGCATTCGGCGTGGGTGCCGGGCGCCGAGTTGCGTCGCTGGGAT CACGCAGCAGTCGCCGGCGGCTGCCGTCGGGCTATGAATTGCACCGAGCCGGAAAATCCNCAC

Clone Rv52

:::::::::::Rv52SP6.seq::::::::::::

:::::::::::Rv52T7.seq:::::::::::

CGTTGGTAGCCCGATATGCATAGTGTATCTTACTGAACATGATTTCCATTATGGAGCCCGGGGTGCCGGCAGCGCGAA CGGTGCGCCCTCAGACGCGGGCGCACTGACCAGGGTGTTGCGGGCGAACATCGGCCCGGCTTCGGATTCCGGTCCGG GTACCGGCGACCCACCGCTTCGAGGTA

Clone Rv53

::::::::::Rv53SP6.seq::::::::::::

### Clone Rv54

#### :::::::::Rv54SP6.seg::::::::::::

## ::::::::::Rv54T7.seq:::::::::::

### Clone Rv55

## 

## 

#### Clone Rv56

## 

# ::::::::::::::::::Rv56T7.seq:::::::::::::

Clone Rv57

::::::::::::Rv57SP6.seg:::::::::::

ATACTCAAGCTTGTTGGTGACCTCGCCGGCGAACAGTTCTCGCACGATTTCCGGATTAGCGGGACTGGTCACCAGTTG GGTATGCGGGAAGGGCGTGACGTTCGCCGCGATTAGCTGTTTGATGCGCGGGGGGGTGATGTCCTGATCACGGAACTG GCTGTGATAGCCCAGGGTCGCCACGCTTCCATCCGGGCCGGACCGGG

Clone Rv58

ATACTCAAGCTTGCCGCAATCGAAACCAACCTGTTTGTGCCGCAAGAAATTACGCCGTGGCCCGGCGCCGATCAAGAA
ACGCCCCGGGCGCGGCGTGTCGTTATGGCATGACGGCACCAATCTGCACGCCATTGTCGAGCAGGCACCGGTG
CCAGCCCCCGAATCCGGTGCAACAGCGGCAACCCCGGCCAACCCGGTATCGACGGCGCGCTGCTGTTCGCGCTGTCG
GCCAGCTTGCAAGCAGCGCGCTGCGGCAAACCCCGGCTGCGGCGATTGGGTCT

Clone Rv59

NCGTGGACACCGGTGTCGANCGCCACCAGCCGCATGTCTGCANGTCNATTCCGTCCTCGGCAACATCTTGAATGCCGA GCAGGGCTGGGCGTGATCGGCAACCGGGGATGACCGCTCGCCGATCCCCTCGACAATCCCGGGGGCACGTGACATGC CGGCGGACGGCTCGACGAGCTGGAACTTCAGCGACGACGATCGGAATTGATCACCAGCACGGTGCTACTCATGGACC CCTGCGCCTGAATCCCGTGATGGCCACGGTGTTGACTATTCGTCGACACTGACCCAGAATAGTCTTCACGGCTGCGT

:::::::::::Rv59T7.seq:::::::::::::

Clone Rv5

GCCACCAGGACCGGGCGTAACTTTGCTCAGGGAATGGGGCCAGGGCGGGGTAGGACGTGGTTATTCGGCATAAAGG TGCACCTTAAACACGGCGTCCCAATTCTGGAAGGACTTTTGTGGAAGGATGCCGGCGCAGATCCGGCGGTTGCTC ACCACACGTGCACGGGGCCCAATTCGTCAAGGGCGGTCTTGATGATGTTCGCTGCGCCGTCCTCGGTGGCGACGGCGT TCCTTAGTTGGCGACCGCCGGGCCCCCCTTGTCGCGAATCTCGGCGACGCCTCATCGGCATCGCCAACGGCGCCC GTGCCCGTCGCGGGCCCCACCGAGGTCGTTGACCACGA

CAGGCATGCAACCTTTGTCCACACGGCGTCTACTCCGTGCAAGGTCCGACGCTTCCACGTCCCGCCGTGACGGTGCTCACGTCCACGTCACGACGCTGAAGTGGTCCGATCCCGCGGCTTCAGG

Clone Rv60

### :::::::::::Rv60T7.seq::::::::::::

#### Clone Rv61

## 

## Clone Rv62

::::::::::Rv62SP6.seq:::::::::::::

### 

GCAAGTCCGCTCAATGTGGTTGTGATCACANGACTACGTCGCCTCAATCAGCTCAACCGTCGCCGTGGCGTGCTGC GCAGCATGAAGGTCGGCGCCCCGCAGCGAGGTGGGCGAAGCAACAGGTAATAACTGGTCGGCATGGGTCAACCCTCATTG GGCCGTTGCGGATCGGGTGCACGCCCGGAGTGCCAGCTCGAACTCAACACCGCCTTCACCGATCTTTTCGTCGAAAATG CCGTCGTGTGGGGGTATACGTCCGCGATCCCACGAGGGGGAATCCGGTGAGCCGCACTGA

#### Clone Rv63

:::::::::::Rv63SP6.seq::::::::::::

ATACT CAAGCTT CGCGCCCTCAAGCGGTTAAGGTGGTTCCGGCGTNCCAACNGTCGGCAATTCGGCCATGGGCATG GTGCTCACNCCGTCCCGGTCATCCCGCGAGGTGGCCAGGTGGCAGGTGGGCGGCGGTGGCCCNCGTCC GACTTGAACGACTGTACCGCAGGGTGATCAACCGCNACNNCNNGNTGAAAGGCTGATCGATCTGGGTGCGCCGGAA ATCATCGTCAACAACNACANNCGGATGCTGCNGGAATCCGTGGACGCGTGTTCGACAATGGCCGCCGGGCCCGGCCC GTCACCGGCCAGCCACCGTCCGCTCAAGTGCTGCTTCGCTGATGTGTCA

## 

#### Clone Rv64

TGGGTGATCAGATACTGGCTAGTTGGTCGGGTGGGTGATCGAAGATCGCGGTGGCCGCAGCGTTACTGCGGTGACG CTGTTAAGCGGTTACGTACTCCACGGCACTCAANGAATTANATCCGAAATCGGCAAACCCTGGCCAGCGTCGAGTCG CAGCGCCGTCGCGCCCCCCACCGCTGCGGCAATGCTCACATACCACCTCGATCGCTGCGGGAGTTGCTCGTCGCCGACCAGCACGCGCCGCCACCCGCCCACCTCGATCGCCGGCAACCGGAGACCGAGACCCAAGATTCAGCACCACATCGCTAGCCCGATCTGCCCGCGCGTGG

Clone Rv65

ATACTCARCTTCGCTGAGGGGGACACGATCACCTCACCGACCGCTGCTGGGTGGCGGGATGCCGGCGGGATCAACCACGCGTACCTGTTCTCTGGGCGCGCGGATCACGCGCAACCCGTACCTGTCCTGACGCCGCAACCCCTGCGGGGTCTCACACCCGTATCCTGGCCCCAACCCCTGCGGGGTCTCACAATCCTGCTTTTCGTTGGCGCCCAACACCCCACACCACGCGCGGCGGAACACCCCCGAGCACCGCGCGCGCACGCACGCACGCACGCACGCACGCACGCGGGGCTGGAACACCCCCGAGCTGCGACCACCACCACGCACCACGCACACCACCACCACTGCT

::::::::::::::Rv65T7.seq:::::::::::

Clone Rv66

Clone Rv67

:::::::::::Rv67SP6.seg:::::::::::::

Clone Rv68

:::::::::Rv68SP6.seq:::::::::::

Clone Rv69

Clone Rv6

GGGTCTACAACCACCGGGTCTGACTTCTGGGCTTCCACCGCTCGCGCCGTCGCGACAAACAGCGCGGTCGAACCGACA CTCGTTGTGATGTCCCAGCTATCACCTCCGGTAGGCACCCAATCGACCCTACCCGGCTATCTCACCCCGGATCTCACG GCTCGCCGGATCATGCGCATCCCGGTCCGGATCCC

Clone Ry7

::::::::::Rv70SP6D2.seg:::::::::::

 ${\tt NCTACGCTGCATGTTGTGCGCCGGAGGANCTCAAGACCCACGCGGTTGTACGCGGACNTGCGACATGTTCAACCGCCGGA}$ 

Clone Rv71

CTAAGCTTTCGGGTCCGCCGCCACTAGTACCGCGTTGCCGGCCCCGCCGACCTAGAATGTTCCGCCCATTGCCGTTTCCTCCCGCCGCCGCCGGGTT

TCTGGTGCCGGGTGTGCCGACGGGTCCGCCTCTGCTTCAGTGATTCTGTGATGCGACCGGCAACGTCCTCGTTG
TTCGGTGTCTATGTGGTCCGCTCTCCCTTGTTCCGCATACGATT

Clone Rv72

::::::::::Rv72SP6D2.seq:::::::::::

GCGATCGNTNACCACAAGGGGCAACCGTTGGGCGTGGACTGAACGTGCTGCGCCTGGACAACTGGCGCTGCTGCCACCTGCGCCTGGACATCGAACTTCGAAGATTGGACTTTCGACGGCTTGGCCCGACCTGANGTNGGCGGTGGACNNGTGTGCACCGGTTGATTCCTGGCCTTGCCGGGATGACTGCCCCTGCTGGTCGAT

CGTGACCGGACGGGGTCCCGCGCGAACCGGTCTTGGCCCAATTGCCGGGGACTGGGCTGGAGTATAAACCGGGCCTGT
TGCCGGAAGATAAAGTCAAAGCCGTGACCGAGCTGAATCAACATCAGCCGCGATGGTGGTGGTGGTGGTGATGAAC
ACCGCCAGCGATGAAACCTGCGCCATCGGGATTGCAATGGTTACGGCACCACCGACGAACACGCCACCAACAACCACCTGCGCGCTGGTGCAAATGATTGAACTGGCACGACCACTCACGCCAATATCCCCCAGAACA
CACTTAACCATAACCACCTGCGCGGCTGGTGCAAATGATTGAACTGGCACGNCCACTCACGCCAATATCCCCAGAACA
TCACTATTGCGCTGG

Clone Rv73

::::::::::Rv73SP6.seg::::::::::::

Clone Rv74

::::::::::Rv74T7D3.seq:::::::::::

TCAGCTGTCTGTAGAAGGGCTGGCGATACTGTGCACTGTCTGATATCGCNNCGTNGTGGGACTATNCAGNCCATNANG
ATGCGGTTCHGNNNNTGCAGAGNATCCTGGNACACATNCGGTTCACGTTAATCANCATCGCGANTTNCTNCGTNTTCG
ATTANTTCTGCTAACCANTCNNNAGTGCCTGCGGGTGCAGTCTAATGAT

Clone Rv75

NCTCTCCCGGCNAGAGCCCAGAGTCGGACGCCTTCGTCGATCCTGAACGCACCNTGCGATGANCAGATATCGNTNAC ACTGCTCANAAACTTCGGATCATCGNTGATACACAGGCCAACGGGTAGCGGTTGCGACGCTTCCTCAACGANATG GGATCGTGAGGANCCTAGCCTGCAGGATATGTCGCNGACCNGNTCTAGANAN

CACTTCATECT CCTEGGTTGGCNTGATTTGCNCGAGNGGTTAGCTCCTCGAGTGNGTGAGCTATCACTCCGGCNGAC
TANCCGTATCNGCGTCCCGCACCGGTCAACTGGTCTAGCCACACCGGGGAGAATNCNCGACCGGNGCTATCGACCNAT
CACGGCTTGTCGNNAAGATAGNCAGCC

Clone Rv76

::::::::::Rv76SP6.seg::::::::::::

CGGTCGGTGTGCTTGGCGGCGTGGGTATCAACACCGCCCACGAAATGGGGCACAAGAAGAATCGCTGGAGCGGTGGC TGTCCAAGAATCACCCTCGCCCAGACCTGCTACGGCACTTCTACAACACAACACGTGGCCAATCAGTCGGGTGT CCACACCGGAAGACCCGGCGCTTCGGCCAAAACTTTGTGGATTTCCCGCCCCCC

Clone Rv77

GATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCCGATACTTGAACCTGGTCTCGTTCGGCAA TAACTCGTTCGGCGTGCAGGACGCGCGCAAACGTACTTCGGCATCAACGCGTCCAACCTGAAATTGGCAGCAAACCG GCGCTGCTGGGCCGGGCATGGTGCAATCCGAACAAGCACGCTCAACCCGTACACCCCGAAGGGCCGCTGGCCCG GCGGAACCTTTCCTCCA

Clone Rv78

Clone Rv79

AACAGCTATGACCATGATTACGCCAAGCTATTHAGGTGACACTATACAATACTCAAGCTTGCCGGTGATCTGGGTGGC CAACTCGGCGGGGCACCATCTCCATCACGACHGCAAACGCTCCGGCTTCGGGACAGGGACAGGGATCGCGATCTGCGATTGTTTG TTGGGCGGCGTCTCCACGGCCCTGCACCCGGAAGCCGCCCAAGGTGTTGACNCTTTGCGGGGTGAAGCCGATGTGTGC CATCACCGGGATNCCGCCGGGGTCAGACAHGCGATTTGCTCGGCCACCCGCTCACCGCCTCGANCTTGACNGCATG TGGCCGCCCCTCTCTGAAGAACCGGTGGGGNGGCAACCC

CETTGAGATCCAGCTGCGCACTGTGCAGCGCCTCGGTGGTCTGCTCGGCCTGGCGGGATAACTCGTTGAGCTTGGCCA GCGCGTCGTCGGCCGGATCAGCCAGCACTTCGCGGCCAGGAGCGCCGGAGGAGCGTGAAGCTCGCAAAGAAACTA TGGCGGACCGCATGATTAACAGCGCGGATCAACCACCTCTGGTCGAGCCTCAAAATTTGCTTCTTAAAAGGGGCCATCG ACGGATGACGTCGAGCTGTTTAGGTCTCAAACAGGTTACGAAACGATCTGCGAAATTGCCAAAAAGGGGCAATTAAGA AAATGGATAGATTTCTACCATTTCGTGTGGACGATCGTACTTCTCTATAGGGCCTCCAGGGGCATCGACACGCAACG ACCTTAGCGCGACCGGGTTCGCGCGCGGGAACGGCACCANCGCAACCGAAGGGCCAATCGCACATCG WO 99/54487 PCT/IB99/00740

118

Clone Rv7

::::::::::Rv7SP6.seg:::::::::::

CAGGCATCCAACCTTTTTGAGCGTCCGCGGGGGGGCGGCTTCGCCGGCAATTCTTACTAGCGACAAGTCTGGCCCGGATAGG
GATCTGACCGAAGTCGCTGGGTGCAGCCCACCTCATTGGCGATGGCGCCAACGATGGGGCCTGGACCGATCTTTGG
CGCTTGCCGACGGGAGGGGGTGGGTGGTCAAGTCCGGTCTTAGGCCTTTGGGCCTTTGGGACGTCCCGACGCTGGT
GCGGTTGCGCCGGAAAGCGGCGGGTGCCATCAGGAATGCCTCACCGCCGGGAACAGCTCGACCGGCCAGTGCCCG
CGGCGATTCAGCCATCGGGACATCATGCTCGCTTCATACTCCTCGACCACGGCAGAACAGCTCGATTCCCGGAACG
CCCACGGATGTGT

Clone Rv80

Clone Rv81

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGGAAAGGAGATCCCCGGG
AACCTGGTGGCAACCCCCCCATTGGGGTTGTTGGGATTGCCGATCAGCGTGAANGAAGCTCGTCTGGAGACAGCGGG
TGGGCCGAAGCCGCAAGATTTGGCCATCACTAGTGAGGAAATGACCTGGGCCTATACCAAGAAATAACCACGAGAGTTTTCCGGCGGCAATTTGCTGCGAATTGCACTTTCGAGAATGACCCTTGGGCGCACCCGANGAATCAAAAGTGAGG
TTCTTGATCACGACCACCGGGTNGAGCCCTTGGGGCGTGAGANCGCCTGCGCAATAACACCCGGGACGCTCCACCC
ATGTMCAGCGCGTTCCGCAANTCTACATTATCT

::::::::::Rv81T7.seq:::::::::::

Clone Rv82

TCCTCGAATTTCCATATCCGGGTGCGGTAGTCGCCCTGCTTTCTCGGCATCTCTGATAGCCTGAGAAGAAACCCCAAC
TAAATCCGCTGCTTCACCTATTCTCCAGCGCCGGGTTATTTTCCTCGCTTCCGGGCTGCATCATCATTAAACTGTGCAA

### Clone Rv83

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTANGCCACCTCCCGGGGGGAACTCCAGGGGTGATAAGCGATACGCCAGGGGTGTTGGCGAATGGCAGGTGTTGTGCCCGGCTTGANGTCCGCGTTAAGCCCGGATATCACCACTCCCCTTCGGAAANTCCGTTGGGTNCNATGATGTNNGCCTTCTCCCCTTCCNANTAATAGGANCAACGCNATCCGTGGGGTACGGTCATACTCCATGTNGCGACCTTGGCGTTGANACCATCTTTGTCATTGCGGAAAGTCNATCATCGGTNATGANGCCGCCTTTTGTGCGTGGGGTGGTAATCCAGCGTCAACGATGTTGTCATTCCGGCCAACGTCCAACGACGTCCAACGATCTCTTCTCCATGTTTTTTCATTCCGTCGGAAACTCATCCAACAACGATTCTCCACGCTCAACGATCAACCACTATTCTCCAGGGTTGAACCGCTAATCCGCCATGCCACGATGTAATCCGGCCATGCAACGATGTAACCGGCGCTCAACGATGAACAACAATTCTCCCAGGGTTGAACCGGTAATCTCTCAGGGGGCTCCAACGATGTTGTCCAGGGTTGAACCGGTTAATCT

:::::::::Rv83T7.seq::::::::::::

## Clone Rv84

## Clone Rv85

::::::::Rv85SP6.seq::::::::::

:::::::::::Rv85T7.seq:::::::::::

### Clone Rv86

::::::::::Rv86SP6.sea::::::::::::

GACTIGGCGAGETGGACCGGTTGACCGGGGAATACCGTTCTGGCTCGACGACTTTCAGCAGCGGCTTGCAGCGGC CTGGAACGCGGCAGCAGTGTGCTGGTGTGCGCGCCGACCGGCGTGCAAGACAGTGGTCGGCGAGTTCGCCGGTGCAC CTGGCGCTGCGGCGGCAGTAAATGTTTCTACACCACGCCGCTGAAACCCCTGAGCAACCAAAAGCACACGATCTC ACAGCACGCTACGGCCGTACCAGATCTGGCTGCTGACCGGTGACCTGACCGTACGACCGCAGACCGCCGGTGGTGGT TCACCACGAAATGCTGGCAACATGTCTTAC

#### Clone Rv87

#### Clone Rv88

GTCTTTCGATGCTGCTTCTTCGGCGCTGACGCTGGCGATCTATCACCCCAGCAGTTCTCTCTACGCGGGACGATGT
CGGGCCTGTTGGACCCCTCCCAGCGCATGGGTCCACCCTGATCGCCTGGCCATGGCTGACCGCTACCAGC
CCTCCGACATGTGGGCCCGAAGGAGGACCCGGCCTGGCAGCAGCCCGCCGCTGCAACAACCCCTCGTTGAACCTCNGGAANCTGATGC
CCAACNACACCCNCGTCTGGGTGTACTGCGGCAACNGCAAGCCGTCGGATCTGGGTGGAACAACCTGCCGGCAAGT
TCCTCGAGGCCTTCCTGCGGACCATCAACATCAAGTTCCAAGACGCCTACAACGCCNGTGGCGGCCAAACCGCGTGT
TCCACTTCCCGG

GCCAGETICAGGTCCCATGGGCCATGGGCCATTGATTGCTGATCGGCAGGACGTCAAANATTTGGTCCGGCGTCAGCTGG
GCGAAAAACGTGGGCCCCAGGACTTGCCCGGGGTCCCGGTCAGCAGAAN
AAATTGGCCAGGTCGCAACTCCGGCCCCTATGCCAGCTCCGGGTCTCGGCATAGAGCCCGGGGCGCAGCG
TGCTGCGTCTGGCCAACACCGCATTGGTCGAGAAGCGTTGCCGCCCAACGGAAATCACCTGCGTCAAANGCTTCGCGG
GCCAACTCCAGCACTCGTCTGATG

## Clone Rv89

## 

CGAACGACGAACNCCNCAAGCCATGGTGGTTGGGGCCGTCAAAAGGTCCGGGGTGGCCACTACTGGGAAATTGCCTTG AGCGTCNCTCGACCNCCGCCTCGAGTTGGGTCNTAACGAAATACCTGATGCCGATCANGTCAACGTCTCCGTCGCNNC AACGTGCAGCGGCGACCCACTCTACNANGTCTCGGTNCCGCCNCGGCCAGNGCACCACCAGTGACAAATCCNTGCGC NTCGGGCCNAGCANTCCCGGTGCNACCGNGGTGGGTCGGGGATGGTNGGGTGTNCTCNNTACNGGAAGCCAACGAC ATCANCATCGCANACTCNCGTCGATGTGCGCGGGGGAACGACCACCACCACATGATGTGGTCGTCTGTATCAGGC WO 99/54487 PCT/IB99/00740

121

#### Clone Rv8

 $\label{thm:cocc} \textbf{TTAGGCGTGACCGCGGGCC} \textbf{ACTCCGCACAATCTGTACCCGACCAAGATCTACACCATCGAATACGACGGCGTCGCCGACCTTTCCGCGGTTACCGCCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGC$ 

## ::::::::::::::::Rv8T7D4.seq:::::::::::

CGTCACCCCGATGCGCCCAGATCGGGGCTTCGCAGATAAAGCACGAACTGGCGGGCAAAACGTCGATCTCGGAGCCGG AAGGGCAATCAGCCGACCGTCGACGAACGACACCGGCGAGACCACTTAGGCAGTGACGGCCT

### Clone Rv90

CTTTCNCGATGTCTCATGATNCCNANGGAGAACNNTGCNANCNCNGCCGCTGACNTNGCNCACCGCTNTGGCNGNGG
TGACATTGGTGGTGGTTGCGGGCTGCNACGCCGACTCGANGCCGANCCATNTTTGCGGCCGACCGCNTNTCGTCTC
NACCGCANNCCCNATCTCNGCCGCNCCCGGTGGANCTACNGCTNCTTCGCCATCTCTCGCCNATGGCTCCNGCGNNTC
GCNCAACGTNTGGTTTAGTNANCTGCCTACCTGGTCNT

## :::::::::::::::Rv90T7.seq:::::::::::

## Clone Rv91

## 

## Clone Rv92

NGCMGGGAAGTTAATGCCCTACTGGTTCNATGCTCNACANTCNCCNGTGACNNCCTGCNCCGACCGCCGAGGTCCT GNCCGTNACCACCGANCNGGCGATCCGGGACTCTNGTACGCATCCAACANNGANCAACGTGCACGGGCGGAGTNGTT CGCCACTTCGNCNATGACGGGGTCGATCCNTTCGACGTCCGTCGGCGGCTCGGTCGACTGGGGCTCACHCTCCNNGTA CTCGACCNCACNGACGAGAGGACTCGANCCCCTTTACGTGTGGACGAAACANATCTTCTGTCCNACGACTACACCACC ACCCAGGCCATCGCCGNCGCCCCCANACCCCTTTCGACGCCNTACTGGTCCNAGGGGGGCGCTCCTCGGTTGTCTNNC NCNTGNCGTGTTCTTCTACNACTGCCCNACATCGANCCCCCTCAGCANTCNNANGTCGGTCAATC

## 

Clone Rv94

CACNCCTRATGCRAGCCCCNGTAGAAATNGTTGAGCCAGTTGGTGGGGGGTCGTTGCGGGGGGTNATCTCGTCGA GCTCNTCTTCCATGCGCGGGTGAATGCTGACTGACTGAGCGACAAATGCTGCTCANAGCAGACCGGTTAACCNNA ACNCCNCTCNTGACNGCACCAGTGCNCTGCCCTTCTTGTGCACGTACCCGCNATCCTGGATGGTCTTGATGATCNAC TANTHTGTCGACGGGCGGCCATGCCCATTCCTCTCNAGCGCTTTGACCAGCGACNCCTCGGTGTATCGGGCCGGGGGGT TTNGTGGCGTGGGCCTCTTGCTACAACATTTTCTACCACCGTGTCACCGGGGTCAC

Clone Rv95

:::::::::::Rv95SP6.seg:::::::::::

::::::::::::::::::Rv95T7.seq::::::::::::

CCGGATAGCGCTCTCTGAACTTCGCCCGTTCCCTCCANCGCATTGAGCTTCAGCCCGACCGGCAGGTNNGGAGTCGGC
ATACCGGTCCTTCGCCCCGCCCCGCTGCCTAAATANCCACCCCGAGCGCGGTCACGGTCTTGCACCGGGACGACGC
ATACCGGCAGCGCGACACTCNCCCCGGGCTGCAGCNTGAACGTCCAATACCANTCNAACAGTCTCCGCGCATAAAAC
CCGANCCGGCGGTCGCTTCNGTAATCAACGGCTCCTGCGCAACCAGCTGCAAGTCGCCGTGCCACCGGCGTTGACGA
TCTTGATCTTGCGANCTCTGCGGACCAGCTCGAGGCCCGGGC

Clone Rv96

Clone Rv9

::::::::::::Rv9T7.seq:::::::::::




Table 4: End-sequences of the polynucleotide inserts cloned in the named recombinant BAC vectors contained in the I-2049 *M. bovis* strain Pasteur genomic DNA library.

RvXXXSP6 corresponds to the SP6 end-sequence of the clone RvXXX.

RvXXXT7 corresponds to the T7 end-sequence of the clone RvXXX.

RvXXXIS 1081 corresponds to a region located close to a copy of the IS1081 repetitive sequence (Insertion element).

The character « - » denotes an uncertain base residue.

TCGCGGTGGTCGG-CGGGTTGCGTGCCGCCTGCTGCGA-ATGCACCATAAGCCCGACCCGCTTGGTGACCACCGCACGCTGCGTGTGGGGGGTAACCACTCCGCGACCCAAGGATGGT
CATTTCCAATGAACCGGCTGGACTTCGTCCA-A

```
Clone X0002
```

GTGCAGGTTTCGACAATGTGGTGCCGGTTCGGCGGCTACCTGCCATCGAGACACTGCCGCA-CCTATCGCACCCGTT ATCGGTTGCAGACAATGCGCGTATAGCGTTCTTCAGCATGACTGGCGACCGTCGTCATGGTCGACACCCAGCGG AAAGACGCAGATGCCCGTCAAGCATGTGTCGCGGATTATCAGGACTGACCTCCTGGCTGACCGCACTTTTTGGTC GCGATGCCTGGCCCCCGGCCGGCTGGTCGTGGTCGGCTCGGATAGCGAGGTCAGCGAATTCTCGTGGCAGCTCGAA AGGGTCCTGCGGGTCCCGGT

```
Clone X0003
```

TTCGAGTCATGCGCCCGCCTCGACCACGAA-ATGCACGTCG-

GGTTCGATCGACCCGATCTTCACCTCGTAACCTCGATGCTTAGCAGGATCCAGCTTGACCGCGTTTGGCTCTACCCA CTCTTTGAGTGGGGCGGTGGCCTTGGCCCATCGGTGTTCATGACGAACGCTTCGAAAGACTTCCTCTTGTGAGCCG GAATGTCTGCGTAAAGAAGTTCCATGTCCGGGAAGTAGACCCGGTCGCCCTCCACGTGGTACTCCTCTGAGGTCCGC TTCTC WO 99/54487 PCT/IB99/00740

124

Clone X0004

AACAGCGCGTTGAACTGATAGGTGCGCCCGGCTCGAGCAGGCCCGGCCATTTGTTCGATGCGGTTACCGAAAGAT CTCTTCGGTGACCTGCCGCCGCCGGCAGCTCGGCCAGTGCCCGGCGTTGGCCGCGGCGACGATCTTGGCGT CCACGGTGGTGGGG

Clone X0006

GCATCTGGGCTGGCGGTGGTTCGCCGCTCCGAAGCCGTCGAACACCATCGCCAGCGGGCTTCCACATCAACGACCA
TTTCGGCCAGCTTCCGGCGCATCAGCGGCTTTCCGATGAACGCCCACCGAATGCCCGCGCGCTGCCCGGCGTACACAGCGATTCGACCAGCGCGCGCGTTGCCGAGGGCGAACGAGCGGTGCCCAACCGCAATCTGTTGGTCAG
CTCCATCATGCGGGTGAGTCCCTTGCCG

Clone X0007

ATCGGTTTCCAGCAACAGCCGATCGACGGCTTCGCCCA-

AGCAGGTAATCCTCGTCGACGGACTCGGTAACCACCGCCGCCAGCTCCGCTGCCAGGTCGGCGGGGTTGACACCGGC GGGCATCGGGATGGACGACGACGCGGTGCTGACGGCGCCTGTC

GCGGSATCTTGCTGTGAGCGCCGCACCACCAGCGCCGACGCTAAGGATGGAACGCACGGCATCTTCTGACGCGTAACC GCGTTTGTGATCGCGAGCTCAGGAGACGGTATGGGGGAGGGTTCTCGGAGGCCATCTGGGATGTTGATGTCTGCAT CTTGAGCCGGTGCAACTCGTCGGCCCGGACGGTACGCCGACGCCGAACGCCGAACCCGTGACCTCTCCTGAGGA AACGCTGCGTTGGCTCTACGAGATGATGGTGGTCACCCGGAGCTGGATACCGAATTCGTCAATCTGCAC

Clone X0008

TGGACCTCATGACAACGCGGCGCGCATTACCCCCGCTACCGCCAGCAGCATCACGCGGTAGCGACACCGCGGAT GCAGCCGAGGTGCGTCGATTGCTCACGGAATTCGCCCCGGCACCGGGATCTCGAGGATCACCAGTGCCACCCCTGC AGCGCGACACCGACGATTCCGTACACCGCCACGCCGATCAGGCCCTGGGCCAGCTGGCTATATGGCGGCGATGGTG ACGATGGCCAGCGCCACATACATTGTGCGGGCCAGAACCACGCGCTTGGGCCGGCTCGATGAACACTAGGCCACG CAGATGGCCGGGGTCAACAGGTTGACCATCAGAAACCCTGCA

Clone X0009

TTTGGTGCGGCCGGCAATCAACTTC-GCTC-

## Clone X0010

### 

#### Clone X0012

## 

GCGGCTACGTGCCATCGAGACACTGGCGCAGGCTATCGCACCCGTTATCGGCTGCAGACAATCGCGGTATGCGTTC
TTGAGCATGAGTCGGCGACCGTCGTCATGGTCGACCCCACGACGGAAAACACGCAGATCCGCCTCAAGCATGTGTGC
CGCGGATTATCAGGACTGACTCCTGCCTGACCGGCATGTGTGTCGCATGCTGTC

### Clone X00013

#### :::::::::::::::X0013T7.seq::::::::::::::::

## Clone X0014

AGGGCTGGTTACGACTCCCTGTTTGTGATGGACCACTTCTACCAACTGCCCATGTTGGGGACGCCCG-CC-TCCGATGCTGGAAGCTACACTCCCTTGGTGGCGCGC-GCC--GCACCGAGCGGGTGCAACTGGGCGC-TTGGTGACC-GCAATACCTACCGCACCC-ACCTTGCTGG-CAAA-

ATCATCACCACGCTCGACTTGGTTAGCGCCGGTCGA-CGATCCTCGGCATTGGAACCGGTTGGTTT-

## Clone X0015

## 

WO 99/54487 PCT/IB99/00740

126

Clone X0016

:::::::::::::::::::X0016SP6.seq:::::::::::::

CAGGCGTGCAATGACCTGCACTGCGCCGGA-A-

TCCCTAACCCACTAAACCGGGCCGCTCACAAGCCGTGCAGCTCGGCTCAGGTCAGGTGCGGACCAGGAATAAATTAGCCAGACCCTGCCGTCAACGATGGTGGGGATCATCTGGCCCCCGAAACGATGGCGGGGTCATGCGCGAACTTCTTCAGCAGCGGCGGAAGGACGGCGA-CCACCAGGAC-ACCACACCACGAT

GCGAA-

Clone X0017

TTGGGC-TTGCCC-CAATA-GGCCCCAATCAAAAGCCGAGCAGGTGGAACCTA-CGCATTCGCCTC-TCGT-

TGTGCACCCGAGCCATCGCACGCGCGGGAATTCCCGGAT-TC-

CCGTATTCTCCGGCGGCCGGGCTAACCCATCCCA-GCCGAACGGTTGGCTC-

 $\tt TGCCGTGGGTCCCGTGTTGGCCGATCGGGGCGTCACCGGGGGTGCTCGGGTGCGG-TGACCATGGC-AACTGCCCC-ATGGCCCGACCCTGGTGCAGATAAACCTG$ 

TGGTGGAGGTCCCCACCAA-ACCCGGCCGTAACTCTGCTCACGGAAATGCGG-

CAGGCCGCGCCACACGGGTATCCGCCATAAAGCTGCACCTTAAGCACGGCGTCCCAATTCTCCAACGACATCTT
GTGGAAGGTGCCGTCGCCAAGATCCCGGCCGTTCCTCACCAACACCGTCCACGGCGCCGAATTCGTCAAGCGCGGCTT
TGATGATGTTCGTCGCCCGTCCTCGGTGCGACGCTGTCGGTA-

TTGGCGACGGCCGGCCCCTTGTCGCGAAATCTCGGCGACGACCTCATCGGCCATCGCCGAACCGGGCGCGCG

Clone X0018

GCCGGCCAAACTGGCCGGCGGGTTGCTGTC-TCAAGGTGGGTTCCGCCACCAA-ACC-

CACTCAAGGATCGCAAGGAAAGC-

TCAAGGATGCGGTCGCGGCCCAAGGCCGCTCAAGGAGGGCATCGTCCCTGGTGGGGGA-CCTCCCTCATCCACCCAGGCCGCAAGGCGCTGACCGAACTGC-TGCGTC-C-GACCGGTCACA-GTCCTCGGTGTCCACGTGT-CTCCGAAGCCCTTGCCGTTCGTTGTTGTGGATC-CC-CCACA-CTGGCTTGGACGGCTC-GTGGTGGTCAACAAGGTCAACGAGCTACCGGCGGGCATGGGCTGAACGTGA

Clone X0018

CGAACCT-AATTGTCCTGTAATGCCCAGCTCACCAA-

GCATGGCTGGTGGCCGGGGCGGTGAAGCCGGCGTCTGCGGCACCGTCCAACTC-ATGTGGAT-

GCCGGAATGGGGATGTCCGG-ACGGCGAATCCGTA-

TTCGCTTGTCCCGTGAGGCCCAGGTGGATGGGGGGGAAGGATC-TGGTGTCCGGGATGAT-

ATGGGGCCGATGCCGCCGGTTGAAGTCCACTGGATCGGGAATTCGGGAATCGTGAT-CCGACGTTCAGGCCGAAC

PCT/IR99/00740 WO 99/54487

127

Clone X0019

CTAACGGAATGAAAGCCCTGGTGGCCGT-

TCGGCGGTGGCCGTCGTCGCACTGCTCGGTGTATCTTCCGCCCAAGCTGATCCCGAGGCGGATCCCGGCGCAGGTGA

GGCCAACTATGGTGGCCCCCCAAGTTCCCCACGTCTTGTCGATCACACCGAATGGGCGCA-

TGGGGAATTCTGCCCAGCCTCCGGGTCTACCCGTCCCAAGTTGGGCGTACA-

CCTCCCGCCGCCTCGGGATGGCCGCTGCCGACCCGGCCTGGGCC-

AGGTTCTCGCGCTGTCACCGGAAGCCGACACTGCCGGC

CCGCGGGACAC-CCTC-

ATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGAACGCTTCCGCCGCGGG CGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGGCCAAGGC GGCGTGCCAGGTCGCCCGGGCGCACGGTGCGGACAAGGTGGTGCTGGCGGTCCCGATCGGCCCA-

ACGACATCGTGGCGAAGATTCGCCGGGTACGCCGATGATGTGGTGTTTTGGCGACGCCGGCGTTGT

Clone X0020

CTCTGGGACCGGCCACGGTGCC-

 $\tt CCCACCGGTGAATCTGGCGCCTGGCCGACCACCGTGCGCCGTAGGCTTGCGATCGTGCAGCGCTGGCGTGGCCAGGA$  $\tt CGAGATCCCGACGGATTGGGGCAGATGCGTGCTCACCATCGGGGTATTTGACGGCGTGCACCGCGGGCACGCCGAAC$ TGATCGCGCACGCGGTCAAAGGCGGC

Clone X0021

AATACTCAAGCTTTCGTCAGTTCATTGCGCCAGCAGACCAACAA-AGCATCGGGACATACGGA-

TCAACTACCCGGCCAACGGTGATTTCTTGGCCGCCGCTGACGGCGCGAACGACGCCAGCGACCAC-

TTCAGCAAATGGCCA-CGCGTGCCGGGCCACGAGGTTGGTGCTCGGCGGCTACTCCCAGGGTGCGGCCGTGATC-

ATCACATCGCCGCGATCGCCCTGTTCGGGAATCCCTC-GGCCGCGCTGGCGGGCTGATTAAC

CTCGTTTTGTGAGATGCGGGGCGGGCCGGCCGAA-

 ${\tt TCGACCTCGAGTGAATGGATCTCGAGTGAATGGACAGGGCATCGCCTACGAGTCGCATCCCATCCAACAGACCGGT}$ GCTCTTGCATCGGACCCTGAAGGTCCCGCACGGAGGGTGTGGTTGCCGGCGGGGGTCACGGTGCGGTAGCGACGTA GTGTTTGAACGAATTTCTTGATGCTCCAACCTGTTTGGTGTTCAATCCAGTTCT

Clone X0175

....X0175SP6....

AA-CTTGCGCGCTCGGCCGGGTC-AGCATCCAGCTGCTCGGCAAGGAGGCCAGCTAC-C-

TCGCTGCGTATGCCCAGCGGTGAGATCCGCCGGGTC-

ACGTCCGCTGCCGCGCGCCCCCCCGACGTGGGCAATGCCCGAGCAGCCAACATCAACTGGGGCCAAGGCCGGTCGG ATGCGGTGGAAGGGCAAGCGCCCGTCGGTCCGGGGCGTGGTGAT-AACCCGGTC-

ACCACCCGCACGGCGTGGTGAGGGTAAAACCTCCGGCGGCCGTCACCCGGTTAGCCCGTGGGGCAA

CTTGCAGTGCCGCCGAATAGGCGGCTACGTCGTGAGCGCCCATCAACTCTCGCGGGAGTGCATCGCCAGCTGGGCG GCGATGTTCGTAACGCTGCATAGGCACTCCCGCGCGCTGGCAGGCCAGTGCGAACGCCGCCGCGGTGCGTCCG

15

## References:

Altschul, S. F., W. Gish, W. Miller, E. W. Myers, and D. J. Lipman. 1990. Basic local alignment search tool. J. Mol. Biol. 215:403-10.

Balasubramanian, V., M. S. Pavelka, Jr., S. S. Bardarov, J. Martin, T. R. Weisbrod, R.

5 A. McAdam, B. R. Bloom, and W. R. Jacobs, Jr. 1996. Allelic exchange in Mycobacterium tuberculosis with long linear recombination substrates. J. Bacteriol. 178:273-279.

Barany F., 1991, Proc. Natl. Acad. Sci. USA, 88:189-193.

Bensimon, A., A. Simon, A. Chiffaudel, V. Croquette, F. Heslot, and D. Bensimon. 1994. Alignment and sensitive detection of DNA by a moving interface. Science 265,2096-2098.

Bergh, S., and S. T. Cole. 1994. MycDB: an integrated mycobacterial database. Mol. Microbiol. 12:517-534.

Birnboim, H. C. and J. Doly. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. Nucleic Acids Res. 7:1513-1523.

Burg J.L et al., 1996, Mol. and Cell. Probes, 10:257-271.

Cai, L., J. F. Taylor, R. A. Wing, D. S. Gallagher, S. S. Woo, and S. K. Davis. 1995. Construction and characterization of a bovine bacterial artificial chromosome library. Genomics. 29:413-425.

20 Canard, B., and S. T. Cole. 1989. Genome organization of the anaerobic pathogen Clostridium perfringens. Proc. Natl. Acad. Sci. USA 86:6676-6680.

Chu B.C.F. et al., 1986, Nucleic Acids Res., 14:5591-5603.

Chuang S. et al., 1993. Global regulation of gene expression in Escherichia coli. J. Bact., 175(7): 2026-2036.

 Chuang, S., D. L. Daniels, and F. R. Blattner. 1993. Global regulation of gene expression in Escherichia coli. J. Bacteriol. 175:2026-2036.

Cole, S.T., R. Brosch, K. Eiglmeier, T. Garnier, S. V. Gordon, C. Churcher, D. Harris, K. Badcock, D. Basham, D. Brown, T. Chillingworth, R. Connor, R. Davies, K. Devlin, T. Feltwell, S. Holroyd, S. Gentles, K. Jagels, J. McLean, S. Moule, L. Murphy, K.

30 Oliver, J. Osborne, J. Parkhill, M. Quail, M-A. Rajandream, J. Rogers, S. Rutter, K. Seeger, J. Skelton, R. Squares, S. Squares, J. Sulston, K. Taylor, S. Whitehead and B.

G. Barrell. 1997. Genome Sequence of Mycobacterium tuberculosis H37Rv. Microbial Comparative Genomics, 2:174.

Collins, D. M., and D. M. Stephens. 1991. Identification of an insertion sequence, IS1081, in Mycobacterium bovis. FEMS Microbiol. Lett. 67:11-15.

- 5 Cousins D. et al., 1998, **36(1)**: 168-170.
  - De Wit D. et al., 1990, J. Clin. Microbiol., 28: 2437-2441.
  - Dear, S., and R. A. Staden. 1991. Sequence assembly and editing program for the efficient management of large projects. Nucleic Acids Res. 19:3907-3911.
  - Duck P. et al., 1990, Biotechniques, 9:142-147.
- 10 Guateli J.C. et al., 1990, Proc. Natl. Acad. Sci. USA, 87:1874-1878.
  - Kievitis T. et al., 1991, J. Virol. Methods, 35:273-286.
  - Kim, U. J., B. W. Birren, T. Slepak, V. Mancino, C. Boysen, H. L. Kang, M. I. Simon, and H. Shizuya. 1996. Construction and characterization of a human bacterial artificial chromosome library. Genomics. 34:213-218.
- 15 Kwoh D.Y. et al., 1989, Proc. Natl. Acad. Sci. USA, 86:1173-1177. Landegren U. et al., 1988, Science, 241:1077-1080.
  - Liu, Y. G., and R. F. Whittier. 1995. Thermal asymmetric interlaced PCR: automatable amplification and sequencing of insert end fragments from P1 and YAC clones for chromosome walking, Genomics. 25:674-681.
- 20 Lizardi P.M. et al., 1988, Bio/technology, 6:1197-1202.
  - Matthews J.A. et al., 1988, Anal. Biochem., 169:1-25.
  - Michalet, X., R. Ekong, F. Fougerousse, S. Rousseaux, C. Schurra, N. Hornigold, M. Vanslegtenhorst, J. Wolfe, S. Povey, J. S. Beckmann, and A. Bensimon. 1997. Dynamic molecular combing stretching the whole human genome for high-resolution studies.
- 25 Science. 277:1518-1523.
  - Misumi, D. J., D. L. Nagle, S. H. McGrail, B. J. Dussault, Jr., J. S. Smutko, H. Chen, O. Charlat, G. M. Duyk, C. Ebeling, L. Baldini, G. A. Carlson, and K. J. Moore. 1997. The physical and genetic map surrounding the Lyst gene on mouse chromosome. Genomics. 40:147-150.

15

20

25 8797.

Pavelka, M. S., Jr., and W. R. Jacobs, Jr. 1996. Biosynthesis of diaminopimelate, the precursor of lysine and a component of peptidoglycan, is an essential function of Mycobacterium smegmatis. J. Bacteriol. 178:6496-6507.

Philipp, W. J., S. Nair, G. Guglielmi, M. Lagranderie, B. Gicquel, and S. T. Cole. 1996a.

5 Physical mapping of Mycobacterium bovis BCG pasteur reveals differences from the genome map of Mycobacterium tuberculosis H37Rv and from M. bovis. Microbiology. 142:3135-3145.

Philipp, W. J., S. Poulet, K. Eiglmeier, L. Pascopella, V. Balasubramanian, B. Heym, S. Bergh, B. R. Bloom, W. R. Jacobs, Jr., and S. T. Cole. 1996b. An integrated map of the genome of the tubercle bacillus, Mycobacterium tuberculosis H37Rv, and comparison with Mycobacterium leprae. Proc. Natl. Acad. Sci. USA. 93:3132-3137.

Poulet S. et al., 1995, Arch. Microbiol., 163: 87-95.

Ross BC, 1992, J. Clin. Microbiol., 30: 942-946.

Sambrook, J., E. F. Fritsch, and T. Maniatis. 1989. Molecular cloning: a laboratory manual, 2nd ed. Cold Spring Harbor Laboratory, NY: Cold Spring Harbor. N. Y.

Sanchez-Pescador R., 1988, J. Clin. Microbiol., 26(10):1934-1938.

Segev D., 1992, in « Non-radioactive Labeling and Detection of Biomolecules ». Kessler C. Springer Verlag, Berlin, New-York, 197-205.

Sheng, Y., V. Mancino, and B. Birren. 1995. Transformation of Escherichia coli with large DNA molecules by electroporation. Nucleic Acids Res. 23:1990-1996.

Shinnick T.M. et al., 1987, J. Bact., 169(3): 108-1088.

Shizuya, H., B. Birren, U. J. Kim, V. Mancino, T. Slepak, Y. Tachiiri, and M. Simon. 1992. Cloning and stable maintenance of 300-kilobase-pair fragments of human DNA in Escherichia coli using an F-factor-based vector. Proc. Natl. Acad. Sci. USA. 89:8794-

Spargo C.A. et al., 1996, Mol. and Cell. Probes, 10:247-256.

Stone B.B. et al., 1996, Mol. and Cell, Probes, 10:359-370.

Trieselman B.A. et al., 1992. Transcriptionnally active regions in the genome of the archaebacterium *Haloferax volcanii*. J. Bact., 174: 30-34.

30 Trieselmann, B. A., and R. L. Charlebois. 1992. Transcriptionally active regions in the genome of the archaebacterium Haloferax volcanii. J. Bacteriol. 174:30-34.

Urdea M.S. et al., 1991, Nucleic Acids Symp. Ser., 24:197-200.

Urdea M.S., 1988, Nucleic Acids Research, 11: 4937-4957.

Van Soolingen D., 1993, J. Clin. Microbiol., 31: 1987-1995.

Willets, N., and R. Skurray. 1987. Structure and function of the F-factor and mechanism
of conjugation. In Escherichia coli and Salmonella Typhimurium: Cellular and Molecular
Biology (F.C. Neidhardt, Ed) Vol.2 pp1110-1133, Am. Soc. Microbiol., Washington,
DC.

Woo, S. S., J. Jiang, B. S. Gill, A. H. Paterson, and R. A. Wing. 1994. Construction and characterization of a bacterial artificial chromosome library of Sorghum bicolor. Nucleic Acids Res 22:4922-4931.


Zimmer, R., and A. M. V. Gibbins. 1997. Construction and characterization of a large-fragment chicken bacterial artificial chromosome library. Genomics. 42:217-226.

10

15

20

25



# CLAIMS

- 1. A method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobacterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC) vector.
- The method according to claim 1, wherein the BAC-based DNA library has been constructed from genomic DNA of Mycobacterium tuberculosis.
- 3. The method according to claim 2, wherein the BAC-based DNA library has been constructed from genomic DNA of Mycobacterium tuberculosis strain H37Rv
- 4. The method according to claim 3, wherein the BAC-based DNA library has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on November 19, 1997 under the accession number I-1945.
- 5. The method according to claim 1, wherein the BAC-based DNA library has been constructed from genomic DNA of Mycobacterium bovis.
- 6. The method according to claim 5, wherein the BAC-based DNA library has been constructed from the genomic DNA of Mycobacterium bovis BCG strain Pasteur.
- 7. The method according to claim 6, wherein said DNA library contains approximatively 1600 clones and wherein the genomic DNA is cloned into a recombinant pBeloBAC11 vector with an average insert size of approximately 80 kb
- 8. The method according to claim 6 or 7, wherein the at least one BAC-based DNA library has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on June 30, 1998 under the accession number I-2049.

15



- 9. A method of isolating a polynucleotide of interest that is present in a genome of a first mycobacterium strain or that is expressed by the first mycobacterium strain and that is absent or altered in a genome of a second mycobacterium strain or that is not expressed by the second mycobacterium strain, said method comprising:
- a) providing at least one polymucleotide contained in a clone of a bacterial artificial chromosome (BAC) DNA library of the first mycobacterium strain;
- b) providing at least one genomic or cDNA polynucleotide from a second mycobacterium strain that is different from the first mycobacterium strain or at least one polynucleotide contained in a clone of a BAC DNA library prepared from the genome of the second mycobacterium strain;
- c) contacting under hybridizing conditions the polynucleotide of step a) with the polynucleotide of step b); and
- d) isolating the polynucleotide of step a) that has not formed a hybrid complex with the polynucleotide of step b).
- 10. The method of claim 9, wherein the polynucleotide contained in a clone of a BAC DNA library of the first or second mycobacterium strain is prepared by the following procedure:
- digesting at least one recombinant BAC clone by an appropriate restriction endonuclease to yield a polynucleotide insert of interest; and
  - 2) isolating the polynucleotide insert of interest.
  - 11. A purified polynucleotide of interest that has been isolated according to the method of claim 9.
- 12. The purified polynucleotide of claim 11 which contains at least oneOpen Reading Frame (ORF).
  - 13. The purified polynucleotide of claim 12, which is SEQ ID N0:1.
  - 14. The purified polynucleotide of claim 12, wherein said polynucleotide is selected from the group consisting of:

10

15

20




- a) a polynucleotide comprising at least 8 consecutive nucleotides of SEQ ID N0:1:
- b) a polynucleotide having a sequence fully complementary to SEQ ID N0:1; and
- c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).
  - 15. The purified polynucleotide of claim 14, which is SEQ ID N0:2.
  - 16. The purified polynucleotide of claim 14, which is SEQ ID N0:3.
- 17. The purified polynucleotide of claim 12, wherein the ORF encodes all or part of a polypeptide involved in the pathogenicity of a mycobacterium strain.
- 18. The purified polynucleotide of claim 12, wherein the ORF encodes all or part of a Polymorphism Glycine Rich Sequence (PGRS).
  - 19. The purified polynucleotide of claim 18, which is SEQ ID N0:4.
- 20. The purified polynucleotide of claim 18, which is selected from the group consisting of:
- a) a polynucleotide comprising at least 8 consecutive nucleotides the of SEQ ID
   N0:5:
  - b) a polynucleotide having a sequence that is fully complementary to SEQ ID N0:5:
- c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).
  - 21. A pair of the purified polynucleotides as claimed in claim 11.
  - 22. A Mycobacterium tuberculosis strain Rv37 genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes under accession number I-1945, wherein said genomic DNA library comprises recombinant bacterial artificial chromosome vectors.
  - A recombinant bacterial artificial chromosome (BAC) vector, which belongs to the genomic DNA library of claim 22.
  - 24. The recombinant BAC vector of claim 23, which is selected from the group consisting of :

15

20

25



Rv101; Rv102; Rv103; Rv104; Rv105; Rv106; Rv107; Rv108; Rv109; Rv10; Rv110; Rv111; Rv112; Rv113; Rv114; Rv115; Rv116; Rv117; Rv118; Rv119; Rv11; Rv120; Rv121; Rv122; Rv123; Rv124; Rv126; Rv127; Rv128; Rv129; Rv130; Rv132; Rv134; Rv135; Rv136; Rv137; Rv138; Rv139; Rv13; Rv140; Rv141; Rv142; Rv143; Rv144; Rv145; Rv146; Rv147; Rv148; Rv149; Rv14; Rv150; Rv151; Rv152; Rv153; Rv154; Rv155; Rv156; Rv157; Rv159; Rv15; Rv160; Rv161; Rv162; Rv163; Rv164; Rv165; Rv166; Rv167; Rv169; Rv16; Rv170; Rv171; Rv172; Rv173; Rv174; Rv175; Rv176; Rv177; Rv178; Rv179; Rv17; Rv180; Rv181; Rv182; Rv183; Rv184; Rv185; Rv186; Rv187; Rv188; Rv18; Rv190; Rv191; Rv192; Rv193; Rv194; Rv195; Rv196; Rv19; Rv1; Rv201; Rv204; Rv205; Rv207; Rv209; Rv20; Rv214; Rv215; Rv217; Rv218; Rv219; Rv21; Rv220; Rv221; Rv222; Rv223; Rv224; Rv225; Rv226; Rv227; Rv228; Rv229; Rv230; Rv231; Rv232; Rv233; Rv234; Rv235; Rv237; Rv240; Rv241; Rv243; Rv244; Rv245; Rv246; Rv247; Rv249; Rv24; Rv251; Rv252; Rv253; Rv254; Rv255; Rv257; Rv258; Rv259; Rv25; Rv260; Rv261; Rv262; Rv263; Rv264; Rv265; Rv266; Rv267; Rv268; Rv269; Rv26; Rv270; Rv271; Rv272; Rv273; Rv274; Rv275; Rv276; Rv277; Rv278; Rv279; Rv27; Rv280; Rv281; Rv282; Rv283; Rv284; Rv285; Rv286; Rv287; Rv288; Rv289; Rv28; Rv290; Rv291; Rv292; Rv293; Rv294; Rv295; Rv296; Rv29; Rv2; Rv301; Rv302; Rv303; Rv304; Rv306; Rv307; Rv308; Rv309; Rv30; Rv310; Rv311; Rv312; Rv313; Rv314; Rv315; Rv316; Rv317; Rv318; Rv319; Rv31; Rv32; Rv322; Rv327; Rv328; Rv329; Rv32; Rv330; Rv331; Rv333; Rv334; Rv335; Rv336; Rv337; Rv338; Rv339; Rv33; Rv340; Rv341; Rv343; Rv344; Rv346; Rv347; Rv348; Rv349; Rv34; Rv350; Rv351; Rv352; Rv353; Rv354; Rv355; Rv356; Rv357; Rv358; Rv359; Rv35; Rv360; Rv361; Rv363; Rv364; Rv365; Rv366; Rv367; Rv368; Rv369; Rv36; Rv370; Rv371; Rv373; Rv374; Rv375; Rv376; Rv377; Rv378; Rv379; Rv37; Rv381; Rv382; Rv383; Rv384; Rv385; Rv386; Rv387; Rv388; Rv389; Rv38; Rv390; Rv391; Rv392; Rv393; Rv396; Rv39; Rv3; Rv40; Rv412; Rv413; Rv414; Rv415; Rv416; Rv417; Rv418; Rv419;

10

15

20

25



Rv41; Rv42; Rv43; Rv44; Rv45; Rv46; Rv47; Rv48; Rv49; Rv4; Rv50; Rv51; Rv52; Rv53; Rv54; Rv55; Rv56; Rv57; Rv58; Rv59; Rv5; Rv60; Rv61; Rv62; Rv63; Rv64; Rv65; Rv66; Rv67; Rv68; Rv69; Rv6; Rv70; Rv71; Rv72; Rv73; Rv74; Rv75; Rv76; Rv77; Rv78; Rv79; Rv7; Rv80; Rv81; Rv82; Rv83; Rv84; Rv85; Rv86; Rv87; Rv88; Rv89; Rv8; Rv90; Rv91; Rv92; Rv94; Rv95; Rv96 and Rv9.

25. The recombinant BAC vector of claim 23, which is selected from the group consisting of:

Rv234; Rv351; Rv166; Rv35; Rv415; Rv404; Rv209; Rv272; Rv30; Rv228; Rv233; Rb38; Rv280; Rv177; Rv48; Rv374; Rv151; Rv238; Rv156; Rv92; Rv3; Rv403; Rv322; Rv243; Rv330; Rv285; Rv233; Rv219; Rv416; Rv67; Rv222; Rv149; Rv279; Rv87; Rv273; Rv266; Rv25; Rv136; Rv414; Rv13; Rv289; Rv60; Rv104; Rv5; Rv165; Rv215; Rv329; Rv240; Rv19; Rv74; Rv411; Rv167; Rv56; Rv80; Rv164; Rv59; Rv313; Rv265; Rv308; Rv220; Rv258; Rv339; Rv121; Rv419; Rv418; Rv45; Rv217; Rv134; Rv17; Rv103; Rv21; Rv22; Rv270; Rv267; Rv174; Rv257; Rv44; Rv71; Rv7; Rv27; Rv191; Rv230; Rv128; Rv407; Rv106; Rv39; Rv255; Rv74; Rv355; Rv268; Rv58; Rv173; Rv264; Rv417; Rv401; Rv144; Rv302; Rv81; Rv163; Rv281; Rv221; Rv420; Rv175; Rv86; Rv412; Rv73; Rv269; Rv214; Rv287; Ry42 and Rv143.

26. A Mycobacterium bovis BCG strain Pasteur genomic DNA library, wherein said genomic DNA library comprises recombinant bacterial artificial chromosome vectors.

27. A Mycobacterium bovis BCG strain Pasteur genomic DNA library according to claim 26, wherein said DNA library contains approximatively 1600 clones and wherein the genomic DNA is cloned into a recombinant pBeloBAC11 vector with an average insert size of approximately 80 kb.

28. A Mycobacterium bovis BCG strain Pasteur genomic DNA library according to claim 26, that has been deposited in the Collection Nationale de

10

15

20

25



Cultures de Microorganismes (CNCM) on June 30, 1998 under the accession number I-2049.

- 29. A recombinant bacterial artificial chromosome (BAC) vector, which belongs to the genomic DNA library of claims 26 to 28.
- 30. A recombinant BAC vector according to claim 29, which is selected from the group consisting of:

X0001; X0002; X0003; X0004; X0006; X0007; X0008; X0009; X0010; X0012; X0013; X0014; X0015; X0016; X0017; X0018; X0019; X0020; X0021 and X0175.

- 31. A method for detecting a mycobacterial nucleic acid in a biological sample comprising the steps of:
- a) contacting the recombinant BAC vector according to claim 23 or 29, or a purified polynucleotide according to claim 11 with the mycobacterial nucleic acid in the biological sample; and
- b) detecting a hybrid nucleic acid molecule formed between said recombinant BAC vector or said purified polynucleotide and the mycobacterial nucleic acid in the biological sample.
  - 32. The method of claim 31, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
  - 33. A method for detecting mycobacterial nucleic acid in a biological sample comprising the steps of:
  - a) contacting a first polynucleotide according to claim 11 that has been immobilized onto a substrate with the mycobacterial nucleic acid in the biological sample; and
  - b) contacting a hybrid nucleic acid molecule formed between said first polynucleotide and the mycobacterial nucleic acid in the biological sample with a second, labeled polynucleotide according to claim 11, wherein said

10

15

20

25



second polynucleotide and said first polynucleotide have non-overlapping sequences.

- 34. The method of claim 33, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
- 35. The method of claim 33 or 34, further comprising before step b), removing the mycobacterial nucleic acid that is not hybridized with the immobilized first polynucleotide.
- 36. A method for detecting mycobacterial nucleic acid in a biological sample comprising the steps of:
- a) contacting the mycobacterial nucleic acid in the biological sample with a pair of purified polynucleotides according to claim 21;
- b) amplifying said mycobacterial nucleic acid; and
- c) detecting the amplified mycobacterial nucleic acid.
- 37. The method of claim 36, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
  - 38. A kit for detecting a mycobacterium in a biological sample comprising:
- a) a recombinant BAC vector according to claim 23 or 29, or a purified polynucleotide according to claim 11; and
- b) reagents necessary to perform a nucleic acid hybridization reaction.
  - 39. A kit for detecting a mycobacterium in a biological sample comprising:
- a) a recombinant BAC vector according to claim 23 or 29, or a first polynucleotide according to claim 11 that is immobilized onto a substrate;
- b) reagents necessary to perform a nucleic acid hybridization reaction; and
  - c) a second polynucleotide according to claim 11, wherein said second polynucleotide is radioactively or non-radioactively labeled, and wherein said second polynucleotide and said first polynucleotide have non-overlapping sequences.

15

20



- 40. A kit for detecting a mycobacterium in a biological sample comprising:
- a) a pair of purified polynucleotides according to claim 20; and
- b) reagents necessary to perform a nucleic acid amplification reaction.
- 41. A method for detecting the presence of a genomic DNA, a cDNA or a mRNA of a mycobacterium in a biological sample, comprising the steps of:
  - a) contacting the biological sample with a plurality of BAC vectors according to claim 23 or 29, or purified polynucleotides according to claim 11 that are immobilized on a substrate; and
  - b) detecting the hybrid complexes formed.
  - 42. A kit for detecting a genomic DNA, a cDNA or a mRNA of a mycobacterium in a biological sample, comprising:
  - a) a substrate on which a plurality of BAC vectors according to claim 23 or 29,
     or purified polynucleotides according to claim 11 have been immobilized.
- 43. A method for detecting a polynucleotide of mycobacterial origin in a biological sample, said method comprising:
  - a) aligning at least one polynucleotide contained in a recombinant BAC vector according to claim 23 or 29 on the surface of a substrate;
  - b) contacting the polynucleotide in the biological sample with the substrate on which the polynucleotide of step a) has been aligned; and
- c) detecting a hybrid nucleic acid molecule formed between the polynucleotide in the biological sample and the aligned polynucleotide of step a).
  - 44. A kit for detecting a polynucleotide of mycobacterial origin in a biological sample, comprising:
  - a) a substrate on which at least one polynucleotide contained in a recombinant BAC vector according to claim 23 or 29 has been aligned.
  - 45. The method of claim 10, wherein the procedure by which the polynucleotide contained in a clone of a BAC DNA library is prepared, further comprises amplifying the polynucleotide insert.

10



- 46. The method of claim 10, wherein the procedure by which the polynucleotide contained in a clone of a BAC DNA library is prepared, further comprises digesting the polynucleotide insert with at least one restriction endonuclease.
- 47. The method of claim 45, further comprising digesting the amplified polynucleotide insert with at least one restriction endonuclease.
- 48. The Polynucleotide of claim 17, wherein the mycobacterium strain is Mycobacterium tuberculosis.
- 49. The method of claim 36, wherein the amplified mycobacterial DNA is detected by gel electrophoresis or with a labeled polynucleotide according to claim 11.
- 50. The kit of claim 40, further comprising a polynucleotide according to claim 11.
- The kit of claim 42, further comprising reagents necessary to perform a hybridization reaction.
  - 52. A method for physically mapping a polynucleotide of mycobacterial origin in a biological sample, said method comprising:
  - a) aligning at least one polynucleotide contained in a recombinant BAC vector according to claim 23 or 29 on the surface of a substrate;
- 20 b) contacting the polynucleotide in the biological sample with the substrate on which the polynucleotide of step a) has been aligned under hybridizing conditions; and
  - detecting the location of the hybridized polynucleotide from the biological sample.
- 25 53. The kit of claim 44, further comprising reagents necessary for labeling DNA and reagents necessary for performing a hybridization reaction.




FIGURE 1A

PCT/IB99/00740

2/9




FIGURE 1B




FIGURE 2




FIGURE 3

1 kb ladder Prull Ecorn Ьb 6. I 5. J 3.1 2.0 -1.h -1.0 -0.5

FIGURE 4A

DOUNT WAS A STORE




FIGURE 4B




FIGURE 5

270 SPE.

LFGT 837273	GA 837453	LA 837633	LS 837813	· <b>₹</b> 9	LNGLP 838047
::::	::	::	::		:::::
LFGT	GA	LA	LS		LNGLP
PTQTLTGRPLIGRGTPGAVGSGATGAPGGFLLGDGGAGGSGAAGSGAPGAGGAGGFFT PTQTLTGRPLIGRGTPGAVGSGATGAPGGFTLLGDGGAGGSGAAGSGAFGFFFT	GGAGGSSAGGGAGGAGGWLLGDGGAGGIGGASTYLGGTGGGGGYGGLFGAGGA	GGAGGTGLYGGDGGAGGAGGTGGLLAGLIGAGGGGGGGGGGGGTGGLSTRGDGGYGGAGGRAGHLA GGAGGTGLYGGDGGAGGAGGTGGLLAGLIGAGGGGGGGGGGGGGGGGGGGGG	GPGGAGGAGGDGENLDTGGDGGAGGSAGLLFGSGGAGGAGGFGFLGGDGGAGGNAGLLLS GPGGAGGAGGDGENLDTGGDGGAGGSAGLLFGSGGAGGAGGFGFLGGDGGAGGNAGLLLS	SGGAGGF GGF GTAGGFGGAGGHAGFLGFSGGAGGFGGFGGFGGFGGFGGFGGFGGFGGFGGFGGFGGFG	CANCOALL SYCHMAG AGG TGG TGG TGG TGG TGG TGG TGG TGG T
ИЗ7R₹	H37R♥	H37R4	H37R♥	H37RT	H37RY
ВСС	BCG	BCG	BCG	BCG	

FIGURE

9/9

#### pBeloBAC11

GEGGEGEAA GGGGTTCGCG TCAGCGGGTG TTGGCGGGTG TCGGGGCTGG Not I restriction site CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGGCGCC ATTCGCCATT CAGGCTGCGC AACTGTTGGG AAGGGCGATC GGTGCGGGCC TCTTCGCTAT TACGCCAGCT GGCGAAAGGGGGATGTGCTG CAAGGCGATTprimer T7-BAC1 AAGTTGGGTA ACGCCAGGGT TTTCCCAGTC ACGACGTTGT AAAACGACGG CCAGTGAATEGTAATAGGACECAGTATAGG GCGAATTCGA GCTCGGTACC T7-promoter sequence CGGGGATCCTCTAGAGTCGACCTGCAGGCATGCAAGCTTG AGTATTCTAT HindIII cloning site SP6-promoter AGTGTCACCT ANATAGETTG GCGTAATCAT GGTCATAGCT GTTTCCTGTG sequence (complementary strand) primer SP6-Mid (complementary strand) TGAAATTGTT ATCCGCTCAC AATTCCACAC AACATACGAG CCGGAAGCAT AAAGTGTAAA GCCTGGGGTGGCTAATGAGT GAGCTAACTC ACATTAATTG primer SP6-BAC1 (complementary strand) CGTTGCGCTC ACTGCCCGCT TTCCAGTCGG GAAACCTGTC GTGCCAGCTG CATTAATGAA TCGGCCAACG CGAACCCCTT GGGGGGGGCCGCCGGGCCGTCGA Not1 restriction site

# FIGURE 7



Atto	nev Docket N	lo.	

## DECLARATION AND POWER OF ATTORNEY

. As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: A method for isolating a polynucleotide of interest which is claimed and for which a patent is sought on the invention entitled: A method for isolating a polynucleotide of interest from the genome of a mycobacterium using a BAC-based DNA library.Application to the detection of mycobacteria the specification of which D is attached and/or was filed on April 16, 1999 as United States Application Serial

the specification of which o is attached and/or www filed on April 16, 1999 or PCT International Application No. PCT/IB99/00740 and was amended on (if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate or § 365(a) of any PCT international application(s) designating at least one country other than the United States, listed below and have also identified below, any foreign application(s) for patent or inventor's certificate, or any PCT International application(s) having a filing date before that of the application(s) of which priority

Country	Application Number	Date of Filing	Priority Claimed Under 35 U.S.C. 119		
US	09/060 756	16/04/1998	□ YES	n NO	
			□ YES	D NO	

I hereby claim the benefit under 35 U.S.C. § 119(e) of any United States provisional application(s) listed below:

Application Number	Date of Filing
No.	

hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application(s) in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR § 1.56 which became available between the filing date of the prior application(s) and the national or PCT International filing date of this application.

Application Number	Date of Filing	Status (Patented, Pending, Abandoned)

hereby appoint the following attorney and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected Interewith, FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P., Douglas B. Henderson, Reg. No. 20, 291; Ford F. Farabow, Jr., Reg. No. ## FIRST PROPERTY OF THE PROPE . Please address all correspondence to Linda A. Wadler, Reg. No. 33,218; and FINNEGAN, MENDERSON, FARABOW, GARRETT & DUNNER, LL.P. 1300 I Street, N.W., Washington, D.C. 2005, Telephone No. (202) 408-4000.

Thereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be

true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any natent issuing thereon

Full Name of First Inventor COLE Stewart	Inventor's Signature	$\nabla$	W	Date Nov.	3, 2000
Residence 92140 CLAMART, FRANCE	FR			Citizenship	GB
Post Office Address 22 has mus Continue	Di				

Listing of Inventors Continued on Page 2 hereof. □ Yes □ No.

Attorney Docket No. Listing of Inventors Continued From Page 1 hereof. Full Name of Second Inventor 2-00 Inventor's Signature Nov. 3, 2000 BUCHRIESER-BROSCH Roland New address: 11 rue de 1'Amiral Citizenship AT Residence 75014 PARTS, FRANCE Mouchez - 75013 Paris / France Post Office Address 7 F boulevard Jourdan Date Nov. 3, 2000 Full Name of Third Inventor 2-00 Inventor's Signature ( GORDON Stephen New address: 48 Broadacres. Guilford Citizenship IE Residence 75015 PARIS, FRANCE Surey GU3 3BB / United Kingdom Post Office Address 82 rue Dutot -5 Inventor's Signature Full Name of Fourth Inventor 4-00 Nov. 3, 2000 BILLAULT Alain Citizenship Residence 77680 ROISSY EN BRIE , FRANCE FR Post Office Address Inventor's Signature Full Name of Fifth Inventor Citizenship Residence Post Office Address Date Full Name of Sixth Inventor Inventor's Signature Citizenship Residence Post Office Address Date Full Name of Seventh Inventor Inventor's Signature Citizenship Residence Post Office Address Date Inventor's Signature Full Name of Eighth Inventor Residence Citizenship Post Office Address Date Full Name of Ninth Inventor Inventor's Signature Citizenship Residence Post Office Address Full Name of Tenth Inventor Inventor's Signature Date Citizenship Residence

Post Office Address

# 528 Rec'd PCT/PTO 16 OCT 2000

### SECUENCE LISTING

	(1)	GENERAL.	INFORMATION
--	-----	----------	-------------

,	151	APPLICANT:

- (A) NAME: INSTITUT PASTEUR
- (B) STREET: 28 RUE DU DOCTEUR ROUX
- (C) CITY: PARIS CEDEX 15
- (E) COUNTRY: FRANCE
- (F) POSTAL CODE (ZIP): 75724
- (ii) TITLE OF INVENTION: A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA.
- (iii) NUMBER OF SEQUENCES: 5
  - (iv) COMPUTER READABLE FORM:
    - (A) MEDIUM TYPE: Floppy disk
    - (B) COMPUTER: IBM PC compatible
    - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
    - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
- (2) INFORMATION FOR SEQ ID NO: 1:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 12732 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (iii) HYPOTHETICAL: NO
  - (iv) ANTI-SENSE: NO
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

ACCTGCGCTT	GCAGAGATCA	AATAGGGCGC	ATGGGTCAGC	ATAGTACAGG	TCGTCGCGCA	60
TCTTTGATGC	ATCGGAATAA	GATGTCAGGC	AATTAAAAGA	GAAGCCACGG	CGACTCGCGG	120
CATTCAGCAT	GTCGAGCGTC	GCTTCGATGT	GAGCGCACCA	TTCCGTGTCC	AACGATTTCA	180
GACGAACATT	GAATATTCCA	CTCGCGACGC	TATAGTCCGC	CTCCCGATCT	ATGCGCGCCG	240
CGCAGATGAA	GTCTGCGTTC	GCCCGACCTT	CGAAACGTAG	TGCGGCCGCG	CGCACCATTT	300
CGGGGGAGAC	GTCGATGCCG	GTGTAATCAG	TTTTGAAGCC	ACGCGCATCT	AGGTAGTCCA	360
GTAGAGCCCC	ATAGCCACAG	CCTAGATCGT	TGATCGAAAA	TGGGTCCGCC	GCATTGACAA	420
TGCGCACCAG	CTGGTCAAAG	CGCAACGCCT	GCCCGGCTTC	GCCGTTCCAA	TCGACGCCGC	480
GCGGGTGCCG	TGTGCTTCGA	GTTTCGATGC	GTAGTAACGG	GCCACGTCAG	CGAGCATGGT	540

CGTTGCGTCT	TCCGCCATGA	AGCTGCCTCA	CGATTTGTGT	GTGTGGGCGT	CGGTGCGTGG	600
GTCCGAGACT	ATACCTTCAA	CAGTTGCATG	CCGAGGCTGC	GGCGGGCAAT	GACCCAAAAA	660
CCCGCCGGCA	CGGTTCGCCG	AGCAAGGAAG	CGTGGAGACG	ATAGATAATT	TCACTGGCGA	720
CAGTACCTCA	AATAGTCCGG	AGCCTCGGCT	CCGACGTTAA	AGAGCAGATC	CAGAATCGAC	780
ACGGCGGGCT	CGAACCCTCC	CCACAATTGC	TTATAATCGC	GGTAGCCGTC	ATAATCGAAC	840
CAAGTTACCC	GGATGCTAAG	TTCGTCGAAC	ACGCGCTCAT	CGACATACGA	ACGGGCTGAG	900
GGGCCAGAGA	CATATTCGGT	CGCTGCGGCC	TGTTGGCAGA	GGTTGGCCAG	TCTCTCGGTC	960
TTGCCGTCGG	CTAATTCGTA	GTCCCACGAA	TTTGCCAGTC	GCGTGCTGAT	ACCGAGATAA	1020
CTGCAAATCG	CATTCAATAG	ACGCCTGTTG	AGTAAGGAAA	GATTCGTGTG	CTGTTCTTCG	1080
AGGTAAATC	GCGCGAGCCA	GTCAGCGATC	TCCGCAAAAT	GAGCGGCCGC	GCTGTAGTTG	1140
AATTCTAGTC	CCCGCCAGTG	CGCTTTCGCC	CAATCGGTGC	CGTCGATCAG	CGTCTCACGT	1200
ATCTTTTGAT	GGAAACGTCC	CTTCACCTGG	ACGGGAACAG	TTATCCACTG	TAACCCCTGG	1260
CTCGTTTTG	A TCCGATTTCT	GTTTCGCCAA	TCACGCTTGG	TATATTGCAT	GTCATCATAG	1320
ATGATGAAT	r CATCGACGAA	TGCAATCAGG	TCAAAATATC	CTCGCCAAGG	TATGTAATTT	1380
GATTGAACA	A TCGCGACTTI	CTTCAACGCG	GTGTCTCCAA	TTTAGAATAA	CAAATACGTC	1440
GCGCCCGCG	A CAGCTCCGCT	GGAGCGAGTI	CAAGCGATTC	TGCGACATAI	TCAATATGGT	1500
GCTCGGGAA	G GCCAGGATGG	GCCGCGACCC	GGGGCGTCCG	GTGCGCGATG	AACGTCGCAT	1560
CGTCTCCTG	r gagataatto	CATCCGATCA	TATAGGGCTG	GCTGCGGCT/	GGTTGCTGGC	1620
AAAAAGATA	T CGCGGCCGAT	CCGTTTCTGG	TTTTGTCTTC	ATGATCAAA	CCGCTTCCGT	1680
TCACGAGAT	C GATTCCTGGT	CTTCCCCCA	CGTCGCGAT	G TCGATAGGT	TCGCGCTTTG	1740
TTCGTACCC	G CACTACGCG	G CGGCGAGAA	CTCGCCACCC	AATCGGGAT	r GGGGGGAGGA	1800
TACCACTCG	G TCGAGGCCC	TCACCGGCC	TCTAGCGGG	r TGACCATCA	G TGTTTGCAGG	1860
GCCCTATCC	C GGTATGGCG	C ACCACGGGA	r cggcagcgr	T CCGGTTGCT	G GCGTGGTACC	1920
TCGTTGTG	C GCCGTGGTC	C ATGTCGATT	G AGTGCGTGG	a tcagtgtaa	A CCGTTGCGCG	1980
CCATGTTC	G TAGGCACTG	G TTCGGGTTG	T GGTTAGGCT	G CACGGTTGG	C AGGTTACCAA	2040
CCACTGAG	CC CCTGGGCGG	A TGTGAGCTC	g GACTCCGCC	T ATGGGGTGT	A ATTTTGGCAG	2100
ATTGGGCCC	G GTCCCCGTG	G TGAGGACTC	C TCAACCGGA	T TGGGTAAGC	A TGAGGTGGTG	2160
CTGGCAGC	GG TGTCCTGGT	C GCTCTCCCG	A GTAGGCCCG	T TGTGACTGT	C ATGTGGGCGA	2220

2

GCGGGTTTGC GCGCGTAGGA GACGATGATT ACTACGCACG TGACCAACCA CAAGAACGGT	2280
GCCCATGTCA CCGTGGTGAA AACGAGTGGC GTGGTACCGA CTACCCCTTT GGCTCCCAGC	2340
TGTCCATAGA GCGGCACGTA GAACGGCTGG CCCGGGACCG CGACGTTGAC GATGCTCAGC	2400
GCCACGGCCA AACTCACGCA GACGCCGACC GCGCGGCGGC GGTCTCCATG GGCTGCGAGT	2460
TGGTCGAATA TCCCAGCACC AGGAGGCCCG TTGGGGTCTC GGGCTACCAG TGCAGCGATT	2520
GGCAAGACGA AAACGAGATA GTAGAAGGCG ACGTCCGCGG GGGAGAAGGT GGCGGTGGCG	2580
AGCAACACAA TCCCCACCAT GACAGGCGGG ATACGGCGTC CGAGCGCCAG CACGGCGACC	2640
ACGACTATGA CTAGGACAGC AAACCCGATC TGCGTTCGCG GACCAGTGAG GAAACCCTCT	2700
GGGATCTTGC CCGATTGATA GTTCTTGATG CTATCGGGGA TCAGCAGGAG TGCCTTGCCA	2760
AAGGACACGT TCCGCGGGTC TCGAAGCCCT CCGAACGAAC TATTGAACTT GATGATGCCG	2820
TGGATCGACT GTGCGATCGT CCCCGGGAAG CCTCGTGGCC ACAACAGAAA GGCTGCGATA	2880
TTGGACACCA CCACGCCGGT GATCCCGATA CCAGCCCACC GCCATTGTCG AGCCGCCAAC	2940
AACACCACGC CGAGAACGAC GAACTGCGGC TTTACCAGGA CGGCCAAGAT CACCGTGATG	3000
GTGGCGAGGC CCCACCGCTG TCGGGACAAC GCCACGAAGT AAGCCAGCGC GATCGGTACC	3060
ACGAACCCTG TCGAGTTGCC TCGATCGATG ACCCCCCACG CCGGGATGGC CGCGGCGCCC	3120
AGTGTCACGA AGATGACCAC TCGCTCCAGA CCACGTGCCC CCCGGGCCGC CCAGATGGCG	3180
GGAGATATGA CCGCCATCGT TAGGGCGACC AGGTAACAGA TCAGCCCCAA GCGCGGCGCA	3240
CCCAGCCAAT GGCTGGGTAG TCCGAAAATC GCATACGGTA TGCGGGCGGG GGCCCATGCA	3300
GCAACCGCGG TCGGCTGGTA ATCGGCGGGT AGCGAGATCA GGTAGTCCGC GGGATTGGGT	3360
TGAATCCCGG CGGCGGCGAC CATGGCGTAG TCGCTGAAGC AGTGCCGACC GATATTCATG	3420
CCCCAATCAA GCCAACAGTC CCCAGGGACT ACCAAAAGAG TGGAAAAGAC GTCGACCGCG	3480
TACCACTGAC TGAGGGCGTA CGCCGTCGCC GCCGAAATCA CCGACGCCAG CAGGATGGTG	3540
CCGAGCATGA GGGTGCGCTC GGATTGGGAG CCGATCGCCC AGAGCCGCTC CCGGCTCGCG	3600
GTCACGGCAC CGCGCAACAC CTCCGGGGGT CGCTTCATCT GGATTCTCCT CGGTTCTGCG	3660
CGAAACGGTA GCAGAGCGCC ATGGTTGCCA ACGCGGTCGC CGGGCAGTCT AGACCGGATC	3720
TTCCTCGTGG CAACCGACAA CAGGACGTCG TTGCCGAAAG GGCGCTGGGC ACCGACATCT	3780
AGGATGAACC CACAGCCACG CCCCGACGTT ATGCCATGGC GAAGAGCGAC CGGCAGGAGC	3840
GGGAACCCAG TGAAGCGAGC GCTCATCACC GGAATCACAG GACCGGACGG CTCGTATCTC	3900
GCTAAGCTCC CGCTGAAGGG ATATGTGGCC GCTGGTAGCC CGGCCGAGGT CTATTTCTGC	3960

					agaman nana	CATCTCCTTC	4020
				GGGTTGCTCG			
	AATCACGAAT	CACCGCGTCA	CGGCGAGACA	TTCATGACTC	GTAATCCTGC	ACCATATCGC	4080
,	GGTCGGCAAC	GAGGCGCTGA	TCGATGCGCA	GACGCTGATG	CGCCGGCCCA	CCCGGATAGG	4140
	TATCAGTATT	GGGGCGTTCC	GGCCAGCGTA	CGAGGCGTGA	TCGACCGCGC	AATGGGTGTT	4200
	TGCGTTGAGT	AATAATCTGA	ACCGTGTGAA	CGCATGCATG	GATGGATTCC	TTGCCCGTAT	4260
	CCGCTCACAT	GTTGATGCGC	ACGCGCCAGA	ATTGCGTTCA	CTGTTCGATA	CGATGGCGGC	4320
	CGAGGCCCGA	TTTGCACGCG	ACTGGCTGTC	CGAGGACCTC	GCGCGGTTGC	CTGTCGGTGC	4380
	AGCATTGCTG	GAAGTGGGCG	GGGGGGTACT	TCTGCTCAGC	TGTCAACTGG	CGGCGGAGGG	4440
	ATTTGACATC	ACCGCCATCG	AGCCGACGGG	TGAAGGTTTT	GGCAAGTTCA	GACAGCTTGG	4500
	CGACATCGTG	CTGGAATTGG	CTGCAGCACG	ACCCACCATC	GCGCCATGCA	AGGCGGAAGA	4560
	CTTTATTTCC	GAGAAGCGGT	TCGACTTCGC	CTTCTCGCTG	AATGTGATGG	AGCACATCGA	4620
	CCTTCCGGAT	GAGGCAGTCA	GGCGGGTATC	GGAAGTGCTG	AAACCGGGGG	CCAGTTACCA	4680
	CTTCCTGTGC	CCGAATTACG	TATTCCCGTA	CGAACCGCAT	TTCAATATCC	CAACATTCTT	4740
	CACCAAAGAG	CTGACATGCC	GGGTGATGCG	ACATCGCATC	GAGGGCAATA	CGGGCATGGA	4800
	TGACCCGAAG	GGAGTCTGGC	GTTCGCTCAA	CTGGATTACG	GTTCCCAAGG	TGAAACGCTT	4860
	TGCGGCGAAG	GATGCGACGC	TGACCTTGCG	CTTCCACCGT	GCAATGTTGG	TATGGATGCT	4920
	GGAACGCGCG	CTGACGGATA	AGGAATTCGC	TGGTCGCCGG	GCACAATGG	TGGTCGCTGC	4980
	TATTCGCTCG	GCGGTGAAAT	TGCGTGTGC	TCATCTGGCA	GGCTATGTT	CCGCTACGCT	5040
	GCAGCCCATC	ATGGATGTG	GGCTAACGA	GAGGTAATGA	. CATGGCGCA	GCGACATCGG	5100
	GCATTCGCGC	GGCACTTTC	CAACCTGCTG	TGTATGAGGC	GTATCAGCG	ATTGCGGGCG	5160
	CTAAAAGCGG	GCTTGCGTGC	ATCACAACCO	ACCCCATCC#	GTCGTTGCC	A GGCATGCGTA	5220
	CTCTCGACCT	r CGGTTGCTG	G CCAGCGGTG	TACACAGCT	CCCGCCAGT	GACGTGACAT	5280
	GTACGAGAGA	A CGGCATGAG	C GCGGAATGT	GACCGTGC	C GTCGAGATG	A CCGACGTCGG	5340
	CGCTACGGC	A GCCCCCACC	GACCTATCG	GCGGGGCAG	GTCGCTCGG	TCGGCGCGGC	5400
	GACCGCGTT	G GCCGTTGCC	r gcgtctaca	GGTCATCTAT	r creecesco	C GCGACCTACC	5460
	CCCGGCTTG	T TTTTCGATA	T TCGCGGTGT	r TTGGGGGGC	G CTCGGCATT	G CCACCGGCGC	5520
	CACCCACGG	C CTCCTGCAA	g aaacgaccc	G CGAGGTCCG	C TGGGTGCGC	T CCACCCAAAT	5580
	AGTTGCGGG	C CATCGTACC	C ATCCGCTGC	G GGTGGCCGG	g atgattggc	A CCGTCGCGGC	5640

WO 99/54487 PCT/IB99/00740

5

CGTCGTAATT	GCGGGTAGCT	CACCGCTGTG	GAGCCGACAG	CTATTCGTCG	AGGGGCGCTG	5700
GCTGTCCGTG	GGGCTACTCA	GCGTTGGGGT	GGCCGGGTTC	TGCGCGCAGG	CGACCCTGCT	5760
GGCGCGCTG	GCCGGCGTCG	ACCGGTGGAC	ACAGTACGGG	TCACTGATGG	TGACCGACGC	5820
GGTCATCCGG	TTGGCGGTCG	CCGCGGCAGC	GGTTGTGATC	GGATGGGGTC	TGGCCGGGTA	5880
CTTGTGGGCC	GCCACCGCGG	GAGCGGTGGC	GTGGCTGCTC	ATGCTGATGG	CCTCGCCCAC	5940
CGCGCGCAGC	GCGGCCAGCC	TGCTGACGCC	CGGGGGAATC	GCCACGTTCG	TGCGCGGTGC	6000
CGCTCATTCG	ATAACCGCCG	CGGGTGCCAG	CGCGATTCTG	GTAATGGGTT	TCCCAGTGTT	6060
GCTCAAAGTG	ACCTCCGACC	AGTTAGGGGC	AAAGGGCGGA	GCGGTCATCC	TGGCTGTGAC	6120
CTTGACGCGT	GCGCCGCTTC	TGGTCCCACT	GAGCGCGATG	CAAGGCAACC	TGATCGCGCA	6180
TTTCGTCGAC	CGGCGCACCC	AACGGCTTCG	GGCGCTGATC	GCACCGGCGC	TGGTCGTCGG	6240
CGGCATCGGT	GCGGTCGGGA	TGTTGGCCGC	AGGGCTTACC	GGTCCCTGGT	TGCTGCGTGT	6300
TGGATTCGGC	CCCGACTACC	AAACTGGCGG	GGCGTTGCTG	GCCTGGTTGA	CGGCAGCGGC	6360
GGTAGCTATC	GCCATGCTGA	CGCTGACCGG	cecceccece	GTCGCGGCCG	CACTGCACCG	6420
GGCGTATTTG	CTGGGCTGGG	TCAGCGCGAC	GGTGGCGTCG	ACGCTGTTGC	TGCTGCTGCC	6480
GATGCCGCTG	GAGACGCGCA	CCGTGATCGC	GCTGTTGTTC	GGTCCAACGG	TGGGAATCGC	6540
CATCCATGTG	GCCGCGTTGG	CGCGGCGACC	CGACTGATTT	GTGCCCCAGG	TCGACAAATC	6600
ACGCCGTCTC	GTCAGTGAGC	ACTCCGTCCT	CGGGTCCGAT	CCTTCCAGGA	GACGTTGCAA	6660
CCTGATTTGG	CTCAAATTGG	TGCGCACCGA	GGGTCGGGCA	CATCGTAGGG	TCGCAACAGT	6720
CACATGTGTC	ACTGCACCGG	GCGACACCCG	ATGTCCCGGC	TCTCAGCGAC	AGCTGTCTGA	6780
CCTGTGGTTT	TGTTCCCAAG	TTGGTCGTGG	CTGTGCGGGA	TTGGAGGTGG	CGTGGGGGTC	6840
GCGTCGTATG	GATTCTCCTC	CTCGGTTCCG	CGCGAAACGG	CCGCAGGCGC	AATGGTCACC	6900
AACTTGGCCG	CGGTGGAGTC	TAGCCTCACA	TTTTCCTGGT	CGCCCCGAC	AACCAGGAGG	6960
TCGCTGCAGA	ACGGGCGTTC	CCTACCCACA	TCTACTATGA	AGCGACAGCG	GCGCCCCGCT	7020
GTGATGGCTG	AGCATGACCG	ACAGAGGCGG	GAAGACAGTG	AAGCGAGCGC	TCATCACCGG	7080
AATCACCGGC	CAGGACGGCT	CGTATCTCGC	CGAACTGCTG	CTGGCCAAGG	GGTATGAGGT	7140
TCACGGGCTC	ATCCGGCGCG	CTTCGACGTT	CAACACCTCG	CGGATCGATC	ACCTCTACGT	7200
CGACCCGCAC	CAACCGGGCG	CGCGGCTGTT	TCTGCACTAT	GGTGACCTGA	TCGACGGAAC	7260
CCGGTTGGTG	ACCCTGCTGA	GCACCATCGA	ACCCGACGAG	GTGTACAACC	TGGCGGCGCA	7320
GTCACACGTG	CGGGTGAGCT	TCGACGAACC	CGTGCACACC	GGTGACACCA	CCGGCATGGG	7380

ATCCATGCGA	CTGCTGGAAG	CCGTTCGGCT	CTCTCGGGTG	CACTGCCGCT	TCTATCAGGC	7440
GTCCTCGTCG	GAGATGTTCG	GCGCCTCGCC	GCCACCGCAG	AACGAGCTGA	CGCCGTTCTA	7500
CCCGCGGTCA	CCGTATGGCG	CCGCCAAGGT	CTATTCGTAC	TGGGCGACCC	GCAATTATCG	7560
CGAAGCGTAC	GGATTGTTCG	CCGTTAACGG	CATCTTGTTC	AATCACGAAT	CACCGCGGCG	7620
CGGTGAGACG	TTCGTGACCC	GAAAGATCAC	CAGGGCCGTG	GCACGCATCA	AGGCCGGTAT	7680
CCAGTCCGAG	GTCTATATGG	GCAATCTGGA	TGCGGTCCGC	GACTGGGGGT	ACGCGCCCGA	7740
ATACGTCGAA	GGCATGTGGC	GGATGCTGCA	GACCGACGAG	CCCGACGACT	TCGTTTTGGC	7800
GACCGGGCGC	GGTTTCACCG	TGCGTGAGTT	CGCGCGGGCC	GCGTTCGAGC	ATGCCGGTTT	7860
GGACTGGCAG	CAGTACGTGA	AATTCGACCA	ACGCTATCTG	CGGCCCACCG	AGGTGGATTC	7920
GCTGATCGGC	GACGCGACCA	AGGCTGCCGA	ATTGCTGGGC	TGGAGGGCTT	CGGTGCACAC	7980
TGACGAGTTG	GCTCGGATCA	TGGTCGACGC	GGACATGGCG	GCGCTGGAGT	GCGAAGGCAA	8040
GCCGTGGATC	GACAAGCCGA	TGATCGCCGG	CCGGACATGA	ACGCGCACAC	CTCGGTCGGC	8100
CCGCTTGACC	GCGCGGCCCG	GGTCTACATC	GCCGGGCATC	GCGGCCTGGT	CGGGTCCGCG	8160
CTGCTACGCA	CGTTTGCGGG	CGCGGGGTTC	ACCAACCTGC	TGGTGCGGTC	ACGCGCCGAG	8220
CTTGATCTGA	CGGATCGGGC	CGCGACGTTC	GACTTCGTTC	TCGAGTCGAG	GCCGCAGGTC	8280
GTCATCGACG	CGGCGGCCCG	GGTCGGCGGC	ATCCTGGCCA	ACGACACCTA	CCCGGCCGAT	8340
TTCCTGTCGG	AAAACCTCCA	GATCCAGGTC	AACCTGCTGG	ATGCCGCCGT	GGCGGCGCGG	8400
GTGCCGCGGC	TGCTGTTCCT	GGGCTCGTCG	TGCATCTACC	CGAAACTCGC	CCCGCAGCCG	8460
ATCCCGGAGA	GCGCGCTGCT	CACCGGTCCG	TTGGAGCCGA	CCAACGACGC	GTACGCGATC	8520
GCCAAAATCG	CCGGCATCCT	TGCGGTCCAG	GCGGTGCGCC	GCCAACATGG	CCTGCCGTGG	8580
ATCTCGGCGA	TGCCCACCAA	CCTGTACGGG	CCAGGCGACA	ACTTTTCGCC	GTCCGGCTCG	8640
CATCTGCTGC	CGGCACTCAT	CCGCCGCTAT	GACGAGGCCA	AAGCCAGTGG	CGCGCCCAAC	8700
GTGACCAACT	GGGGCACCGG	CACGCCCCGA	CGGGAGTTGC	TGCACGTCGA	CGACCTGGCG	8760
AGCGCATGCC	TGTATCTGCT	GGAACATTTC	GACGGGCCGA	CCCATGTCAA	CGTGGGAACC	8820
GGCATCGACC	ACACCATCGG	CGAGATCGCC	GAGATGGTCG	CCTCGGCGGT	AGGCTATAGC	8880
GGCGAAACCC	GCTGGGATCC	AAGCAAACCG	GACGGAACAC	CACGCAAACT	GCTGGATGTT	8940
TCGGTGCTAC	GGGAGGCGGG	ATGGCGGCCT	TCGATCGCGC	TGCGCGACGG	CATCGAGGCG	9000
ACGGTGGCGT	GGTATCGCGA	GCACGCGGGA	ACGGTTCGGC	AATGAGGCTG	GCCCGTCGCG	9060

GGGAACGCAA TTTCTTGCGC CAACTGCAAT CGCATCGGGT CAGTGCCGT CTCGATGTCG GGGCCAATTC GGGGCAGTAC GCCAGGGGTC TGCGCGGCC GGCCTCGC GGCCGCATCG GGGCCAATTC GGGGCAGTAC GCCAGGGGTC TGCGCGGCC GGCCTCGC GGCCCATCG TCTCGTTCGA GCCGCTGCCC GGGCCCTTTG CCGTCTTGCA GCGCAGCGCC TCCACGGACC GCTTGTGGGA ATGCCGGCGC TGTGCGCTG GCGATGTCGA TGGAACCATC TCGATCAACG CCTTTCCACC AGCCAACTAC GTGGGCGCC AACGGGTCC GATCAACGA CATCAGGACG CCTTTCCACC AGCCAACTAC GTGGGCGCC AACGGTTCTT GAAGATCGA CTCGATTCCG GGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTCGATTCCG AGCTCGAGA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGACTCC AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGCAT GCCCAACGATC ACCGGCTCG ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTC ACCGACCCC GCAACGGTCG AATCCTCCAG GCCGATGGCA TCTTCTCCC GGGCACGAT TGACGCCCC GCGCGCTCAAT CTATTCGAC ATCCGCTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG GCGCGTCAAT CTATTCGAC ATCCGCTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG GCGCGTCAAT CTATTCGAC ATCCGCTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG GCGCGTCAAT CTGTTGCAC CGGCGCAGAT CACCGAAGAC CCCTCTGT TCCCCCCG AACGGGTAGC GCGCGATGAAG GTCGCCCATC CGGCCAGAT CACCGAAGAC CGCGCTTGT TCCCGGTGCG AGCCGACGCC CGTGGTGTCG AACTCGCACA GCACACACC AATCGGACCC GGCTCGCATA AGCCGACGCC CGTGGTGTCG AACTCGCACA GCACACACCA AATCGTGACC GGCTCGCATA AGCCGACGCC CGTGGTGTCG AACTCGCACA GCACACACCA AATCGTGACC GGCTCGCATA AGCCGACGCC CGTGGTGTCC CGCCCAACACACA AACTCGTACC GGCCCAACACACA AACCGGTACC GGCCCAACACACA AACCGGACCAC AACCGGTACC GGCCCAACACACACA AACCGGTACC GGCCCAACACACACACACACACACACACACACACAC	
TCTCGTTCGA GCCGCTGCCC GGGCCCTTTG CCGTCTTGCA GCGCAGGGCC TCCACGGACC 930 CGTTGTGGGA ATGCCGGCGC TGTGCGCTGG GCGATGTCGA TGGAACCATC TCGATCAACG 936 TCGCCGGCAA CGAGGGCCC AGCAGTTCCG TCTTGCCGAT GTTGAAACGA CATCAGGACG 942 CCTTTCCACC AGCCAACTAC GTGGGCGCC AACGGGTGCC GATACATCGA CTCGATTCCG 948 TGGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTCGATTCCG 960 AGCTCGAGC GTGTTCCAG CCCTTGTACG AGGGTGCA CGACCGATGC GTCGGCATGC 960 AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGCAT GCTCATCCGC GAGGCGCTCG 966 ATCTCGTGGA TCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTC ACCGACCCC 972 GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGCACGCAT TGACGCCCC 978 GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG 960 CGTAGAACTC CCGGCCGCGT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 960 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 960 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 960	U
CGTTGTGGGA ATGCCGGCGC TGTGCGCTGG GCGATGTCGA TGGAACCATC TCGATCAACG 936 TCGCCGGCAA CGAGGGCGCC AGCAGTTCCG TCTTGCCGAT GTTGAAACGA CATCAGGACG 942 CCTTTCCACC AGCCAACTAC GTGGGCGCCC AACGGGTGCC GATACATCGA CTCGATTCCG 948 TCGGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTTCAAGGAT 954 TCGAGGAAGCA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGGCATGC 966 AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCAT GCTCATCCGC GAGGCGCTCG 966 ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCC 972 GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG 978 GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTTC CCAGAATCGA CTGTTGTAGG 984 CGTAGAACTC CCGGCCGCT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 996 GCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 996	0
CCTTTCCACC AGCCAACTAC GTGGGCGCC AACGGGTGCC GATACATCGA CATCAGGACG 948 CCTTTCCACC AGCCAACTAC GTGGGCGCCC AACGGGTGCC GATACATCGA CTCGATTCCG 948 TGGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTTCAAGGAT 954 TCGAGAAGCA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGGCATGC 966 AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCA GCTCATCCGC GAGGCGCTCG 966 ATCTCGTGGA TTCGTTGGCC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC 972 GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCCCC 978 GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG 984 CGTAGAACT CCGGCCGCGT AGGTAGGCAT GTGATATTCG CCTTCCCCC AACGGGTAGC GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCCTTGGT TCCCGGTGCG 994	0
CCTTTCCACC AGCCAACTAC GTGGGGGCCC AACGGGTGCC GATACATCGA CTCGATTCCG  TGGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTTCAAGGAT  TCGAGAAGCA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGGCATGC  AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCAT GCTCATCCGC GAGGCGCTCG  ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC  GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCCCCC  GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG  GCGATGAAACTC CCGGCCGCT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC  GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  GCGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  GCGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  GAGACCACACGACCACACCACACACACACACACAC	0
TGGCTGCAGA CGTTCTGCGG CCCAACGATA TTGCGTTCTT GAAGATCGAC GTTCAAGGAT  TCGAGAAAGCA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGGCATGC  AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCAT GCTCATCCGC GAGGCGCTCG  ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC  GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG  GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG  GCGATGAAAC CCGGCCCGT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC  GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  954  GCGGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG	0
TCGAGAGCA GGTGATCGCG GGTGGCGATT CAACGGTGCA CGACCGATGC GTCGGCATGC AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCAT GCTCATCCGC GAGGCGCTCG ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTTC CCAGAATCGA CTGTTGTAGG GCGATGAACTC CCGGCCGCT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 960	0
AGCTCGAGCT GTCTTTCCAG CCGTTGTACG AGGGTGGCAT GCTCATCCGC GAGGCGCTCG 966 ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC 972 GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG 978 GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTTC CCAGAATCGA CTGTTGTAGG 984 CGTAGAACTC CCGGCCGCT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 990 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 990	0
ATCTCGTGGA TTCGTTGGGC TTTACGCTCT CGGGATTGCA ACCCGGTTTC ACCGACCCCC 972 GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG 978 GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTC CCAGAATCGA CTGTTGTAGG 984 CGTAGAACTC CCGGCCGCT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 996 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 996	0
GCAACGGTCG AATGCTGCAG GCCGATGGCA TCTTCTTCCG GGGCAGCGAT TGACGCGCCG  GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTTC CCAGAATCGA CTGTTGTAGG  GGTAGAACTC CCGGCCGCGT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC  GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG  976	0
GCGCGTCAAT CTATTTCGAC ATTCGCGTGA AGACGTTTTC CCAGAATCGA CTGTTGTAGG 984 CGTAGAACTC CCGGCCGCGT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 996 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGTTGGT TCCCGGTGCG 996	20
CGTAGAACTC CCGGCCGCGT AGGTAGGCAT GTGATATTCG CCTTCCCCCG AACGGGTAGC 990 GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 990	30
GGCGATGAAG GTCGCCCATG CGGCGCAGAT CACCGAAGAC CGCGCTTGGT TCCCGGTGCG 996	10
	00
AGCCGACGCC CGTGGTGTCG AACTCGCACA GCACACCCG AATCGTGACC GGCTCGCATA 1000	50
	20
CCAGCGCGGC CCGCAATATG AATTCCTGGT CGGCGGCGAT CCCGAAATCA AGGTCGTAGC 100	80
CACCGATCTT GGCCACCAGC GATGATCCGA AGAACGATGC TTGATGCGGA ACAACCTGCT 101	40
TGCCGGCCAG GAATTTGCGC AGGCTGAAAG GTATCGGGCC GCGCACCCGA TCGAGCCCGA 102	00
CGAGACGATC CATCCCGAAG CCCCACAATT CGGACACCGG TCCCTTGCCG GATAGCGCCT 102	60
CCACGGCCTG GGCTACCACG TCGGGCCCGG AAAAACGATC GGCGGAGTGC AAGAACCACA 103	20
ACAGATCACC CGATGCGTGC GCGATGCCCT GGTTCATCGC GTCGTACCGC CCGCCGTCGG 103	80
GCTCGGACTG CCAATACGCG AAGCCTGGTT CACACCCGGA CAGGTATGCC ACCACGTCGT 104	40
CGCCGCTGCC ACCGTCGATT ACGATGTGCT CGATGCGTCC CCGGTAGCGT TGCGCCCGCA 105	00
CACTITICAC CGTGCGCTGC AACCCGTCGA GGTCGTTGAA CGAGATCGTT ATCACCGAGA 105	60
CGGTCGGAGC AGACGTCACC GAGTTCCCCT AGGTTGCTGG CGGCGATTGT GGATCACCGG 106	520
GTCTTGATAC CGATGAAGGT GCCTCGAAGA TTCGCCGCAT AGGAACCTCC GAGCAACGAC 106	680
TCGGCGATGC TTGGTTCCAA GTTGTCGTAC TCCTCCATCA CCAGGTCGAC GCCGACGTCT 10	740
TTGATGGCCT GAAGTAGGTG CTCGCGTTGA ATCCAGAATG ACCGGCGATT GTCCCAGGAC 108	800

860
920
980
040
100
160
.220
280
1340
1400
L460
L520
1580
1640
1700
1760
1820
1880
1940
2000
2060
2120
2180
.2240
.230
236
242
1248
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

TGGTCGAGAC GATGCTCACC TTGGGGCAAA GCTGGGGACT CACCGTCGGC CCTTTTCCTG 12	540
CGCGGCCGCA AGGGTATTGC GATGGCGAAC GTGAATCGCC TGTGCCCGCC GGCCGTCGGC 12	600
CGTCGTGGCC TGGTGGTCGG CGGACGTACG GCACACGCTG GCGAAGTATA GCGAGGGTGC 12	660
ACTGACGTTG GGCTCGAACC GCGTGGCGCG CGGTGTGGGC GCACCGTCTC GAGTCGGTGC 12	720
TGGTTGGCTC GC 12	732
(2) INFORMATION FOR SEQ ID NO: 2:	
(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 289 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:	
ATACTCAAGC TTGCCGCAAT CGAAACCAAC CTGTTTGTGC CGCAAGAAAT TACGCCGTGG	60
CCCGGCGCCG ATCAAGAAAC GCCCCGGCGC GCGGCGGTGT CGTCGTATGG CATGACGGGC	120
ACCAATGTGC ACGCCATTGT CGAGCAGGCA CCGGTGCCAG CCCCCGAATC CGGTGCACCA	180
GGCGACACCC CGGCCACACC CGGTATCGAC GGCGCGCTGC TGTTCGCGCT GTCGGCCAGC	240
TCGCAGGACG CGCTGCGGCA AACCGCCGCG CGGCTGGCCG ATTGGGTCT	289
(2) INFORMATION FOR SEQ ID NO: 3:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 278 base pairs  (B) TYPE: nucleic acid  (C) STRANDENNESS: single  (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: MO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:	
TTGGCGGGTT GGCCACACAC CCGCCGGTGA CGGCGACGAT GCTGGGCTGG	60

GGCCACCGC GGCTTGCATG CTGGTTGGCT GTCTTGGGAC GATCCCGAAA TAGTCCACGC 120
GGATCTGGTG ATTTTGCGGG CTACCCGCGA TTACCCCGCG CGGCTCGACG AGTTTTTGGC 180

CTGGACTACC	CGCGTGGCCA	ATCTGCTGAA	CTCGCGGCCG	GTGGTGGCCT	GGAATGTCCA	24
CGCCGTTCAC	CTACGTGACC	TTGATGGGAT	CCGGGGGT			27

- (2) INFORMATION FOR SEQ ID NO: 4:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 1280 base pairs
      - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (iii) HYPOTHETICAL: NO
  - (iv) ANTI-SENSE: NO
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

CCGACCCAGA	CACTGACCGG	GCGACCGCTG	ATCGGCAACG	GCACCCCCGG	GGCGGTCGGC	60
AGCGGGGCCA	CCGGGGCCCC	CGGTGGGTGG	CTGCTCGGCG	ACGGCGGGGC	CGGCGGGTCC	120
ggcgcggcgg	GCTCGGGCGC	GCCCGGCGGG	GCGGGCGGG	CTGCCGGGCT	GTGGGGTACC	180
GGCGGGGCCG	GCGGGATCGG	CGGAGCCAGC	ACCGTACTCG	GCGGCACCGG	CGGGGGAGGC	240
GGGGTCGGTG	GGCTGTGGGG	CGCCGGTGGG	GCCGGCGGG	CCGGTGGAAC	CGGCCTTGTT	300
GGTGGCGACG	GCGGGGCCGG	TGGGGCCGGC	GGGACCGGCG	GACTGCTGGC	CGGGCTGATC	360
GGTGCCGGCG	GAGGTCACGG	CGGGACCGGC	GGGCTCAGCA	CTAATGGCGA	CGGCGGGGTT	420
GGCGGGGCCG	GCGGGAATGC	CGGAATGCTC	GCCGGGCCGG	GCGGCGCCGG	CGGAGCCGGC	480
GGTGACGGCG	AAAACCTGGA	CACCGGTGGG	GACGGCGGGG	CCGGCGGTAG	CGCAGGGCTG	540
CTGTTCGGCA	GCGGCGGCGC	CGGCGGCGCC	GGCGGATTTG	GTTTCCTCGG	TGGGGACGGC	600
GGGGCCGGTG	GCAACGCCGG	GCTGCTGTTG	TCCAGCGGCG	GGGCCGGCGG	GTTCGGCGGG	660
TTCGGCACCG	CCGGTGGGGT	CGGTGGGGCC	GGCGGCAATG	CCGGCTGGCT	GGGCTTCGGC	720
GGGGCCGGGG	GCATCGGCGG	AATCGGCGGT	AACGCTAACG	GGGGCGCCGG	TGGGAACGGC	780
GGCACCGGCG	GTCAGTTATG	GGGTAGCGGC	: GGCGCCGGCG	TCGAAGGCGG	CGCAGCCTTA	840
AGCGTCGGCG	ACACCGGCGG	GGCCGGTGGC	GTCGGCGGCA	GCGCCGGGCT	GATCGGCACC	900
GGCGGCAACG	GCGGCAACGC	GGCACCGGC	GCCAACGCCG	GCAGCCCCGG	AACCGGCGGC	960
GCCGGCGGG	TGCTGCTGG	G CCAAAACGGG	G CTCAACGGGT	TGCCGTAGCC	GGGCGGCACG	1020
COMPCCCTTT(	CCCCCCTCA	CCACTCGCCC	GTGATGCAGA	TCGGCTGCGG	AGCGGGCCGC	1080

127

CGACACC

CAAAATGGGG GCCGCCGCG CAGGTATCTC GGCGAAGATC CCCGGCGCTC GAGCGCTTTG	1140
TCAGAGGCCC GTCGCGGGTC GTCGTGACGA CGGCTATCCG GGCGGTGCGG GTTTCGCGGC	1200
GCGCCCTGTG CCCGGCACCG CCGCCCGTTT GTCGGCAACG CCGCCGCGAC CCGTGAGCCG	1260
TCCAGCAGCT GGCGCCTGCG	1280
(2) INFORMATION FOR SEQ ID NO: 5:	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 127 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDMESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
( <del></del> )	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:	
GGGCATCGGC GGAATCGGCG GTAACGCTAA CGGGGGCGCC GGTGGGAACG GCGGCACCGG	60
CGGTCAGTTA TGGGGTAGCG GCGGCGCCGG CGTCGAAGGC GGCGCAGCCT TAAGCGTCGG	120